

MARCH TO JUNE 2025



# TOOLS & EQUIPMENT CATALOGUE

**NEW**

## ITM 2000KG ALUMINIUM BODY TROLLEY JACK

- Strong but lightweight aluminium and steel construction
- Fast lifting dual pump action
- Side mounted handles for portability and quick positioning
- Low profile frame



• \$449

PART NO.	WORKING LOAD LIMIT	HEIGHT LOWERED	HEIGHT RAISED
TM827-02000	2,000kg	100mm	495mm

## HOLEMAKER PRO 35 MAGNETIC BASE DRILL

- Quality, Compact & Robust European Made Machine
- Lightweight, only 10kg!
- Ideal for onsite & overhead tasks
- Capacity (diameter) 35mm
- Capacity (depth) 52mm
- Unique dual rail slide system increases machine rigidity and improves cutter life
- Gravity feed coolant system with magnetically attached bottle



• \$1249

**Holemaker**  
Drilling Solutions By ITM®

PART NO.	CAPACITY DIA. x DEPTH	WEIGHT
HMPRO35	35 x 52mm	10kg

## ITM 500KG COMPACT ELECTRIC CHAIN HOIST

- Compact yet heavy duty design
- Industrial quality, designed for professional workshop applications
- Up/Down Pendant controller with Emergency Stop switch
- Weight overload limiter for safety
- Single phase, 1300w 240V motor
- Upper and lower limit switches to prevent chain runout
- Tested & certified to AS 1418.2
- Test certificate & user manual supplied



• \$1499

PART NO.	RATED CAPACITY	STANDARD LIFT	LIFT SPEED	NET WEIGHT
TM9000-00503	500kg	3m	5m/min	19kg

## TENG TOOLS 338 PIECE 53" METRIC & IMPERIAL TOOL KIT

**BONUS**

338 PCE 1/4" 3/8" 1/2"

- 1/4", 3/8" & 1/2" drives Metric & Imperial
- A comprehensive tool kit covering the tool requirements of most trades & users
- High-density EVA foam trays for every tool in the kit
- 53" Wide 9 drawer extra heavy duty roller cabinet
- Combination lock for extra security



41 PCE 1/2" M7 IMPACT & TORQUE EVA TRAY SET \$960 VALUE

VIEW THE KIT ONLINE



NORMALLY \$5995

• NOW \$3995

SAVE \$2000



PART NO.	CONTENTS
TE-TCM338EVAWBK	338 Pce 9 Drawer 53" Roller Cabinet Metric/Imperial Tool Kit

## OUR LEADING BRANDS:



# MAGNETIC BASE DRILLING MACHINES

- Australia's most comprehensive range of magnetic base drilling machines, cutters and accessories.
- With our wide range of machine styles, sizes and designs, there is a Holemaker machine to suit every application.

- Reliable and durable European made machines
- Value for money that far exceeds any other brand on the market
- Over 20 different models of magnetic drilling machines, stocked in Australia!
- Over 25 years of product development

## CORDLESS

### HOLEMAKER PRO 35 18V CORDLESS MAGNETIC BASE DRILL

- Cordless, Compact & lightweight European Made Machine
- 18V Brushless motor technology
- CAS Battery platform
- Ideal for onsite & overhead tasks
- Unique dual rail slide system increases machine rigidity and improves cutter life
- Includes:
  - 14, 18, 22mm cutters & pin
  - 4Ah Lithium ion battery & Charger



**•\$2799**

**Holemaker**  
Drilling Solutions By **FTM**

PART NO.	CAPACITY DIA. x DEPTH	WEIGHT
HMPRO35-18VK1	35 x 52mm	11kg

### HOLEMAKER PRO 35 MAGNETIC BASE DRILL

- Quality, Compact & Robust European Made Machine
- Lightweight, only 10kg
- Ideal for onsite & overhead tasks
- Capacity (diameter) 35mm
- Capacity (depth) 52mm
- Unique dual rail slide system increases machine rigidity and improves cutter life
- Gravity feed coolant system with magnetically attached bottle



**•\$1249**

**Holemaker**  
Drilling Solutions By **FTM**

PART NO.	CAPACITY DIA. x DEPTH	WEIGHT
HMPRO35	35 x 52mm	10kg

### HOLEMAKER PRO 42 MAGNETIC BASE DRILL

- Durable & Versatile European Made Machine
- Light-weight, only 12.5kg
- Large 165mm stroke
- Capacity (diameter) 42mm
- Capacity (depth) 52mm
- Gravity feed coolant system with magnetically attached bottle
- Optional twist drill chuck
- Plastic carry case



**•\$1999**

**Holemaker**  
Drilling Solutions By **FTM**

PART NO.	CAPACITY DIA. x DEPTH	WEIGHT
HMPRO42	42 x 52mm	12.5kg

### HOLEMAKER PRO 36AD MAGNETIC BASE DRILL

- European made
- Ultra low profile
- 176mm constant working height
- Light-weight, only 9.5kg
- Capacity (diameter) 36mm
- Capacity (depth) 30mm
- Utilises standard 3/4" shank cutters
- Remote pressure bottle coolant system
- Plastic carry case



**•\$2699**

**Holemaker**  
Drilling Solutions By **FTM**

PART NO.	CAPACITY DIA. x DEPTH	WEIGHT
HMPRO36AD	36 x 30mm	9.5kg

### HOLEMAKER PRO 55 MAGNETIC BASE DRILL

- Durable & Versatile European Made Machine
- Light-weight, only 15.5kg
- Large 165mm stroke
- 2-speed gearbox
- Capacity (diameter) 55mm
- Capacity (depth) 75mm
- Gravity feed coolant system with magnetically attached bottle
- Optional twist drill chuck
- Plastic carry case



**•\$2799**

**Holemaker**  
Drilling Solutions By **FTM**

PART NO.	CAPACITY DIA. x DEPTH	WEIGHT
HMPRO55	55 x 75mm	15.5kg

### HOLEMAKER PRO 52-MT2 MAGNETIC BASE DRILL

- Versatile & Multi-Purpose, European Made Machine
- #2 Morse taper spindle, for use with drill chucks, taper shank drills, reamers etc. as well as annular cutters
- 2-speed gearbox
- Capacity (diameter) 52mm
- Capacity (depth) 52mm
- Light-weight, only 16.5kg
- Plastic carry case



**•\$2999**

**Holemaker**  
Drilling Solutions By **FTM**

PART NO.	CAPACITY DIA. x DEPTH	WEIGHT
HMPRO52-MT2	52 x 52mm	16.5kg

## HOLEMAKER PRO 65 MAGNETIC BASE DRILL

- A Steel Fabricators Work-Horse, designed just for use with Annular Cutters.
- Dual Rail slide system provides extremely good cutter life by minimising movement
- 2-speed gearbox
- Capacity (diameter) 65mm
- Capacity (depth) 75mm
- Powerful 1500W motor
- Lightweight, only 17kg
- Plastic case



**.\$3099**

**Holemaker**  
Drilling Solutions By **FTM**®

PART NO.	CAPACITY DIA. x DEPTH	WEIGHT
HMPRO65	65 x 75mm	17kg

## HOLEMAKER SPECIAL 80 MAGNETIC BASE DRILL

- #3 Morse taper spindle
- European made
- Capacity (diameter) 80mm
- Capacity (depth) 110mm
- 25mm #3MT drill bit capacity
- M24 Tapping capacity
- 2-speed variable & reversing
- Powerful 1500W Italian motor
- Electronic clutch
- Overload and overheat protection
- Tilt sensor
- 360-degree visual monitoring system
- Intuitive top mount control panel
- Very light-weight 18kg



**.\$5199**

**Holemaker**  
Drilling Solutions By **FTM**®

PART NO.	CAPACITY DIA. x DEPTH	WEIGHT
HMSPECIAL80	80 x 110mm	18kg

## HOLEMAKER SPECIAL 140 MAGNETIC BASE DRILL

- #4 Morse taper spindle
- European made
- Capacity (diameter) 150mm
- Capacity (depth) 110mm
- 47mm #4MT drill bit capacity
- M42 Tapping capacity
- 4-speed variable reversing
- Powerful 2150W Italian motor
- Electronic clutch
- Overload and overheat protection
- Tilt sensor
- 360-degree visual monitoring system
- Intuitive top mount control panel
- Very light-weight 31kg



**.\$7279**

**Holemaker**  
Drilling Solutions By **FTM**®

PART NO.	CAPACITY DIA. x DEPTH	WEIGHT
HMSPECIAL140	150 x 110mm	31kg

**NEW**

## HOLEMAKER PRO 80 MAGNETIC BASE DRILL

- #3 Morse taper spindle
- European made
- 2-speed gearbox
- Large 190mm stroke
- Capacity (diameter) 80mm
- Capacity (depth) 110mm
- Powerful 1600W motor
- Lightweight, only 18kg
- Plastic carry case



**.\$4699**

**Holemaker**  
Drilling Solutions By **FTM**®

PART NO.	CAPACITY DIA. x DEPTH	WEIGHT
HMPRO80	80 x 110mm	18kg

## HOLEMAKER SPECIAL 110 MAGNETIC BASE DRILL

- #3 Morse taper spindle
- European made
- Capacity (diameter) 120mm
- Capacity (depth) 110mm
- 32mm #3MT drill bit capacity
- M30 Tapping capacity
- 4-speed variable & reversing
- Powerful 2150W Italian motor
- Electronic clutch
- Overload and overheat protection
- Tilt sensor
- 360-degree visual monitoring system
- Intuitive top mount control panel
- Very light-weight 25kg



**.\$6239**

**Holemaker**  
Drilling Solutions By **FTM**®

PART NO.	CAPACITY DIA. x DEPTH	WEIGHT
HMSPECIAL110	120 x 110mm	25kg

## HOLEMAKER GOLD SERIES ANNULAR CUTTERS

- Available in sizes 12 - 60mm diameter
- Available in 25, 50 & 75mm depth of cut
- Titanium nitride coating
- Universal shank
- M2AL high speed steel material
- Multi-cut geometry
- Holemaker Maxi-Cut TCT Cutters up to 200mm Diameter and 200mm Depth



FROM

**.\$66**

25MM DEPTH

PART NO.	DIAMETER	PRICE
AT1225	12mm	<b>.\$66.00</b>
AT1425	14mm	<b>.\$66.00</b>
AT1625	16mm	<b>.\$72.00</b>
AT1825	18mm	<b>.\$74.00</b>
AT2025	20mm	<b>.\$80.00</b>
AT2225	22mm	<b>.\$90.00</b>
AT2425	24mm	<b>.\$99.00</b>

FROM

**.\$84**

50MM DEPTH

PART NO.	DIAMETER	PRICE
AT1250	12mm	<b>.\$84.00</b>
AT1450	14mm	<b>.\$84.00</b>
AT1650	16mm	<b>.\$88.00</b>
AT1850	18mm	<b>.\$92.00</b>
AT2050	20mm	<b>.\$104.00</b>
AT2250	22mm	<b>.\$115.00</b>
AT2450	24mm	<b>.\$125.00</b>

**LIMITED TIME OFFER!**
**BONUS 2x EXTRA BLADES PLUS 5 LITRE CUTTING FLUID**  
 WITH WP210SH, WP270SH, WG210SHV, WG270SHV, WP310DS

**\$209 VALUE**

**ITM 170MM X 170MM CAPACITY SWIVEL HEAD BANDSAW**

- Swivel head 0° to 60°
- Dual mode operation
  - Manual trigger switch, or
  - Control panel with hydraulic downfeed
- Industrial quality made in Taiwan
- Recirculating coolant system
- Blade Size: 19mm x 0.9mm x 2110mm
- Bed Height: 895mm
- Weight: 156kg

**CUTTING CAPACITY:**  
 Rectangular 90°: 210 x 100mm  
 Square 90°: 170 x 170mm  
 Square 45°: 110 x 110mm

 \* BONUS BLADES AND FLUID  
 TOTAL 3 BLADES

**.\$3299**

PART NO.	BLADE SPEED	MOTOR
WP210SH-1	Single Speed 80 mpm	1hp Single Phase (240V)
WP210SH-3	2 Speed 40 / 80 mpm	1hp Three Phase (415V)

**ITM VARIABLE SPEED 170MM X 170MM CAPACITY SWIVEL HEAD BANDSAW**
**WG SERIES**

- Variable speed
- Control panel at front of saw
- Swivel head lock lever at front of saw
- Swivel head 0° to 60°
- Dual mode operation
  - Manual trigger switch, or
  - Control panel with hydraulic downfeed
- Industrial quality made in Taiwan
- Blade Size: 19mm x 0.9mm x 2110mm

**CUTTING CAPACITY:**  
 Rectangular 90°: 210 x 100mm  
 Square 90°: 170 x 170mm  
 Square 45°: 110 x 110mm

 \* BONUS BLADES AND FLUID  
 TOTAL 3 BLADES

**.\$3499**

PART NO.	BLADE SPEED	MOTOR
WG210SHV-1	Variable Speed 80 mpm	1hp Single Phase (240V)

**ITM 300MM X 180MM CAPACITY BANDSAW**

- Horizontal and vertical saw
- Swivel vice, 0° to 45°
- Hydraulic downfeed
- Incorporated recirculating coolant system
- Non-voltage return ON/OFF switch and emergency stop switch
- Bed Height: 572mm
- Weight: 130kg
- Made in Taiwan
- Blade Size: 19mm x 0.9mm x 2360mm

**CUTTING CAPACITY:**  
 Rectangular 90°: 300 x 180mm  
 Square 90°: 180 x 180mm  
 Square 45°: 110 x 110mm

**.\$2179**

PART NO.	BLADE SPEED	MOTOR
UE712A	4 Speed 22 / 33 / 45 / 65mpm	1.0hp Single Phase (240V)

**ITM 220MM X 220MM CAPACITY SWIVEL HEAD BANDSAW**

- Swivel head 0° to 60°
- Dual mode operation
  - Manual trigger switch, or
  - Control panel with hydraulic downfeed
- Industrial quality made in Taiwan
- Recirculating coolant system
- Blade Size: 27mm x 0.9mm x 2460mm
- Bed Height: 840mm
- Weight: 216kg

**CUTTING CAPACITY:**  
 Rectangular 90°: 260 x 110mm  
 Square 90°: 215 x 215mm  
 Square 45°: 45 x 145mm

 \* BONUS BLADES AND FLUID  
 TOTAL 3 BLADES

**.\$3999**

PART NO.	BLADE SPEED	MOTOR
WP270SH-1	Single Speed 72 mpm	1.5hp Single Phase (240V)
WP270SH-3	2 Speed 36 / 72 mpm	1.5hp Three Phase (415V)

**ITM VARIABLE SPEED 215MM X 215MM CAPACITY SWIVEL HEAD BANDSAW**
**WG SERIES**

- Variable speed
- Control panel at front of saw
- Swivel head lock lever at front of saw
- Swivel head 0° to 60°
- Dual mode operation
  - Manual trigger switch, or
  - Control panel with hydraulic downfeed
- Industrial quality made in Taiwan
- Blade Size: 27mm x 0.9mm x 2460mm

**CUTTING CAPACITY:**  
 Rectangular 90°: 240 x 140mm  
 Square 90°: 215 x 215mm  
 Square 45°: 150 x 150mm

 \* BONUS BLADES AND FLUID  
 TOTAL 3 BLADES

**.\$4299**

PART NO.	BLADE SPEED	MOTOR
WG270SHV-1	Variable Speed 80 mpm	1.5hp Single Phase (240V)

**ITM 310MM X 165MM CAPACITY 2-WAY SWIVEL HEAD BANDSAW**

- 2 way swivel head 0° to 60°(R), 0° to 45°(L)
- Hydraulic down feed
- Incorporated recirculating coolant system
- Brass chip brush
- Adjustable material stop
- Safety emergency stop switch
- 27mm x 0.9mm x 2725mm
- Bed Height: 895mm
- Weight: 302kg
- Made in Taiwan

**CUTTING CAPACITY:**  
 Rectangular 90°: 310 x 165mm  
 Square 90°: 235 x 235mm  
 Square 45°: 185 x 185mm

 \* BONUS BLADES AND FLUID  
 TOTAL 3 BLADES

**.\$7999**

PART NO.	BLADE SPEED	MOTOR
WP310DS-3	2 Speed 36 / 72mpm	2.0hp Three Phase (415V)

VIEW THE RANGE



## ITM 350MM COLD CUT SAW PRO KIT - CERMET

- ✓ Stainless Steel ✓ Mild Steel ✓ Aluminium
- ✓ Thin Material ✓ Thick Material
- 2 Blade kit
  - 66 tooth T.C.T. blade
  - 110 tooth cermet carbide blade for stainless steel
- Saves time & money giving cool cuts that need little to no finishing, eliminating any need for grinding or cool down time
- Fully enclosed retractable guard increases user safety
- Heavy-duty vice: 90° - 45°
- Pipe vice attachment
- Maximum material dimensions:
  - 90°: 120 x 120mm
  - 45°: 120 x 90mm



**•\$1049**

PART NO.	CAPACITY	MOTOR
S14-PROKIT	120 x 120mm	3.0hp Single Phase (240V)

## MACC 350MM COLDSAW WITH ELECTRIC COOLANT PUMP

- Italian made quality
- Swivel head 45° left & right
- Trigger switch operation
- Quick locking vice with sliding counter vice
- 2 speed machine. 20rpm for cutting stainless, 40rpm for mild steel
- Recirculating coolant system with electric pump
  - Creates instant flow of coolant
  - Flood applied coolant creates a cooler cut, for increased finish quality & blade life

**CUTTING CAPACITY:**  
Rectangular 90°: 155 x 80mm  
Square 90°: 100 x 100mm  
Square 45°: 85 x 85mm



**BONUS**

EXTRA BLADE  
(2 BLADES TOTAL)  
\$495 VALUE



**•\$6549**

PART NO.	BLADE SPEED	MOTOR
MC-NEW350E-3	2 Speed 20 / 40 rpm	3.2hp Three Phase (415V)

## MACC 400MM X 200MM BANDSAW

- 2 way swivel head
  - 0° to 60° Right, 0° to 45° Left
- Dual direction heavy-duty vice
- Hydraulic down feed
- Weight: 530kg
- Recirculating coolant system
- Blade Size:
  - 27mm x 0.9mm x 3200mm

**CUTTING CAPACITY:**  
Rectangular 90°: 400 x 200mm  
Square 90°: 280 x 280mm  
Square 45°: 220 x 220mm



**•\$16,699**

PART NO.	BLADE SPEED	MOTOR
MB-411CS0-3	2 Speed 38 / 77 mpm	2.0hp Three Phase (415V)

## MACC SEMI-AUTOMATIC 400MM X 200MM BANDSAW

- Semi-Auto Functions
- 2 way swivel head
  - 0° to 60° Right, 0° to 45° Left
- Dual direction heavy-duty vice
- Weight: 575kg
- Recirculating coolant system
- Blade Size:
  - 27mm x 0.9mm x 3200mm

**CUTTING CAPACITY:**  
Rectangular 90°: 400 x 200mm  
Square 90°: 280 x 280mm  
Square 45°: 215 x 215mm



**•\$20,799**

PART NO.	BLADE SPEED	MOTOR
MB-411MS-3	2 Speed 38 / 77 mpm	2.0hp Three Phase (415V)

## MACC SEMI-AUTOMATIC 500MM X 370MM BANDSAW

- Semi-Auto Functions
- 2 way swivel head
  - 0° to 60° Right, 0° to 60° Left
- Dual direction heavy-duty vice
- Weight: 820kg
- Recirculating coolant system
- Blade Size:
  - 34mm x 1.1mm x 4610mm

**CUTTING CAPACITY:**  
Rectangular 90°: 500 x 370mm  
Square 90°: 370 x 370mm  
Square 45° (R): 345 x 345mm



**•\$29,999**

PART NO.	BLADE SPEED	MOTOR
MB-420DI-3	Variable Speed 22 - 73 mpm	2.95hp Three Phase (415V)

## MACC SEMI-AUTOMATIC 620MM X 450MM BANDSAW

- Semi-Auto Functions
- 2 way swivel head
  - 0° to 60° Right, 0° to 60° Left
- Dual direction heavy-duty vice
- Weight: 1250kg
- Recirculating coolant system
- Blade Size:
  - 34mm x 1.1mm x 5270mm

**CUTTING CAPACITY:**  
Rectangular 90°: 620 x 450mm  
Square 90°: 450 x 450mm  
Square 45° (R): 430 x 430mm



**•\$33,999**

PART NO.	BLADE SPEED	MOTOR
MB-650DI-3	Variable Speed 23 - 95 mpm	2.95hp Three Phase (415V)

**NEW**

# AUTOMOTIVE LIFTING



## ITM HYDRAULIC BOTTLE JACKS

- Fully welded design to eliminate leaks
- Billet steel base and welded construction for extra strength and durability
- Suited for use in the professional trade workshop
- Fully chromed and polished cylinder and piston
- Fitted with high performance seals



PART NO.	WORKING LOAD LIMIT	HEIGHT LOWERED	HEIGHT RAISED	PRICE
TM822-02000	2,000kg	193mm	368mm	<b>\$59.00</b>
TM822-04000	4,000kg	212mm	407mm	<b>\$69.00</b>
TM822-06000	6,000kg	230mm	455mm	<b>\$79.00</b>
TM822-08000	8,000kg	228mm	458mm	<b>\$99.00</b>
TM822-10000	10,000kg	229mm	459mm	<b>\$109.00</b>
TM822-15000	15,000kg	240mm	455mm	<b>\$129.00</b>
TM822-20000	20,000kg	260mm	415mm	<b>\$179.00</b>

## ITM JACK STANDS

- Quick and easy ratcheting height adjustment
- Double locking safety feature
- Large foot base for stability
- Suited for use in the professional trade workshop
- Deep saddle for increased coverage and grip under vehicles
- Reinforced shaft for added strength stability



PART NO.	WORKING LOAD LIMIT	HEIGHT LOWERED	HEIGHT RAISED	PRICE
TM820-01500	1,500kg	280mm	405mm	<b>\$79.00</b>
TM820-02000	2,000kg	295mm	430mm	<b>\$99.00</b>
TM820-04000	4,000kg	392mm	613mm	<b>\$189.00</b>
TM820-08000	8,000kg	465mm	715mm	<b>\$319.00</b>

## ITM AIR HYDRAULIC BOTTLE JACKS

- Two style operation: Air and hydraulic (includes handle for hydraulic operation)
- Polyurethane seals - last up to 10 times longer than traditional rubber seals
- Fully chromed and polished cylinder and piston
- High quality aluminium air pump
- 2 Speed action - slow down under load
- Ideal for automotive and truck repair/maintenance



PART NO.	WORKING LOAD LIMIT	HEIGHT LOWERED	HEIGHT RAISED	PRICE
TM824-12000	12,000kg	260mm	500mm	<b>\$279.00</b>
TM824-20000	20,000kg	260mm	500mm	<b>\$339.00</b>
TM824-30000	30,000kg	265mm	500mm	<b>\$429.00</b>

## ITM BODY REPAIR KITS

- Quality heavy duty steel construction
- Perfect for auto body, frame repair and construction jobs
- Snap lock design for fast and easy assembly
- Heavy duty hydraulics for long life and durability
- 13pce accessory kit



**FROM \$299**

PART NO.	WORKING LOAD LIMIT	MIN. RAM HEIGHT	MAX. RAM HEIGHT	PRICE
TM836-04000	4,000kg	270mm	390mm	<b>\$299.00</b>
TM836-10000	10,000kg	380mm	530mm	<b>\$499.00</b>

### ITM 1700KG HYDRAULIC TROLLEY JACK

- Low profile design with 89mm ground clearance
- Heavy duty frame construction
- Top carry handle for convenient transportation
- Suitable for use in the professional trade workshop



• **\$169**

PART NO.	WORKING LOAD LIMIT	HEIGHT LOWERED	HEIGHT RAISED
TM826-01700	1,700kg	89mm	359mm

### ITM 2000KG ALUMINIUM BODY TROLLEY JACK

- Strong but lightweight aluminium and steel construction
- Fast lifting dual pump action
- Side mounted handles for portability and quick positioning
- Low profile frame



• **\$449**

PART NO.	WORKING LOAD LIMIT	HEIGHT LOWERED	HEIGHT RAISED
TM827-02000	2,000kg	100mm	495mm

### ITM 2000KG HYDRAULIC TROLLEY JACK

- Manufactured from heavy duty steel
- Heavy duty steel wheels
- Rear castors pivot 360° for easy positioning
- Perfect for the professional trade workshop




• **\$299**

PART NO.	WORKING LOAD LIMIT	HEIGHT LOWERED	HEIGHT RAISED
TM826-02000	2,000kg	128mm	474mm

### ITM 3000KG RAPID LIFT TROLLEY JACK

- Twin pistons for faster lifting speeds
- Heavy duty steel wheels
- Rear castors pivot 360° for easy positioning
- Perfect for the professional trade workshop



• **\$499**

PART NO.	WORKING LOAD LIMIT	HEIGHT LOWERED	HEIGHT RAISED
TM826-03000	3,000kg	110mm	505mm

### ITM 1200KG SUPER LOW PROFILE TROLLEY JACK

- Low profile design allows for easy access under low vehicles
- Fast lifting dual pump action
- Manufactured from heavy duty steel



• **\$599**

PART NO.	WORKING LOAD LIMIT	HEIGHT LOWERED	HEIGHT RAISED
TM827-01200	1,200kg	70mm	610mm

### ITM AIR / HYDRAULIC TRUCK JACKS

- Ideal for lifting heavy trucks, buses, agricultural and construction equipment
- Heavy duty steel frame for maximum durability
- Two style operation: Air and hydraulic (includes handle for hydraulic operation)
- Long T-handle allows for easy positioning under vehicles with large overhangs
- Large wheels for easy manoeuvrability
- Self-retracting spring return feature



FROM  
• **\$679**

PART NO.	WORKING LOAD LIMIT	HEIGHT LOWERED	HEIGHT RAISED	PRICE
TM828-22000	22,000kg	220mm	435mm	<b>\$679.00</b>
TM828-35000	35,000kg	250mm	495mm	<b>\$749.00</b>



**6 PIECE SCREWDRIVER SET**

NORMALLY \$62  
**NOW \$49**

- PH1 & PH2
- FLAT 3mm, 4mm, 5.5mm and 6.5mm
- TT-MV PLUS steel alloy for greater strength and material flexibility
- Hole in the handle for hanging or for use as a T handle for extra torque or with a fall protection wire if needed



PART NO.	DESCRIPTION
TE-MD906N3	6 Piece Screwdriver Set

**1/2" HEAVY DUTY IMPACT DRIVER SET**

NORMALLY \$60  
**NOW \$49**

- Reversible action heavy duty impact driver for shifting stubborn fastenings
- 1/2" drive square drive for use with impact sockets and accessories
- Removable bit holder included for use with 5/16" hexagon drive impact bits
- Set includes 12 impact bits covering the most popular screw head sizes and types
- Supplied in a handy storage case



PART NO.	DESCRIPTION
TE-ID515	15 Pce 1/2" Dr. H/Duty Impact Driver Set

**39 Pieces 3/8" MECCA PRO SOCKET SET**

NORMALLY \$209  
**NOW \$155**

- 3/8" FRP Soft Grip Ratchet - 45 Teeth
- 75mm Wobble extension bar
- 150mm Extension bar
- Universal joint & 1/2"F to 3/8"M Adaptor
- Bit adaptor hex bit coupler
- 6pt Sockets 8mm to 22mm
- 6pt Deep Sockets 8mm to 19mm
- Flat Bits 4mm, 5.5mm
- PH Bits PH1, PH2
- PZ Bits PZ1, PZ2
- TX Bits TX10, TX15, TX20
- HEX Bits 5mm, 6mm



PART NO.	PIECES	DRIVE
TE-T3839	39	3/8"

**127 Pieces 1/4" 3/8" 1/2" TOOL SET**

NORMALLY \$549  
**NOW \$399**

- 1/4" & 3/8" FRP Soft Grip Ratchet - 45 Teeth
- 1/4" Ratcheting Bits Driver Set
- 6x Extensions bars & 9x Adaptors & Joints
- 6pt 1/4" Sockets 4 to 13mm
- 6pt 1/4" Deep Sockets 6 to 13mm
- 6pt 1/4" Imperial Sockets 3/16" to 1/2"
- 6pt 3/8" Sockets 8 to 22mm
- 6pt 3/8" Imperial Sockets 5/16" to 7/8"
- 3/8" Spark plug sockets 16 & 21mm
- 12pt 1/2" Sockets 19mm to 32mm
- Adjustable Wrench Wide Jaw 250mm
- Combination Spanners 8mm to 19mm
- 1/4" Drive Bits - Flat PH, PZ, Hex & TX



PART NO.	PIECES	DRIVE
TE-TM127	127	1/4", 3/8" & 1/2"

**1/4" RATCHETING BITS SCREWDRIVER SET**

**\$39**

- Forward, reverse and fixed settings
- 20 Teeth ratchet mechanism for 18° increments between each click
- Includes 6 bits plus a 1/4" drive socket adaptor
- Bit storage inside the handle to avoid losing bits
- Magnetic bit holder that holds the bit in place



PART NO.	DESCRIPTION
TE-MDR908	8 Pce Ratcheting Bits Screwdriver

**METRIC BALL END HEX KEY SET**

NORMALLY \$42  
**NOW \$35**

- Ball point end on the long key end giving access at angles of up to 25°
- Ideal for use in confined spaces
- Regular hex end on the short arm giving the ability to apply higher torque
- Chrome vanadium steel with a black finish
- Supplied with a folding plastic holder to keep the keys together



PART NO.	DESCRIPTION
TE-1479MM	7 Pce Metric Ball End Hex Key Set 1.5mm to 10mm

**68 Pieces 1/2" MECCA PRO TOOL SET**

NORMALLY \$599  
**NOW \$449**

- 1/2" FRP Soft Grip Ratchet - 45 Teeth
- 63.5mm & 150mm Extensions bar
- Universal joint & 3/8"F to 1/2"M Adaptor
- 12pt Sockets 10mm to 32mm
- 160mm Side cutting pliers
- 185mm Combination pliers
- 160mm Long nose pliers
- 240mm Water pump pliers
- 3x Flat & 3x PH Screwdrivers
- Combo Spanners 8 to 19mm
- 1/4" Hex Bits - Flat PH, PZ, Hex, TX, TPX, SQ



PART NO.	PIECES	DRIVE
TE-T1268	68	1/2"

**105 Pieces 1/2" HEAVY DUTY TOOL SET**

NORMALLY \$899  
**NOW \$690**

- 1/2" Dr sockets 8-32mm, Inhex 5-19mm
- 1/2" Dr ratchet, 17" breaker bar, 5" extrn bar
- Combination spanners 8-32mm
- Side cutting, combo & 10" water pump pliers
- Blade type & ratcheting screwdriver
- 29 pce 1/4" Drive Bits Set with mini ratchet including Flat, PH, PZ, Hex, TX, TPX, SQ
- Hex keys 1.5-10mm
- Ball pein hammer 24 Oz
- Shifters 6" & 12"
- 125° hook, Telescopic pick-up tool



PART NO.	PIECES	DRIVE
TE-THDV105	105	1/2"



**TENG TOOLS 272 PIECE  
26" METRIC & IMPERIAL TOOL KIT**

**BONUS**

**272 PCE**

1/4" 3/8" 1/2"

- 5 Drawer Deep Top Chest
- 7 Drawer Roller Cabinet
- 1/4" Dr. 89pc Metric Socket Set
- 3/8" Dr. 36pc Metric Socket Set
- 13pc Extension Bar Set
- 1/2" Dr. 27pc Metric Socket Set
- 11pc Screwdriver Set
- 5pc Screwdriver Set
- 15pc Combination Spanner Set 5.5 to 19mm
- 7pc Combination Spanner Set 20 to 32mm
- 5pc Plier Set
- 62 Pc Imperial Spanner and Socket Tool Set

VIEW THE KIT ONLINE



NORMALLY \$3695  
**NOW \$3495**  
SAVE \$200



1/2" & 3/4" DRIVE TORQUE WRENCH KIT \$279 VALUE  
PART NO. TE-TEX1238



PART NO.	COLOUR	PIECES
TE-TCM272EVAN	Red	272
TE-TCM272EVANBK	Black	272

**TENG TOOLS 663 PIECE  
37" METRIC & IMPERIAL TOOL KIT**

**BONUS**

**663 PCE**

1/4" 3/8" 1/2"

- 1/4", 3/8" & 1/2" drives Metric & Imperial
- The kit also includes a durable 18 mm laminated MDF worktop
- Essential tools for automotive work: 1/4", 3/8", and 1/2" drive sockets, bit sockets, ratchets, impact tools, combination spanners, screwdrivers, bits, T-handle hex & tx keys, pliers, torque wrenches, pullers, taps & dies, inch spanners & sockets, and various general tools
- 37" width Extra Heavy Duty roller cabinet with 7 Drawers

VIEW THE KIT ONLINE



NORMALLY \$5595  
**NOW \$4995**  
SAVE \$600



3/4" DRIVE M7 IMPACT WRENCH KIT \$1420 VALUE  
PART NO. M7-NC62550-KIT



PART NO.	CONTENTS
TE-TKW37R663T	663 Pce 7 Drawer 37" Roller Cabinet Metric/Imperial Tool Kit

**TENG TOOLS 1008 PIECE  
37" METRIC & IMPERIAL TOOL KIT**

**1008 PCE**

1/4" 3/8" 1/2"

NORMALLY \$7095  
**NOW \$5995**  
SAVE \$1100

- 1/4", 3/8" & 1/2" drives Metric & Imperial
- Complete with 2x shelves, 100mm bench vice and paper towel holder (towel not inc.)
- The kit covers CR-V sockets in standard & deep, TX, TPX, TX-E, HEX, PH, PZ, Blade, Ribe & Spline, ratchets & accessories, impact sockets & accessories, combination spanners, electrical tools & VDE, screwdrivers, T-handle HEX & TX keys, pliers, locking pliers, torque wrench, rivet & nut-rivet gun & general tools

VIEW THE KIT ONLINE



**BONUS**  
68 PCE 1/2" DRIVE TOOL SET \$449 VALUE  
PART NO. TE-T1268



PART NO.	CONTENTS
TE-TKW37B1008T	1008 Pce 8 Drawer 36" Roller Cabinet Metric/Imperial Tool Kit

**TENG TOOLS 1033 PCE  
MEGA MASTER 19 DRAWER  
METRIC & IMPERIAL TOOL KIT**

**1033 PCE**

1/4" 3/8" 1/2" 3/4"

NORMALLY \$7195  
**NOW \$6495**  
SAVE \$700

- A complete tool kit covering the requirements of most users
- All the tools are laid out in individual tool modules using the TengTools Tool Control system, easy to see if any tools have been mislaid or lost
- Red or Black 26" 19 drawer system inc. top box, middle box & roller cabinet

VIEW THE KIT ONLINE



**BONUS**

105 PCE HEAVY DUTY 1/2" DRIVE TOOL SET \$690 VALUE  
PART NO. TE-THDV105



PART NO.	COLOUR	PIECES
TE-TKS26B1033T	Black	1033
TE-TKS26R1033T	Red	1033

**TENG TOOLS 28 PIECE METRIC/IMPERIAL HEX & TX BALL-END KEY SET**

**• \$119**

- Includes a range of ball point keys covering metric and AF hex key and TX keys
- Removable lid and dove tail joints
- Organised in a tool tray module size 1 (TT1)



PART NO.	CONTENTS
TE-TTHT28	28 Pce Hex Key Set TT Tray, AF & Metric Ball End Hex, Long Arm TX

**TENG TOOLS 4 PIECE 7" CIRCLIP PLIER SET**

**• \$135**

- Straight inner, Straight outer, Bent inner, Bent outer
- 1.8mm tip
- 19 to 60mm capacity
- Return spring for easier use
- Vinyl grip for easier use in pockets or tool pouches
- Organised in a tool tray module size 1 (TT1)



PART NO.	CONTENTS
TE-TT474-7	4 Pce 7" Circlip Plier Set

**TENG TOOLS 7 PIECE SCREWDRIVER SET**

**• \$65**

- TT-MV PLUS steel alloy for greater strength and material flexibility
- Ergonomically designed handle moulded around the blade for a higher torque capacity
- Hanging hole in the handle for use as a T handle or with a fall protection wire
- Organised in a tool tray module size 1 (TT1)



PART NO.	CONTENTS
TE-TT917N	7 Pce Screwdrivers, Flat 3mm, 5.5mm, 6.5mm, PH0, PH1, PH2, PZ2

**TENG TOOLS 35 PIECE 1/4" & 3/8" DRIVE BITS SOCKET SET**

**• \$99**

- HEX, TX, PH, PZ & Flat type,
- 2 adaptor drives
- Chrome vanadium satin finished sockets



PART NO.	CONTENTS
TE-TTBS35	35 Pce 1/4" and 3/8" Drive Bits HEX, TX, PH, PZ & Flat type, 2 adaptor

**TENG TOOLS 5 PIECE POWER GRIP PLIER SET**

**• \$155**

- All the most commonly used power grip pliers in one set
- Self locking with release lever
- With locking nut on adjustment knob for pre-setting, ideal for repeated use
- Wire cutter and crimper function
- Chrome molybdenum
- Organised in a tool tray module size 1 (TT1)



PART NO.	CONTENTS
TE-TTVG05	4, 7 & 10" Regular, 4 & 6" Long Nose

**TENG TOOLS 4 PIECE PLIER SET WITH TPR GRIP**

**• \$159**

- 10" water pump pliers
- 6" side cutter pliers
- 7" combo pliers
- 8" long nose pliers
- TPR Grip
- Organised in a tool tray module size 1 (TT1)



PART NO.	CONTENTS
TE-TT440-T	10" Water Pump, 6" Side Cutter, 7" Combo, 8" Long Nose

**TENG TOOLS 6 PIECE 1000V VDE SCREWDRIVER SET**

**• \$99**

- Approved for live working up to 1,000 volts
- Integrated protective insulation with two colours to clearly indicate if there is any damage
- Designed and manufactured to DIN ISO 2380, DIN ISO 8764-1 and IEC 60900
- Organised in a tool tray module size 1 (TT1)



PART NO.	CONTENTS
TE-TTV706N	6 Pce 1000V VDE Screwdrivers, Flat 4mm, 5.5mm, PH1, PH2, PZ1, PZ2

**TENG TOOLS 74 PIECE RATCHETING SCREWDRIVER BIT SET**

**• \$99**

- An extensive range of 1/4" hex drive 25mm screwdriver bits
- Reversible, magnetic, ratcheting bits driver, extension bars and adaptors included
- Removable lid and dove tail joints
- Organised in a tool tray module size 1 (TT1)



PART NO.	CONTENTS
TE-TTMD74	74 Pce 1/4" Drive Ratcheting Bits Driver Set, 2 Extension Bars, 2 Adaptors, Flat, PH, PZ, TX, ROB

## TENG TOOLS TORQUE WRENCHES

- Equipped with an in-built angular gauge for easier after tightening
- Click type mechanism to signal when the required torque is reached
- Additional ft/lb reference scale
- Marked to show the correct place where pressure should be applied
- Twist locking facility to ensure the set torque is maintained



PART NO.	DRIVE	RANGE	PRICE
TE-1492AG-E	1/4"	5-25 Nm / 4-18 ft-lb	<b>\$129.00</b>
TE-3892AG-E3	3/8"	20-110 Nm / 15-81 ft-lb	<b>\$159.00</b>
TE-1292AG-EP	1/2"	40-210 Nm / 30-150 ft-lb	<b>\$179.00</b>
TE-1292AG-E4	1/2"	70-350 Nm / 50-250 ft-lb	<b>\$289.00</b>

FROM

**\$129**

## TENG TOOLS 2 PIECE 3/8" & 1/2" DRIVE TORQUE WRENCH SET

- Equipped with an in-built angular gauge for easier after tightening
- Click type mechanism to signal when the required torque is reached
- Additional ft/lb reference scale
- Marked to show the correct place where pressure should be applied
- Twist locking facility to ensure the set torque is maintained
- Reversible 24 teeth ratchet (DIN3122) giving 15° increments



PART NO.	CONTENTS
TE-TEX1238	2 Pce 3/8" and 1/2" Drive Torque Wrench Set

**\$299**

## TENG TOOLS 7 PIECE T-HANDLE BALL POINT HEX KEY SET

- Ball point end on the long key end giving access at angles of up to 25°
- Regular hex end on the short arm giving the ability to apply higher torque
- Tools are held in place using three colour pre-cut high-density EVA foam
- Organised in a foam inlay module size 2 (FOAM2)



PART NO.	CONTENTS
TE-TEDHEX7	7 Pce T-Handle Hex Drivers 2.5mm to 8mm

**\$125**

## TENG TOOLS 11 PIECE SCREWDRIVER SET

- TT-MV PLUS steel alloy for greater strength and material flexibility
- Hanging hole in the handle for use as a T handle or with a fall protection wire
- Ergonomically designed bi-material handle
- Handles are moulded around the blade
- Tools are held in place using three colour pre-cut high-density EVA foam
- Organised in a foam inlay module size 2 (FOAM2)



PART NO.	CONTENTS
TE-TED911N	11 Pce Screwdrivers, Flat x 5, PH0, PH1, PH2 x 2, PZ1, PZ2

**\$155**

## TENG TOOLS 4 PIECE ADJUSTABLE WRENCH SET

- Includes regular style 6, 8 and 10" adjustable wrenches
- Also includes an 8" wide jaw adjustable wrench
- Tools are held in place using three colour pre-cut high-density EVA foam
- Designed and manufactured to DIN3117 and ISO6787
- Organised in a foam inlay module size 2 (FOAM2)



PART NO.	CONTENTS
TE-TEDADJ4	6, 8, 10" Regular Adjustable Wrenches, 8" Wide Jaw Adjustable Wrench

**\$219**

## TENG TOOLS 5 PIECE PLIER SET

- TPR grip for a more secure and comfortable grip
- All the most commonly used pliers in one set
- Tools are held in place using three colour pre-cut high-density EVA foam clearly showing where each tool belongs
- Organised in a foam inlay module size 2 (FOAM2)



PART NO.	CONTENTS
TE-TED441-T	5" & 8" Side Cutters, 8" Combo, 8" Long Nose, 10" Water Pump

**\$259**

## TENG TOOLS 27 PIECE 1/2" DRIVE SOCKETS & ACCESSORIES SET

- 1/2" drive regular and deep sockets
- Tools are held in place using three colour pre-cut high-density EVA foam clearly showing where each tool belongs
- Organised in a foam inlay module size 2 (FOAM2)



PART NO.	CONTENTS
TE-TED1227	27 Pce 1/2" Drive Sockets, 10 to 24mm Regular, 10 to 19mm Deep, Ratchet Handle, T-Bar, 2 Extension Bars & Universal Joint

**\$279**

## TENG TOOLS 3 PIECE ROLL/HEEL PRY BAR SET

- Includes roll/heel bars in three sizes to suit different applications
- Organised in a tool tray module size X4 (TTX4)



PART NO.	CONTENTS
TE-TTXPB3	12, 16 & 20"

**\$159**


**NEW**

# RYTOOL AUTOMOTIVE TOOLS



## RYTOOL PRY BAR SET

- 4 Piece set including 200mm, 300mm, 450mm, 600mm



**• \$42**

PART NO.	CONTENTS	PIECES
RT1237	200mm, 300mm, 450m & 600mm	4pcs

## RYTOOL HYDRAULIC GEAR PULLER KIT

- A heavy duty master set of gear pullers & bearing separators
- 10 Ton hydraulic ram plus forged puller arms & bearing separator (Capacity: 20-105mm)
- Ideal for servicing passenger cars, light/heavy duty trucks, off-road construction equipment and machinery



**• \$529**

PART NO.	DESCRIPTION
RT3874	Hydraulic Bearing Puller Kit

## RYTOOL BLIND BEARING PULLER SET

- Bearing removal with limited access
- Slide hammer action removes bearings easily without damage to housings or castings
- 8 collets cover sizes from 8mm to 32mm



**• \$369**

PART NO.	DESCRIPTION
RT3839	Blind Bearing Puller Set (8 Collets)

## RYTOOL 1 METRE HEAVY DUTY BREAKER BARS

- 1 Metre length
- 3/4" and 1" drive available



**FROM  
• \$189**

PART NO.	DRIVE	PRICE
RT1135A	3/4"	\$189.00
RT0358	1"	\$199.00

## RYTOOL CONVERTIBLE PULLERS

- Convertible 3 or 2 Jaw Pullers



**FROM  
• \$73**

PART NO.	SIZE	SPREAD	REACH	PRICE
RT3854	3"	100mm	65mm	\$73.00
RT3856	4"	200mm	135mm	\$119.00

## RYTOOL 9 WAY SLIDE HAMMER SET

- 2 & 3 Jaw yokes with internal & external pulling capabilities
- Flange-type axle puller attachment
- 1/2" UNF Threaded attachment



**• \$279**

PART NO.	DESCRIPTION
RT3994	9 Way Slide Hammer Set

## RYTOOL MASTER FLARING TOOL KIT

- Contains flaring bar, arbor press, adaptors, tube cutter & deburring tool in a hard case
- Single flare range: 3/16" - 1/2", 4mm - 14mm
- Double flare range: 3/16" - 1/2", 4mm - 10mm
- Ball flare range: 3/16" - 1/2", 4.75mm - 10mm



**.\$249**

PART NO.	CONTENTS
RT10178	Flaring Bar, Arbor Press, Adaptors, Tube Cutter & Deburring Tool

## RYTOOL COOLING SYSTEM TESTER

- Pressure testing pump with hose and gauge 0-25 PSI, 840mm length
- Thermometer 0° to 200°C
- 2 connectors, 13 adaptors for various vehicle manufacturers, 1 ring spanner for tightening and loosening adaptors



**.\$439**

PART NO.	PIECES
RT0244	18

## RYTOOL PICK & HOOK SET

- Stainless Steel Point with soft grip handles
- Comes with handy wallet (RT0230A)
- Contains Combination, 90°, Straight and Hook pick
- Use for detail work, scribing, picking etc



FROM **.\$26**

PART NO.	LENGTH	PRICE
RT1234	100mm	<b>.\$26.00</b>
RT0230A	270mm	<b>.\$46.00</b>

## RYTOOL 8 PIECE SPIRAL SCREW EXTRACTOR SET

- Spiral type screw extractors removes broken fasteners quickly and easily
- Turns out fastener as the extractor is screwed in
- 8 pieces in drill sizes 1/8", 1/4", 5/16", 7/16", 9/16", 3/4", 1" & 1-1/8"



**.\$109**

PART NO.	CONTENTS
RT1224	1/8, 1/4, 5/16, 7/16, 9/16, 3/4, 1 & 1-1/8" Spiral Screw Extractors

## RYTOOL MASTER DIESEL COMPRESSION TEST KIT

- Diesel compression tester with wide range of adaptors
- High quality hydraulic gauge with rubber jacket
- Full glow plug and injector adaptors
- Additional clamp-on adaptors



**.\$719**

PART NO.	CONTENTS
RT0517M	20 Glow Plugs, 5 Injector Test Adaptors, 5 Clamp-On Injector Adaptors, 1 Clamp-On Spindle, 3 Clamps

## RYTOOL 3 LEG OIL FILTER WRENCH

- For removal and installation
- Fits oil filter sizes from 2-1/2" to 4" (60mm to 100mm) diameter
- Use with 1/2" or 3/8" square drive tool or 13/16" hex drive tool



**.\$46**

PART NO.	RANGE
RT6654	60 - 100mm

## RYTOOL 9 PIECE TWIST SOCKET SET

- Specially designed to loosen a nut that cannot be done by a socket or wrench
- Metric sizes: 1/2" Drive, 10, 11, 12, 13, 14, 15, 16, 17, 19mm



**.\$239**

PART NO.	CONTENTS
RT7504	1/2" Drive, 10, 11, 12, 13, 14, 15, 16, 17, 19mm

## RYTOOL 25 PIECE MULTI-SPLINE EXTRACTOR SET

- Remove broken studs, screws, pipes and fittings
- Hex head for use with sockets and wrenches
- Fine knurled multi-spline grips a large cross section compared with standard extractors
- Tough alloy steel 1/8" (3.2mm) to 7/8" (22.3mm)



**.\$239**

PART NO.	DESCRIPTION
RT0305	25 Pce Multi Spline Extractor Set

**NEW**

# HONDA POWERED GENERATORS


**NEW**

## ITM 13KVA PETROL GENERATOR

**POWERED by HONDA**

- 22hp Genuine Honda GX630 engine
- 10,500W Maximum Watts
- IP66-rated power outlets
- RCD for enhanced electrical safety
- Low oil sensor to protect the engine from damage
- Low THD of <5%
- Electric start
- 2-year trade warranty
- 3-year Honda engine warranty
- 11 Hours running time


**FROM \$6499**

PART NO.	ENGINE	MAX. WATTS	RATED WATTS	IP66 OUTLETS
TM522-10500	22hp GX630	10,500W	9,500W	2 x 15A and 1 x 32A

**NEW**

## ITM 15KVA PETROL GENERATOR

**POWERED by HONDA**

- 24hp Genuine Honda GX690 engine
- 12,000W Maximum Watts
- IP66-rated power outlets
- RCD for enhanced electrical safety
- Low oil sensor to protect the engine from damage
- Low THD of <5%
- Electric start
- 2-year trade warranty
- 3-year Honda engine warranty
- 11 Hours running time


**FROM \$6799**

PART NO.	ENGINE	MAX. WATTS	RATED WATTS	IP66 OUTLETS
TM522-12000	24hp GX690	12,000W	10,500W	2 x 15A and 1 x 32A

## ITM 3.75KVA PETROL GENERATOR

**POWERED by HONDA**

- IP66-rated power outlets
- RCD for enhanced electrical safety
- Low oil sensor to protect the engine from damage
- Low THD of <5%
- 2-year trade warranty
- 3-year Honda engine warranty
- 4.5 Hours running time


**FROM \$1459**

PART NO.	ENGINE	MAX. WATTS	RATED WATTS	IP66 OUTLETS	KVA RATING
TM522-3000	6.5hp GX200	3,000W	2,800W	1 x 15A	3.75KVA

## ITM 7.5KVA PETROL GENERATOR

**POWERED by HONDA**

- IP66-rated power outlets
- RCD for enhanced electrical safety
- Low oil sensor to protect the engine from damage
- Low THD of <5%
- 2-year trade warranty
- 3-year Honda engine warranty
- 13 Hours running time
- Heavy-duty wheel and handle kit
- Digital multimeter display


**FROM \$2699**

PART NO.	ENGINE	MAX. WATTS	RATED WATTS	IP66 OUTLETS	KVA RATING
TM522-6000	13hp GX390	6,000W	5,500W	2 x 15A	7.5KVA

## ITM INVERTER GENERATORS


- Industrial grade 4 stroke engines
- 3 way cooling system to lower the running temperature and extend engine life
- Engine Smart Control (E.S.C.) intelligently controls rpm to further reduce noise and fuel consumption
- Pure sine-wave power
- 3 in 1 Multi-function control
- Robust construction
- Low oil sensor


**FROM \$1149**

PART NO.	MAX. WATTS	RATED WATTS	RUNTIME 50% LOAD	START SYSTEM	OUTLETS	PRICE
TM523-1800	1800W	1600W	7 HOURS	RECOIL	1x 15A	<b>\$1149.00</b>
TM523-3300	3300W	2500W	4.5 HOURS	RECOIL	2x 15A	<b>\$1499.00</b>
TM523-4500	4500W	3500W	8 HOURS	ELECTRIC	2x 15A	<b>\$1999.00</b>
TM523-7000	7000W	6500W	10 HOURS	ELECTRIC	2x15A & 1x30A	<b>\$4159.00</b>

## ITM CONSTRUCTION SERIES PETROL GENERATORS

- Powerful 4 stroke OHV engines
- Low oil sensor
- Digital multimeter display
- Large capacity fuel tanks
- Electric start with Remote and battery supplied
- Complete with handle and wheel kit


**FROM \$1499**

PART NO.	KVA RATING	MAX. WATTS	RATED WATTS	ENGINE HP	IP66 OUTLETS	PRICE
TM520-3400	4 KVA	3400W	3200W	8hp	1x 15A	<b>\$1499.00</b>
TM520-5500	6.8 KVA	5500W	5000W	13hp	2x 15A	<b>\$2199.00</b>
TM520-6500	8.1 KVA	6500W	6000W	15hp	2x 15A	<b>\$2399.00</b>
TM520-8000	10 KVA	8000W	7500W	17hp	2x 15A	<b>\$2699.00</b>

### ITM 3200PSI, 6.5HP PETROL PRESSURE WASHER

POWERED BY **HONDA**

- 6.5hp Genuine Honda GX200 engine, assembled to machine in Australia
- Max. Pressure: 3200psi (220 bar)
- Max. Flow Rate: 9.5 L/min
- Displacement: 196cc
- Fuel Tank: 3.6L
- Start Type: Recoil
- Pump type: AR Axial Pump
- Quick connect nozzles: 0°, 15°, 25°, 40°, Soap



FOAM CANNON & TURBO NOZZLE  
\$158 VALUE

**• \$1549**

PART NO.	ENGINE	HOSE LENGTH
TM542-3200	6.5hp GX200	10m

### ITM 3200PSI, 7HP PETROL PRESSURE WASHER

- High-quality 212cc industrial engine
- Maintenance-free axial cam pump
- Puncture proof solid treaded wheels
- Heavy-duty powder coated frame with non-marking rubber bumper
- 1.6L on-board soap tank
- 2 year trade warranty
- Quick connect nozzles: 0°, 15°, 25°, 40°, Soap



FOAM CANNON  
\$79 VALUE

**• \$769**

PART NO.	ENGINE	HOSE LENGTH
TM540-3200	7hp / 212cc	7.6m

### ITM 535MM SURFACE CLEANER WITH WHEELS

- High quality ABS casing
- Dual stainless steel water jets
- Max. pressure 4200psi
- 4 Solid swivel castor wheels
- Bristle edge protection prevents water and debris from flicking up
- Ergonomic handle design
- For use with 3/8" Quick-Connect petrol pressure washer



**• \$939**

PART NO.	HEAD DIAMETER	MAX. PRESSURE
TM541-021	535mm (21")	4200psi

### ITM 5.5M PRESSURE WASHER TELESCOPIC EXTENDED WAND

- 3/8" BSP Quick Connect fitting hose end
- 1/4" BSP Quick Connect fitting lance end
- Safely deliver high pressure water to high, hard to reach buildings
- Suitable for use with most petrol powered pressure washers
- Ideal for second storey windows, eaves and roofs
- Includes harness



**• \$345**

PART NO.	MAX. LENGTH	MAX. PRESSURE	PRICE
TM541-006	5.5m	4200psi	<b>\$345.00</b>

### ITM 4200PSI, 13HP PETROL PRESSURE WASHER

POWERED BY **HONDA**

- 13hp Genuine Honda GX390 engine, assembled to machine in Australia
- Max. Pressure: 4200psi (290 bar)
- Max. Flow Rate: 15.1 L/min
- Displacement: 389cc
- Fuel Tank: 6.1L
- Start Type: Recoil
- Pump type: AR Triplex Pump
- Quick connect nozzles: 0°, 15°, 25°, 40°, Soap



**• \$2699**

PART NO.	ENGINE	HOSE LENGTH
TM542-4200	13hp GX390	15m

### ITM 3800PSI, 8HP PETROL PRESSURE WASHER

- High-quality 274cc industrial engine
- Industrial quality triplex pump
- Heavy-duty pneumatic wheels
- Heavy-duty powder coated frame with non-marking rubber bumper
- Low Oil Sensor
- Heavy-duty steel braided hose
- Quick connect nozzles: 0°, 15°, 25°, 40°, Soap and turbo nozzle
- 2 year trade warranty



SURFACE CLEANER  
\$189 VALUE

**• \$1549**

PART NO.	ENGINE	HOSE LENGTH
TM540-3800	8hp / 274cc	15m

### ITM PRESSURE WASHER HOSE REELS

- Heavy-duty steel construction
- Easy hand rewind
- 1.2m Leader hose
- Inlet: 3/8" BSP male plug
- Outlet: 3/8" BSP female socket
- Hose not included



FROM  
**• \$259**

PART NO.	HOSE CAPACITY	INLET / OUTLET SIZE	PRICE
TM541-032	30m x 1/4"	3/8" BSP	<b>\$259.00</b>
TM541-030	30m x 3/8"	3/8" BSP	<b>\$289.00</b>

### ITM PRESSURE WASHER WATER BROOMS

- Cast aluminium body
- Offers a large cleaning pass meaning less time on the job
- Ideal for cleaning large areas quickly such as roads, paths and driveways
- Suitable for use with most petrol powered pressure washers
- 4200psi Max pressure



FROM  
**• \$135**

PART NO.	WIDTH	SPRAY JETS	INLET SIZE	PRICE
TM541-008	400mm	4x SPRAY JETS	1/4" BSP	<b>\$135.00</b>
TM541-009	1000mm	7x SPRAY JETS	3/8" BSP	<b>\$569.00</b>



PRESSURE WASHERS

FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST

**ITM ALUMINIUM TWIN TANK SILENCED NAILING COMPRESSORS**

- Perfect for nailing applications
- Powerful 4 pole induction motor
- Oil free pumps for virtually maintenance free operation
- Very quiet, ideal for indoor use
- Light weight aircraft aluminium alloy tanks
- Compact and portable design
- Max. pressure: 135 psi (9.3 bar)
- One-touch "Nitto style" couplers
- 3-year complete warranty



FROM  
**• \$519**

PART NO.	TANK	MOTOR	FAD	WEIGHT	PRICE
TM350-10010	10L	1HP	62 L/min	19kg	<b>\$519.00</b>
TM350-20016	16L	2HP	125 L/min	26.4kg	<b>\$629.00</b>

**ITM 2.2 HP BELT DRIVE AIR COMPRESSOR**

**2.2 HP**

- Durable copper wound motor
- Full brass non-return valve
- Soft start valve
- Condor pressure switch
- 145psi (10 bar) max. pressure
- Thermal overload protection
- Includes filter regulator with one-touch "Nitto style" couplers
- 200mm Solid rubber wheels
- 3-year pump warranty



**• \$939**

PART NO.	TANK	PUMP	MOTOR	FAD	PRICE
TM351-22050	50L	V-TWIN	2.2HP 10amp	185 L/Min	<b>\$939.00</b>

**ITM 3.0 HP BELT DRIVE AIR COMPRESSORS**

**3.0 HP**

- Ideal for commercial applications
- Durable copper wound motor
- Full brass non-return valve
- Soft start valve
- Condor pressure switch
- 145psi (10 bar) max. pressure
- Thermal overload protection
- Includes filter regulator with one-touch "Nitto style" couplers
- 200mm Solid rubber wheels
- 3-year pump warranty



FROM  
**• \$1089**

PART NO.	TANK	PUMP	MOTOR	FAD	PRICE
TM351-30050	50L	SINGLE CYLINDER	3.0HP 15amp	318 L/Min	<b>\$1089.00</b>
TM351-30060	60L	TRIPLE	3.0HP 15amp	328 L/Min	<b>\$1349.00</b>
TM351-30090	90L	TRIPLE	3.0HP 15amp	328 L/Min	<b>\$1489.00</b>

**ITM 2.5 HP DIRECT DRIVE AIR COMPRESSOR**

**2.5 HP**

- Pump Type: Direct Drive
- Motor HP: 2.5 HP
- Tank Capacity: 50 L
- Cylinders: Single
- Power Source: 240V (10 AMP)
- Max Pressure: 145 PSI (10 Bar)
- Pump Displacement: 218 L/min (7.7 CFM)
- Free Air Delivery: 175 L/min (6.2 CFM)
- Noise: 75 dB
- Pump RPM: 2900
- Filter / Regulator: Yes



**• \$629**

PART NO.	PUMP	MOTOR	FAD
TM350-25050	DIRECT DRIVE, SINGLE	2.5HP 10amp	175 L/Min

**ITM 2.5 HP BELT DRIVE AIR COMPRESSORS**

**2.5 HP**

- Durable copper wound motor
- Full brass non-return valve
- Soft start valve
- Condor pressure switch
- 145psi (10 bar) max. pressure
- Thermal overload protection
- Includes filter regulator with one-touch "Nitto style" couplers
- 200mm Solid rubber wheels
- 3-year pump warranty



FROM  
**• \$1039**

PART NO.	TANK	PUMP	MOTOR	FAD	PRICE
TM351-25060	60L	V-TWIN	2.5HP 10amp	257 L/Min	<b>\$1039.00</b>
TM351-25090	90L	V-TWIN	2.5HP 10amp	257 L/Min	<b>\$1229.00</b>

**ITM 5.5HP PETROL POWERED BELT DRIVE AIR COMPRESSOR**

**5.5 HP**

- Powered by a 5.5hp Honda GX160 4 stroke OHV petrol engine
- Cast-iron single cylinder pump with aluminium head
- Automatic idle control
- 145psi (10bar) Max. Pressure



POWERED BY  
**HONDA**

**• \$2399**

PART NO.	TANK	PUMP	MOTOR	FAD	PRICE
TM352-55060	60L	SINGLE	5.5HP Petrol Honda	355 L/Min	<b>\$2399.00</b>



## ABAC BELT DRIVE AIR COMPRESSORS

- ABAC Compressors are synonymous with efficiency, reliability, and superior air powered solutions
- Highest quality components for demanding applications
- Very high FAD power output
- Twin cylinder belt drive pump
- Premium Condor pressure switch
- Filter regulator & twin Nitto-style coupler outlets
- 3 year motor and pump warranty
- Soft start valve & full brass non-return valve
- Max Pressure: 145 PSI (10 Bar)



FROM  
**.\$1449**

PART NO.	TANK	PUMP	MOTOR	FAD	PRICE
ABAC351-20050	50L	V-TWIN	2.0HP 10amp	245 L/Min	<b>\$1449.00</b>
ABAC351-30100	100L	V-TWIN	3.0HP 15amp	340 L/Min	<b>\$1849.00</b>

## ABAC STATIONARY AIR COMPRESSORS

- Very high FAD power output stationary compressors designed for heavy duty workshops with large volume air usage
- Highest quality components for demanding applications
- Premium Condor switches
- Filter regulator & twin Nitto-style coupler outlets
- 3 year motor and pump warranty
- Soft start valve & full brass non-return valve
- Max Pressure: 145 PSI (10 Bar)



FROM  
**.\$3949**

PART NO.	TANK	PUMP	MOTOR	FAD	PRICE
ABAC353-55150	150L	V-TWIN	5.5HP 415V	615 L/Min	<b>\$3949.00</b>
ABAC353-75270	270L	TRIPLE	7.5HP 415V	950 L/Min	<b>\$5299.00</b>
ABAC353-10270	270L	TRIPLE	10HP 415V	1250 L/Min	<b>\$6079.00</b>
ABAC353-15500	500L	QUAD	15HP 415V	1670 L/Min	<b>\$9199.00</b>

## ITM STATIONARY AIR COMPRESSORS

- Cast-iron cylinder with aluminium heads
- Powerful and efficient induction motor
- Soft start valve for motor protection
- Thermal overload protection with manual reset
- Full brass non-return valve
- Certified safety valve
- Reliable Condor pressure switch
- Includes twin outlet one-touch "Nitto style" connectors



FROM  
**.\$2799**

PART NO.	TANK	PUMP	MOTOR	FAD	PRICE
TM353-55200	200L	V-TWIN	5.5HP 415V	507 L/Min	<b>\$2799.00</b>
TM353-75270	270L	TRIPLE	7.5HP 415V	704 L/Min	<b>\$3749.00</b>
TM353-10270	270L	TRIPLE	10HP 415V	1143 L/Min	<b>\$4149.00</b>

## ITM SILENCED CABINET PISTON COMPRESSORS

- An intelligent design to combine the quiet operation of a screw compressor with the cost benefits of a piston compressor
- Slower RPM to reduce noise & increase pump life
- Soundproof cabinet. Very quiet 65dB at 7m
- Compact design & easy to use control panel
- Powerful high efficiency induction motor



FROM  
**.\$4199**

PART NO.	TANK	PUMP	MOTOR	FAD	PRICE
TM355-55270	270L	V-TWIN	5.5HP 415V	465 L/Min	<b>\$4199.00</b>
TM355-75270	270L	TRIPLE	7.5HP 415V	595 L/Min	<b>\$4699.00</b>
TM355-10270	270L	TRIPLE	10HP 415V	960 L/Min	<b>\$5199.00</b>

## ITM ROTARY SCREW COMPRESSORS

- Complete package with screw, tank, dryer and pre/post filters
- Fully sealed cabinet with soundproofing and noise-reducing partitions to minimise noise
- Extra large surface cooler allows unit to operate at ambient temperatures under 46° C
- Premium filtration with ultra low oil carry over meaning less contamination resulting in cleaner air
- Intelligent control system with self-service timing management
- Nationwide service and warranty supported by Air Technology Group and ITM service network
- Max. Pressure: 145 psi (10 bar)



FROM  
**.\$12,899**

PART NO.	TANK	NOISE	MOTOR	FAD	PRICE
TM356-10270	270L	66 dBA	10HP 415V	1080 L/Min	<b>\$12,899.00</b>
TM356-15500	500L	72 dBA	15HP 415V	1620 L/Min	<b>\$13,899.00</b>
TM356-20500	500L	73 dBA	20HP 415V	1980 L/Min	<b>\$14,949.00</b>

## ITM REFRIGERANT DRYERS

- ITM refrigerant dryers guarantee dry and quality compressed air which prolongs the lifetime of your equipment and ensures a superior production quality. Water vapour is eliminated, avoiding corrosion in your compressed air network and tools. This lowers your maintenance costs and improves your overall production process for complete peace of mind
- Nationwide service and warranty supported by Air Technology Group and ITM service network
- 13 Bar Max. Working Pressure
- 3/4 Thread G Connection



FROM  
**.\$1659**

PART NO.	CAPACITY CFM	CAPACITY L/MIN	NOISE	POWER	PRICE
TM357-035	35 CFM	990 L/min	66 dBA	350W	<b>\$1659.00</b>
TM357-074	74 CFM	2095 L/min	72 dBA	460W	<b>\$2249.00</b>



# PNEUMATIC TOOLS



AIR TOOLS

## M7 1/2" DRIVE AIR IMPACT WRENCH

- Heavy Duty Twin Hammer
- Lightweight, only 2.1kg
- Low noise level, only 85dB
- Powerful, 1088Nm (800ft-lb) Max. torque
- 19mm Bolt capacity

ITM 1/2" DRIVE  
IMPACT SOCKET SET  
11PCE, 10 TO 24MM  
\$78 VALUE

**BONUS**



NORMALLY \$345

• \$295

SAVE \$50



PART NO.	SQUARE DRIVE	OVERALL LENGTH
M7-NC4299Q	1/2"	194mm

## M7 1/2" DRIVE AIR MINI IMPACT WRENCH

- Jumbo hammer type
- Lightweight, only 1.6kg
- Compact size, only 115.5mm length
- Low noise level, only 85dB
- Powerful, 680Nm (500ft-lb) Max. torque
- 16mm Bolt capacity



• \$439



PART NO.	SQUARE DRIVE	OVERALL LENGTH
M7-NC4610Q	1/2"	115.5mm

## M7 1/2" DRIVE AIR IMPACT WRENCH

- Lightweight, only 1.7kg
- Powerful, 1650Nm (1200ft-lb) Max. Torque
- Extra heavy duty twin hammer
- Value for money, high quality and specs
- 25mm Bolt capacity
- Magnesium composite body
- Patented EZ grease anvil, ensuring maximum power is easily maintained



**EASY GREASE ANVIL SERIES**  
CONTAIN

• \$519

PART NO.	SQUARE DRIVE	OVERALL LENGTH
M7-NC4255QH	1/2"	179mm

## M7 1/2" DRIVE AIR IMPACT WRENCH

- Lightweight, only 1.8kg
- Compact size, only 141mm length
- Powerful, 1356Nm (1000ft-lb) Max. torque
- 25mm Bolt capacity
- Extra heavy duty twin hammer



• \$599



PART NO.	SQUARE DRIVE	OVERALL LENGTH
M7-NC4256Q	1/2"	141mm

## M7 3/4" DRIVE AIR IMPACT WRENCH

- Heavy-duty, long durability
- Lightweight, only 2.68kg
- Low noise level, only 83dB
- Powerful, 1650Nm (1200ft-lb) Max. torque
- Compact metal body, only 171mm length
- 25mm Bolt capacity
- Patented EZ grease anvil, ensuring maximum power is easily maintained



**EASY GREASE ANVIL SERIES**  
CONTAIN

• \$829

PART NO.	SQUARE DRIVE	OVERALL LENGTH
M7-NC6236QH	3/4"	171mm

## M7 3/4" DRIVE AIR IMPACT WRENCH, COMPOSITE

- Lightweight composite body, only 1.9kg
- Low noise level, only 85dB
- Very powerful, 1900Nm (1400ft-lb) Max. torque!
- Compact - Only 198mm Length
- 25mm Bolt capacity
- Patented EZ grease anvil, ensuring maximum power is easily maintained



• \$839



PART NO.	SQUARE DRIVE	OVERALL LENGTH
M7-NC6255QH	3/4"	198mm

FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST

### M7 SUPER DUTY 3/4" AIR IMPACT WRENCH

- Spring mounted rotor blades for extra durability
- Magnesium housing
- Lightweight composite body, only 3.0kg!
- Low noise level, only 88dB
- Powerful, 2000Nm (1500ft-lb) Max. torque
- Super Duty, designed for the commercial tyre industry
- 30mm Bolt capacity



**•\$1299**

PART NO.	SQUARE DRIVE	OVERALL LENGTH
M7-NC6266	3/4"	205mm

### M7 3/4" D HANDLE AIR IMPACT WRENCH

- Bolt Capacity: 1-1/16" (27mm)
- Torque Range: 200-1400 ft-lb / 271-1898 Nm
- Max. Torque at 5 seconds: 1500 ft-lb / 2034 Nm
- Free Speed: 6000 RPM
- Air Requirement: 6.34 CFM / 90 PSI / 1/4" Inlet
- Overall Length: 320mm
- Net Weight: 5.7kg
- Sound Pressure: 106dBA
- Vibration Level: 3.3m/s<sup>2</sup>



**•\$1989**

PART NO.	SQUARE DRIVE	OVERALL LENGTH
M7-NC6218	3/4"	320mm

### M7 1" AIR IMPACT WRENCH

- New twin hammer type
- Bolt Capacity: 1-1/4" (30mm)
- Torque Range: 200-1300 ft-lb / 271-1762 Nm
- Max. Torque at 5 seconds: 1500 ft-lb / 2034 Nm
- Free Speed: 4800 RPM
- Air Requirement: 5.4 CFM / 90 PSI / 3/8" Inlet
- Net Weight: 5kg
- Sound Pressure: 92dBA
- Vibration Level: 6.1m/s<sup>2</sup>



**•\$1579**

PART NO.	SQUARE DRIVE	OVERALL LENGTH
M7-NC8217	1"	222mm

### M7 1" D HANDLE AIR IMPACT WRENCH

- Torque Range: 200-2000 ft-lb / 271-2710 Nm
- Max. Torque at 5 seconds: 2400 ft-lb / 3250 Nm
- Twin hammer mechanism
- D Handle Outside trigger
- Bolt Capacity: 1-7/16" (36mm)
- Free Speed: 4000 RPM
- Air Requirement: 10 CFM
- Net Weight: 12.1kg
- Sound Pressure: 100dBA
- Vibration Level: 10m/s<sup>2</sup>



**•\$2139**

PART NO.	SQUARE DRIVE	OVERALL LENGTH
M7-NC8252	1"	390mm

### M7 AIR DRILL 1/2" CHUCK

- Keyless chuck
- Reversible
- Free Speed: 800 RPM
- Length: 210mm
- Quiet, only 83dB
- Net weight: 1.7kg



**• \$359**

PART NO.	CHUCK SIZE	OVERALL LENGTH
M7-QE841	1/2" (13mm)	210mm

### M7 EXTRA HEAVY DUTY AIR ANGLE GRINDERS

- Safety lever throttle
- 1.3hp motor for stall resistance
- One-piece housing reduces maintenance costs
- Heavy-duty air cooled spiral gears and double bearings for durability
- Swivel guard on 125mm
- Grinding wheel not included
- Imperial spindle models also available
- Free Speed: 11000 RPM



**FROM \$619**

PART NO.	DIAMETER	SPINDLE	PRICE
M7-QB7114M	100mm	M10x1.5	<b>\$619.00</b>
M7-QB7215M	125mm	M14x2.0	<b>\$659.00</b>





### M7 BELT SANDER ADJUSTABLE ANGLE HEAD

- Sander arm can be adjusted to provide a 'dog leg' shape
- Free Speed: 16000 RPM
- Air Requirement: 4.0 CFM / 90 PSI / 1/4" Inlet
- Net Weight: 1.4kg
- Sound Pressure: 88 dBA
- Vibration Level: 1.3m/s<sup>2</sup>



• \$589

PART NO.	BELT SIZE	OVERALL LENGTH
M7-QB322RC	20 x 520mm	430mm

### M7 16MM STROKE HYDRAULIC AIR RIVETER

- Nozzle sizes: 2.4, 3.2, 4.0, 4.8mm
- 4.8mm (3/16") Aluminium and steel rivet capacity
- 4.0mm (5/32") Stainless rivet capacity
- Stroke length: 16mm
- Net weight: 1.5kg
- Traction power: 2303 lbf



• \$359

PART NO.	STROKE LENGTH	RIVET CAPACITY
M7-PA301	16mm	2.4-4.8mm

### M7 AIR SAW SET

- Quick change saw blade holder
- 5-piece file set and 12 saw blades are included
- Adjustable guard / guide controls depth of cut precisely

#### Package includes:

- Air saw tool
- 6pc 24TPI saw blades
- 6pc 32TPI saw blades
- 5pc File set
- Mini oiler 1/4"



• \$359

PART NO.	QUANTITY	NET WEIGHT
M7-QD291N	21 Pce Set	0.6kg

### M7 BELT SANDERS

- Superb quality pneumatic belt sander
- Free Speed: 16000 RPM
- Air Requirements: 4 CFM / 90 PSI / Inlet: 1/4"
- Sound Pressure: 88 dBA



FROM  
• \$389

PART NO.	BELT SIZE	OVERALL LENGTH	PRICE
M7-QB321	10 x 330mm	320mm	\$389.00
M7-QB322	20 x 520mm	430mm	\$559.00
M7-QB324	12.7 x 610mm	455mm	\$499.00

### M7 14MM STROKE HYDRAULIC AIR RIVETER

- Superb quality pneumatic air riveter
- Nozzle sizes: 2.4, 3.2, 4.0, 4.8, 6.0 & 6.4mm
- 6.4mm (1/4") Aluminium and steel rivet capacity
- 4.8mm (3/16") Stainless rivet capacity
- Traction power: 3534 lbf



• \$799

PART NO.	STROKE LENGTH	RIVET CAPACITY
M7-PA201	14mm	2.4-6.4mm

### M7 AIR HAMMER SET

- Shank Type: Round
- Blows Per Minute: 3200BPM
- Air Requirements: 4 CFM / 90 PSI
- Inlet: 1/4"
- Net Weight: 1.7kg
- Sound Pressure: 98 dBA
- Vibration Level: 12.3m/s<sup>2</sup>

#### 7 Piece Set Includes:

- 1pc Air hammer (M7-SC211C)
- 5pcs Chisel kit
- 1pc Spring retainer
- Blow Mould Case



• \$259

PART NO.	SHANK SIZE	OVERALL LENGTH
M7-SC0517C	10.2mm (0.401")	175mm

### M7 AIR NEEDLE SCALER

- Stroke Length: 32mm
- Blows Per Minute: 5500BPM
- Air Requirements: 3 CFM / 90 PSI
- Inlet: 1/4"
- Net Weight: 1.3kg
- Sound Pressure: 86 dBA
- Vibration Level: 7.67m/s<sup>2</sup>



• \$319

PART NO.	NEEDLE SIZE	OVERALL LENGTH
M7-SN1288	3mm x 123mm (12 per set)	290mm

### M7 AIR PISTOL NEEDLE SCALER

- Stroke Length: 33mm
- Blows Per Minute: 3700BPM
- Air Requirements: 15 CFM / 90 PSI
- Inlet: 1/4"
- Net Weight: 2.8kg
- Sound Pressure: 97 dBA
- Vibration Level: 9.7m/s<sup>2</sup>



• \$579

PART NO.	NEEDLE SIZE	OVERALL LENGTH
M7-SN2110	3mm x 180mm (19 per set)	330mm

### M7 COMPACT AIR DIE GRINDER

- Safety lever throttle
- Collet Size: 1/4" & 1/8"
- Free Speed: 25000 RPM
- Air Requirements: 10 CFM / 90 PSI
- Inlet: 1/4"
- Rated Power: 0.3HP
- Net Weight: 0.38kg
- Sound Pressure: 81.5 dBA
- Vibration Level: 1.8m/s<sup>2</sup>



• \$169

PART NO.	COLLET SIZE	OVERALL LENGTH
M7-QA111B	1/4" & 1/8"	155mm

### M7 STANDARD AIR DIE GRINDER

- Safety lever throttle
- Free Speed: 20000 RPM
- Air Requirements: 10 CFM / 90 PSI
- Inlet: 1/4"
- Rated Power: 0.9HP
- Net Weight: 0.65kg
- Sound Pressure: 75.7 dBA
- Vibration Level: 0.8m/s<sup>2</sup>



• \$209

PART NO.	COLLET SIZE	OVERALL LENGTH
M7-QA211B	1/4" & 1/8"	190mm

### M7 90° ANGLE HEAD AIR DIE GRINDER

- 90° Angle head
- Safety lever throttle
- Free Speed: 19000 RPM
- Air Requirements: 10 CFM / 90 PSI
- Inlet: 1/4"
- Overall Length: 160mm
- Rated Power: 0.3HP
- Net Weight: 0.51kg
- Sound Pressure: 74.4 dBA
- Vibration Level: 1.7m/s<sup>2</sup>



• \$239

PART NO.	COLLET SIZE	OVERALL LENGTH
M7-QA611B	1/4" & 1/8"	160mm

### M7 EXTENDED AIR DIE GRINDER

- Safety lever throttle
- Collet Size: 1/4" & 1/8"
- Free Speed: 25000 RPM
- Air Requirements: 10 CFM / 90 PSI
- Inlet: 1/4"
- Overall Length: 280mm
- Rated Power: 0.3HP
- Net Weight: 0.63kg
- Sound Pressure: 81.5 dBA
- Vibration Level: 1.8m/s<sup>2</sup>



• \$329

PART NO.	COLLET SIZE	OVERALL LENGTH
M7-QA315B	1/4" & 1/8"	280mm



**ITM PVC AIR HOSE**

- High quality durable non-marking PVC air hose
- 3/8" (10mm) I.D Hose
- Bend restrictor extends hose life
- Grease, oil and abrasion resistant



FROM

**• \$40**

PART NO.	HOSE LENGTH	FITTINGS	PRICE
TM300-210	10M	NITTO STYLE	<b>\$40.00</b>
TM300-220	20M	NITTO STYLE	<b>\$62.00</b>
TM300-230	30M	NITTO STYLE	<b>\$83.00</b>
TM300-1100	100M	NO FITTINGS	<b>\$172.00</b>
TM300-1200	200M	NO FITTINGS	<b>\$338.00</b>

**ITM 15M RETRACTABLE AIR HOSE REEL**

- Reinforced P.V.C. hose
- Auto lock to any required length
- Auto track guided hose layering system
- Adjustable hose stopper
- Detachable 180° swivel mounting bracket
- Maximum pressure 250PSI


**• \$180**

PART NO.	HOSE LENGTH	HOSE I.D.
TM300-015	15M	10mm (3/8")

**STAR S770 SERIES SUCTION SPRAY GUN**

- Pot size: 1000ml
- Includes: Gun, pot, stainless steel nozzle and needle
- A popular conventional high pressure spray gun that provides extremely fine atomisation for the D.I.Y. person to the professional



FROM

**• \$195**

PART NO.	NOZZLE SIZE	SPRAY PATTERN	PRICE
S770-11S	1.5mm	235mm	<b>\$195.00</b>
S770-21S	1.7mm	245mm	<b>\$195.00</b>
S770-31S	2.0mm	260mm	<b>\$195.00</b>
S770-41S	2.5mm	275mm	<b>\$205.00</b>
S770-51S	3.0mm	275mm	<b>\$240.00</b>

**ITM HIGH FLEX AIR HOSE FITTED WITH COUPLERS**

- Hybrid polymer High-Flex hose
- Anti-kink technology, the hose will not kink under pressure
- All weather flexibility -5° to 65°C
- 300psi max. working pressure
- Hi-visibility for safety
- Quick Action Nitto style fittings



FROM

**• \$72**

PART NO.	HOSE LENGTH	HOSE I.D.	PRICE
TM300-315N	15mm	10mm (3/8")	<b>\$72.00</b>
TM300-330N	30mm	10mm (3/8")	<b>\$103.00</b>
TM300-415	15mm	12mm (1/2")	<b>\$89.00</b>
TM300-430	30mm	12mm (1/2")	<b>\$145.00</b>

**ITM 20M RETRACTABLE AIR HOSE REEL**

- Hybrid Polymer High Flex hose
- Superior all-weather flexibility, will not kink, even in extreme temperatures -5°C to 65°C
- High visibility fluoro orange hose
- Auto lock to any required length
- Auto track guided hose layering system
- Adjustable hose stopper
- Detachable 180° swivel mounting bracket
- Maximum pressure 250PSI


**• \$209**

PART NO.	HOSE LENGTH	HOSE I.D.
TM300-020	20M	10mm (3/8")

**STAR S-106 SERIES GRAVITY FEED GUNS**

- Pot size: 600ml
- Includes: Gun, pot, stainless steel nozzle and needle
- Provides constant paint flow at lower pressures, and extremely fine atomisation



FROM

**• \$230**

PART NO.	NOZZLE SIZE	SPRAY PATTERN	PRICE
S106-141G	1.4mm	250mm	<b>\$230.00</b>
S106-201G	2.0mm	270mm	<b>\$230.00</b>
S106-251G	2.5mm	270mm	<b>\$245.00</b>
S106-281G	2.8mm	270mm	<b>\$245.00</b>

### ITM AIR DIE GRINDER KIT WITH 3 CARBIDE BURRS

- Ultra compact design with soft rubber grip
- Rear 4-speed regulator
- 360° adjustable exhaust

#### Includes 3x Carbide Burrs:

- 3/8" Cylindrical - End Cut (CB-SB3)
- 3/8" Oval Shape (CB-SE3)
- 3/8" Tree Shape - Radius End (CB-SF3)



• \$115

PART NO.	COLLET SIZE	OVERALL LENGTH
TM340-312KIT3	1/4"	173mm

### ITM AIR NEEDLE SCALER

- Heavy-duty metal construction for durability
- Compact, lightweight & ergonomic design
- Needle quantity: 12
- Blows Per Minute: 2,800 BPM
- Stroke Length: 24mm
- Average Air Consumption: 57 L/min
- Length: 315mm
- Air Inlet: 1/4"



• \$125

PART NO.	NEEDLE SIZE	WEIGHT
TM340-414	125mm x 3.0mm	1.1kg

### ITM SUCTION FEED PROFESSIONAL SPRAY GUN

- Includes 1.4mm and 2.0mm stainless steel nozzles
- Provides a professional quality paint finish
- Adjustable air and paint flow control
- Lightweight aluminium body
- 1000ml Aluminium cup
- 1/4" BSP air inlet



• \$105

PART NO.	NOZZLE SIZE	SPRAY PATTERN
TM340-902	1.4 & 2.0mm	160 - 240mm

### ITM AIR HYDRAULIC RIVETER

- Convenient one hand operation
- Set rivets up to 4.8mm in steel and aluminium and 4.0mm stainless steel
- 4 Interchangeable nose pieces provided: 2.4mm, 3.2mm, 4.0mm & 4.8mm
- Stroke length: 16mm
- Traction power: 3,086lb (1400kg)
- Max. Capacity 4.8mm
- Working pressure: 90 PSI
- Weight: 1.42kg



• \$205

PART NO.	STROKE LENGTH	WEIGHT
TM340-802	16mm	1.42kg

### ITM AIR 6" PALM SANDER

- Ergonomic design with soft rubber grip
- 2 in 1 central and non-vacuum design
- Perfectly balanced sanding pad
- Rear exhaust directs air away from workpiece
- Sanding Pad: 150mm (6")
- Free Speed: 10,000rpm
- Average Air Consumption: 127 L/min



• \$135

PART NO.	FREE SPEED	WEIGHT
TM340-614	10,000 RPM	1.1kg

### ITM GRAVITY FEED PROFESSIONAL SPRAY GUN

- Includes 1.4mm and 2.0mm stainless-steel nozzles
- Provides a professional quality paint finish
- Adjustable air and paint flow control
- Lightweight aluminium body
- 600ml Plastic pot
- 160 - 200mm pattern width
- 50psi Working pressure
- 1/4" BSP air inlet



• \$105

PART NO.	NOZZLE SIZE	SPRAY PATTERN
TM340-904	1.4 & 2.0mm	160 - 200mm



### M7 1/2" DRIVE IMPACT SOCKET SETS

- Blow mould case



**FROM**  
**\$89**

PART NO.	DRIVE SIZE	STYLE	SET CONTENTS	PRICE
M7-MB44014M	1/2"	Standard	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 26, 27mm	<b>\$89.00</b>
M7-MB45010M	1/2"	Deep	10, 12, 13, 14, 15, 17, 19, 21, 24, 27mm	<b>\$120.00</b>

### M7 3/4" DRIVE IN-HEX IMPACT SOCKET SETS

- Blow Mould Case



**FROM**  
**\$179**

PART NO.	DRIVE SIZE	SET CONTENTS	PRICE
M7-MB66006M	3/4"	12, 14, 17, 19, 22, 24mm	<b>\$179.00</b>
M7-MB66006S	3/4"	1/2", 9/16", 5/8", 3/4", 7/8", 1"	<b>\$229.00</b>

### M7 TORX® IMPACT SOCKET SETS



**FROM**  
**\$109**

PART NO.	DRIVE SIZE	SET CONTENTS	PRICE
M7-MB46008R	1/2"	T30, T40, T45, T47, T50, T55, T60, T70	<b>\$109.00</b>
M7-MB46010R	1/2"	T20, T25, T27, T30, T40, T45, T50, T55, T60, T70	<b>\$129.00</b>

### M7 3/4" DRIVE DEEP SOCKET SETS

- Blow mould case



**FROM**  
**\$259**

PART NO.	DRIVE SIZE	SET CONTENTS	PRICE
M7-MB65008M1	3/4"	21, 23, 24, 27, 30, 32, 36, 41mm	<b>\$259.00</b>
M7-MB65008S	3/4"	1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2"	<b>\$269.00</b>

### M7 1/2" DRIVE IN-HEX IMPACT SOCKET SETS

- Blow mould case



**\$115**

PART NO.	DRIVE SIZE	SET CONTENTS	PRICE
M7-MB44008M	1/2"	6, 7, 8, 10, 12, 14, 17, 19mm	<b>\$115.00</b>
M7-MB44008S	1/2"	1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 3/4"	<b>\$115.00</b>

### M7 IN-HEX BALL END IMPACT SOCKET SETS

- Blow Mould Case



**FROM**  
**\$229**

PART NO.	DRIVE SIZE	SET CONTENTS	PRICE
M7-MB47010M	1/2"	6, 7, 8, 10, 12, 14, 15, 17, 18 & 19mm	<b>\$229.00</b>
M7-MB67006M	3/4"	14, 17, 19, 21, 24, 27mm	<b>\$469.00</b>

### M7 11 PIECE IMPACT ACCESSORY SET

#### Impact Adaptors:

- 1/4" F x 3/8" M, 3/8" F x 1/4" M, 3/8" F x 1/2" M, 1/2" F x 3/8" M, 1/2" F x 3/4" M, 3/4" F x 1/2" M, 3/4" F x 1" M and 1" F x 3/4" M

#### Impact Universal Joints:

- 1/4" Drive, 3/8" Drive and 1/2" Drive



**\$249**

PART NO.	DESCRIPTION
M7-ME011N	11 Piece, Impact Adaptor & Universal Joint Set

### M7 1" DRIVE DEEP IMPACT SOCKET SET

- Blow mould case
- 8 Piece,
- 27, 30, 32, 36, 38, 41, 46, 50mm



**\$435**

PART NO.	DESCRIPTION
M7-MB85008M	8 Piece, Impact Deep Socket Set 27 - 50mm



## DRILL DOCTOR XP DRILL BIT SHARPENER

- Creates and sharpens split point bits
- Adjustable relief angle
- 240V motor
- 3-year warranty



**Drill Doctor**  
The Drill Bit Sharpener

**\$309**

PART NO.	DRILL BIT CAPACITY	SHARPENING ANGLE
DDXP	2.5mm to 13mm	118°

## DRILL DOCTOR 750X DRILL BIT SHARPENER

- Top of the line tradesman model
- 2.5mm to 19mm drill bit capacity
- Creates and sharpens split point bits
- 240V motor
- 3-year warranty



**Drill Doctor**  
The Drill Bit Sharpener

**\$649**

PART NO.	DRILL BIT CAPACITY	SHARPENING ANGLE
DD750X	2.5mm to 19mm	115° to 140°

## WORK SHARP PRECISION ADJUST KNIFE SHARPENER

- Sharpening angle can be easily adjusted from 15° to 30° in 1° increments to sharpen every knife you own
- 320 grit and 600 grit diamond plates to quickly restore a sharp edge, and a fine grit ceramic stone to hone an incredibly keen edge on any knife



**WORK SHARP**  
SHARPENERS

**\$135**

PART NO.	DESCRIPTION
WSBCHPAJ-I	Precision Adjust Knife Sharpener

## WORK SHARP PRECISION ADJUST KNIFE SHARPENER - ELITE

- Includes the Precision Adjust Sharpener and Upgrade Kit in one bundle
- Includes 220, 320, 400, 600, & 800 grit diamond plates, ceramic plate, leatherstrop, and ceramic rod for serrations
- Carry case and storage rack



**WORK SHARP**  
SHARPENERS

**\$299**

PART NO.	DESCRIPTION
WSBCHPAJ-ELT	Precision Adjust Knife Sharpener - Elite

## WORK SHARP PRECISION ADJUST PRO SHARPENER

- Professional level sharpener with metal construction
- Includes 7 abrasive grits: 220, 320, 400, 600, & 800 diamond, Fine Ceramic, Leather Strop
- Adjustable Angle from 15-30 degrees with included digital angle indicator
- Small knife table attachment
- Replacement abrasives available
- 3 Year Warranty



**WORK SHARP**  
SHARPENERS

**\$579**

PART NO.	DESCRIPTION
WSBCHPAJ-PRO	Precision Adjust Knife Sharpener

## WORK SHARP MK2, ELECTRIC KNIFE SHARPENER

- 240V Flexible Belt Sharpener
- Quickly toggle between the 25° angle for outdoor and pocket knives and the 20° angle for thinner blades and kitchen knives
- Two-speed motor, low speed for course grit belts when grinding and won't burn the knife or tool, and high speed for fine grit belts when honing a precise edge



**WORK SHARP**  
SHARPENERS

**\$249**

PART NO.	DESCRIPTION
WSKTS2-I	Knife & Tool Sharpener Mk. 2

## WORK SHARP MK2, KEN ONION EDITION KNIFE & TOOL SHARPENER

- Specially designed flexible abrasive belts and electronic speed control delivers professional-level sharpening results quickly and consistently
- Flexible belt technology conforms to any edge to easily create an ideal edge profile
- Variable speed motor: Low-speed control for knives, High-speed power for tools. 7 settings with LED display
- Includes 5 abrasive grits: Red P120 Grit, Grey X65 (P220) Grit, Grey X22 (1000) Grit, White X4 (3000) Grit, Purple 6000 Grit
- 3 Year warranty



**WORK SHARP**  
SHARPENERS

**\$469**

PART NO.	DESCRIPTION
WSKTS-K02	Ken Onion Edition Knife & Tool Sharpener Mk.2

## WORK SHARP MK2, KEN ONION EDITION ELITE KNIFE & TOOL SHARPENER

- This benchtop powerhouse offers precision and control, combined with freehand versatility
- Blade Grinding Attachment offers a wider range of angles from 10° to 35° and three convex edge profiles
- Sharpening Cassette ensures precise and repeatable sharpenings from 15° to 30°
- Flexible belt technology conforms to any edge to easily create an ideal edge profile
- Includes 6 abrasive grits: 6000, 12000, Grey X22 (1000) Grit, Grey X65 (P220) Grit, Red P120 Grit, White X4 (3000) Grit
- 3 Year warranty



**WORK SHARP**  
SHARPENERS

**\$619**

PART NO.	DESCRIPTION
WSKTS-K02-ELT	Ken Onion Edition ELITE Knife & Tool Sharpener Mk.2

**ITM STRAIGHT JAW FABRICATED STEEL BENCH VICES**

- Extra heavy-duty
- Precision machined knurled jaws with V-Groove
- Precise sliding jaw
- Large diameter screw



FROM  
**• \$209**

PART NO.	JAW WIDTH	JAW OPENING	THROAT DEPTH	WEIGHT	PRICE
TM102-100	100mm	115mm	75mm	10.5kg	<b>\$209.00</b>
TM102-125	125mm	135mm	95mm	18.6kg	<b>\$349.00</b>
TM102-150	150mm	170mm	105mm	22.6kg	<b>\$389.00</b>
TM102-200	200mm	265mm	135mm	37kg	<b>\$719.00</b>

**ITM 150MM TOW BAR HITCH VICE**

- Quickly and easily mounts to any 2" tow hitch
- Also bench mountable
- Extra heavy-duty hardened jaws
- Integrated anvil for shaping and beating



• **\$259**

PART NO.	JAW WIDTH	JAW OPENING	PIPE HOLDING CAPACITY	WEIGHT
TM113-150	150mm	120mm	16 - 90mm	12.8kg

**ITM HINGED PIPE VICES**

- Superb hinged pipe vice with hardened steel jaws and close grained cast iron body
- Hinged section allows quick access to material
- Perfect for repetitive clamping tasks
- Spindle thread: 3/4" BSW



FROM  
**• \$99**

PART NO.	MIN. PIPE DIAMETER	MAX. PIPE DIAMETER	CLOSED HEIGHT	WEIGHT	PRICE
TM114-068	8mm	68mm	239mm	3.9kg	<b>\$99.00</b>
TM114-078	8mm	78mm	239mm	5.2kg	<b>\$139.00</b>
TM114-120	13mm	120mm	358mm	11.4kg	<b>\$289.00</b>

**ITM OFFSET JAW FABRICATED STEEL BENCH VICES**

- Extra heavy-duty
- Precision machined knurled jaws with V-Groove
- Precise sliding jaw
- Large diameter screw



FROM  
**• \$209**

PART NO.	JAW WIDTH	JAW OPENING	THROAT DEPTH	WEIGHT	PRICE
TM104-100	100mm	120mm	70mm	11.2kg	<b>\$209.00</b>
TM104-125	125mm	140mm	95mm	20.3kg	<b>\$389.00</b>
TM104-150	150mm	170mm	105mm	25kg	<b>\$419.00</b>
TM104-200	200mm	265mm	135mm	60kg	<b>\$999.00</b>

**ITM MECHANICS BENCH VICES**

- Rugged all cast iron construction
- Integrated anvil for shaping and beating
- Extra heavy-duty sliding jaw and large diameter screw
- 50 ± 5 HRC hardened carbon steel jaws



FROM  
**• \$109**

PART NO.	JAW WIDTH	JAW OPENING	THROAT DEPTH	WEIGHT	PRICE
TM100-075	75mm	75mm	50mm	7.5kg	<b>\$109.00</b>
TM100-100	100mm	115mm	55mm	10kg	<b>\$159.00</b>
TM100-125	125mm	140mm	70mm	15.5kg	<b>\$229.00</b>
TM100-150	150mm	175mm	80mm	18kg	<b>\$279.00</b>
TM100-200	200mm	200mm	100mm	31kg	<b>\$419.00</b>

**ITM CHAIN PIPE VICES**

- Superb chain pipe vice with hardened steel jaws and close grained cast iron body
- Offers excellent grip for irregular shapes due to flexibility of the chain
- Can be rapidly tightened to provide a very strong grip on the pipe
- Spindle thread: M16x2



FROM  
**• \$129**

PART NO.	MIN. PIPE DIAMETER	MAX. PIPE DIAMETER	CHAIN LENGTH	WEIGHT	PRICE
TM115-100	30mm	100mm	405mm	3.94kg	<b>\$129.00</b>
TM115-160	40mm	160mm	360mm	9.4kg	<b>\$269.00</b>
TM115-230	40mm	230mm	850mm	13.3kg	<b>\$389.00</b>

## EHOMA 275MM SWIVEL PAD C CLAMP

- Extra heavy duty, Industrial quality
- Chrome Vanadium Jaws and Chrome Molybdenum Handles for maximum strength and durability
- Rust resistant nickel plated finish
- Wide-opening jaws provide greater versatility in clamping a variety of shapes
- Turn screw to adjust pressure and to fit work piece
- Classic trigger release designed to provide maximum locking force
- Made in Taiwan
- 275mm (11")
- Jaw capacity 88mm



**\$38**

PART NO.	SIZE	JAW CAPACITY
TM604-102	275mm	88mm

## EHOMA LOCKING PLIERS 3 PIECE SET

- Includes:  
150mm Long Nose  
175mm Straight Jaw  
250mm Round Jaw



**\$65**



PART NO.	DESCRIPTION
TM604-SET30	Locking Pliers - 3 Piece Set

## EHOMA FORGED STEEL F CLAMPS

- Premium quality forged steel clamps
- Tempered and hot forged steel
- Nickel and chrome plating



FROM

**\$49**



PART NO.	SPAN X DEPTH	RAIL SIZE	CLAMPING FORCE	PRICE
EC-G16CS	160 x 80mm	16 x 7.5mm	300kg	<b>\$49.00</b>
EC-G20CS	200 x 100mm	19.5 x 9.5mm	450kg	<b>\$65.00</b>
EC-G25CS	250 x 120mm	22 x 10.5mm	550kg	<b>\$79.00</b>
EC-G30CS	300 x 140mm	25 x 12mm	670kg	<b>\$99.00</b>
EC-G40CS	400 x 175mm	27 x 13mm	1000kg	<b>\$129.00</b>
EC-G60CS	600 x 175mm	27 x 13mm	1000kg	<b>\$149.00</b>
EC-G80CS	800 x 175mm	27 x 13mm	1000kg	<b>\$179.00</b>
EC-G100CS	1000 x 175mm	27 x 13mm	1000kg	<b>\$219.00</b>

## EHOMA QUICK ACTION FORGED STEEL F CLAMPS

- Ratchet type lever prevents overloading and resists vibration
- For high pressure, fast action clamping purposes



FROM

**\$99**



PART NO.	SPAN X DEPTH	RAIL SIZE	CLAMPING FORCE	PRICE
EC-G16L	160 x 80mm	16 x 7.5mm	300kg	<b>\$99.00</b>
EC-G20L	200 x 100mm	19.5 x 9.5mm	350kg	<b>\$119.00</b>
EC-G30L	300 x 140mm	25 x 12mm	500kg	<b>\$159.00</b>
EC-G40L	400 x 120mm	25 x 12mm	550kg	<b>\$169.00</b>
EC-G50L	500 x 120mm	25 x 12mm	550kg	<b>\$209.00</b>

## EHOMA HEAVY DUTY FORGED STEEL F CLAMPS

- Larger rail sizes 30x15mm
- For heavy duty applications
- Changeable clamping heads
- Socket drive handle
- Up to 1000mm span available



FROM

**\$179**



PART NO.	SPAN X DEPTH	RAIL SIZE	CLAMPING FORCE	PRICE
EC-GS30C	300 x 140mm	30 x 15mm	1200kg	<b>\$179.00</b>
EC-GS40C	400 x 120mm	30 x 15mm	1200kg	<b>\$199.00</b>
EC-GS50C	500 x 140mm	30 x 15mm	1200kg	<b>\$209.00</b>
EC-GS60C	600 x 120mm	30 x 15mm	1200kg	<b>\$219.00</b>
EC-GS80C	800 x 140mm	30 x 15mm	1200kg	<b>\$289.00</b>
EC-GS100C	1000 x 120mm	30 x 15mm	1200kg	<b>\$319.00</b>

## EHOMA RATCHET HANDLE FORGED STEEL F CLAMPS

- The innovative ratchet system allows faster clamping in restricted working areas
- The comfortable non-slip handle makes it easier to achieve maximum clamping pressure
- Bi-directional ratcheting and free spin



FROM

**\$129**



PART NO.	SPAN X DEPTH	RAIL SIZE	CLAMPING FORCE	PRICE
EC-G30R	300 x 140mm	25 x 12mm	670kg	<b>\$129.00</b>
EC-G40R	400 x 175mm	27 x 13mm	700kg	<b>\$159.00</b>
EC-G60R	600 x 175mm	27 x 13mm	700kg	<b>\$189.00</b>

### ITM HEAVY DUTY INDUSTRIAL BENCH GRINDERS

- 25mm Width grinding wheels with 36 and 60 grit
- Cast iron body and base
- Vibration absorbing pads on base
- Capacitor Start-Run motor
- Fully adjustable tool rests
- Large eye shields




FROM  
**\$219**

PART NO.	GRINDING WHEEL SIZE	MOTOR	WEIGHT	PRICE
TM400-150	150mm	370W 240v	11.1kg	<b>\$219.00</b>
TM400-200	200mm	600W 240v	16.7kg	<b>\$299.00</b>
PO200HD	200mm	750W 240v	23.0kg	<b>\$349.00</b>
TM400-250	250mm	900W 240v	32.0kg	<b>\$519.00</b>

### MULTITOOL BELT & DISC GRINDING ATTACHMENTS

The Genuine Multitool is a renowned, Australian designed belt grinding attachment which can be used on most bench grinders. The technology replaces the grinding wheel and converts a traditional grinder into a sophisticated work station ideal for sanding, grinding, sharpening, shaping, polishing and refinishing



FROM  
**\$229**

PART NO.	MULTITOOL BELT SIZE	DISC SIZE	MINIMUM GRINDER POWER	PRICE
P0362	915 x 50mm	178mm	1/2 HP 375W	<b>\$229.00</b>
P0364	915 x 100mm	178mm	3/4 HP 600W	<b>\$536.00</b>
P0482	1220 x 50mm	178mm	3/4 HP 600W	<b>\$579.00</b>
P0484	1220 x 100mm	178mm	1 HP 750W	<b>\$639.00</b>

### ITM BENCH DRILLS

- Quality casting, construction and componentry
- Emergency stop N.V.R. safety switch
- Supplied with Drill chuck, arbor & Safety guard



VIEW THE RANGE



FROM  
**\$259**

PART NO.	CAPACITY	CHUCK	SPEED	MOTOR	PRICE
TD0813	13mm	13mm	5 Speed	250W 240V	<b>\$259.00</b>
TD1013	13mm	13mm	5 Speed	375W 240V	<b>\$379.00</b>
TD1316	16mm	16mm #2MT	16 Speed	375W 240V	<b>\$559.00</b>
TD1416	16mm	16mm #2MT	16 Speed	450W 240V	<b>\$689.00</b>

### ITM BENCH GRINDERS WITH MULTITOOL BELT ATTACHMENT

- Industrial quality for demanding professional workshops
- Powerful motor
- Genuine Multitool finishing attachment
- Extra heavy-duty tool rests and eye shields



FROM  
**\$399**

PART NO.	GRINDING WHEEL SIZE	MULTITOOL BELT SIZE	MOTOR	PRICE
P0362-150	150mm	915 x 50mm	370W 240v	<b>\$399.00</b>
P0362-200	200mm	915 x 50mm	600W 240v	<b>\$449.00</b>
P0362-200HD	200mm	915 x 50mm	750W 240v	<b>\$499.00</b>
P0482-250	250mm	1220 x 50mm	900W 240v	<b>\$799.00</b>
P0484-250	250mm	1220 x 100mm	900W 240v	<b>\$999.00</b>

### ITM PREMIUM BENCH GRINDER STAND

- Industrial Bench Grinder Stand for use with most 200mm and 250mm bench grinders
- 855mm work height for comfortable extended use
- Heavy-duty steel construction
- Parts / water tray holder on front (tray not included)
- Pre-slotted top plate for multi-fit applications
- Pre-drilled base plate for easy mounting
- Heavy-duty powder coat finish
- Top Plate: 350mm x 250mm x 5mm
- Base Plate: 350mm x 250mm x 5mm
- Upright Tube Dimension: 100mm x 100mm
- Parts / water tray holder on front (tray not included)
- Emergency stop switch (TM403-018)



FROM  
**\$175**

PART NO.	DESCRIPTION	PRICE
TM403-016	Premium Bench Grinder Stand	<b>\$175.00</b>
TM403-018	Premium Bench Grinder Stand with E-Stop	<b>\$269.00</b>

### ITM PEDESTAL DRILLS

- Quality casting, construction and componentry
- Emergency stop N.V.R. safety switch
- Supplied with Drill chuck, arbor & Safety guard



VIEW THE RANGE



FROM  
**\$609**

PART NO.	CAPACITY	CHUCK	SPEED	MOTOR	PRICE
TD1316F	16mm	16mm #2MT	16 Speed	550W 240V	<b>\$609.00</b>
TD1420F	20mm	20mm #3MT	12 Speed	750W 240V	<b>\$769.00</b>
TD1825F	25mm	20mm #3MT	12 Speed	1500W 240V	<b>\$1229.00</b>
TD2032F	32mm	20mm #4MT	12 Speed	1500W 240V	<b>\$1489.00</b>

### ITM BM21 BEVELLER

- For machining plates and pipes prior to welding
- Maximum bevel width 21mm
- Variable bevel angles 0° - 60°
- Single milling head with 10 carbide inserts
- Bevels pipes 150 - 300mm diameter, optional attachment available for bevelling pipes 260 - 600mm diameter
- European made



**•\$4159**

PART NO.	POWER	WEIGHT
WA-BM21	240V 1600W	21KG

### ITM BM25 PORTABLE BEVELLER

- Comfortable & ergonomic operation
- Maximum 25mm bevel width
- Adjustable bevel angle 0° to 90°
- Single milling head utilising face milling method
- European made
- Powerful 2200W variable speed motor



**•\$5719**

PART NO.	POWER	RPM	WEIGHT
WA-BM25	240V 2200W	1800 - 5850rpm	12.5kg

### ITM ABM-30 AUTO FEED PORTABLE BEVELLING MACHINE

- Maximum 30mm bevel width
- Automatic feed, track-less design
- Travel in both directions with feed speed up to 2m per minute
- 4 Wheels feed drive eliminates hard physical work of the operator
- Variable angle -70° to +70°.
- 240V 2200W motor
- European made



**•\$15,995**

PART NO.	POWER	WEIGHT
WA-ABM30	240V 2200W	43kg

### ITM GECKO WELDING CARRIAGE

- Magnetic base welding carriage with 4-wheel drive forward & reverse operation
- Torch holder mechanism for different types of MIG/MAG torches, diameters of 16-22mm
- Standard, High Speed, & Cordless versions



**FROM  
•\$6229**



VIEW ONLINE

PART NO.	HORIZONTAL SPEED	VERTICAL SPEED	PRICE
WA-GECKO	0-1100mm/min	0-1000mm/min	<b>\$6229.00</b>
WA-GECKO-HS	0-2200mm/min	5-2000mm/min	<b>\$6229.00</b>
WA-GECKO-18V	0-1100mm/min	0-1000mm/min	<b>\$6719.00</b>

### ITM BM18 PORTABLE BEVELLER

- Powerful 2200W electric motor
- Maximum 18mm bevel width
- Mill edges of plates and pipes made of steel, aluminium alloys, brass or plastic
- Bevel materials with minimum thickness of 1.5mm
- European made
- Different milling head for each angle. Milling heads and inserts sold separately.



**•\$3639**

PART NO.	OPTIONAL MILLING HEAD ANGLES AVAILABLE
WA-BM18	22.5°, 30°, 37.5°, 45°, 50°, 55°, 60°

VIEW THE RANGE  
OF BEVELLING  
MACHINES



### ITM BM30-WM PORTABLE WELD MILLING MACHINE

- Removal of excess weld up to 11 mm high and 30 mm wide
- Capable of undercutting to a depth of up to 1.5 mm
- Variable milling height adjustment
- European made
- Powerful 2200W variable speed motor
- Comfortable and ergonomic operation



**•\$6859**

PART NO.	MOTOR	RPM
WA-BM30WM	240V Variable Speed	1800-5850 RPM

### ITM ABM-50 AUTO FEED DOUBLE SIDED BEVELER

- Maximum 30mm bevel width
- 180° Inversion allows for creation of a double-sided bevel – no need to rotate or flip heavy material reduces material handling costs and improves shop safety
- Continuously adjustable bevel angle between 15-60°
- Equipped with milling head including 8 replaceable inserts
- European made



**•\$27,999**

PART NO.	POWER	WEIGHT
WA-ABM50	415V 6500W	320kg

### ITM RAIL TITAN TRACK BASED WELDING CARRIAGE WITH OSCILLATOR AND REMOTE CONTROL

- Suitable for MIG/MAG, TIG, Oxy-fuel, Plasma
- Mig/Mag Torch Diameter: 16 - 22mm
- Minimum Workpiece Thickness For Magnetic Clamping: 5mm
- Optional straight and round track packages available separately



**•\$14,979**



VIEW ONLINE

PART NO.	POWER	VOLTAGE RATE
WA-RAILTITAN	60W	100-240V, 50-60Hz



# WORKSHOP LIFTING

**NEW**

## ITM MINI ALUMINIUM CHAIN BLOCKS

- Compact and portable design
- Tested & Certified To AS1418.2
- 360° Hand chain rotation design
- 3m Standard lift
- Lightweight aluminium construction



FROM **• \$299**

PART NO.	RATED CAPACITY	WEIGHT	PRICE
TM9026-00203	250kg	2.5kg	<b>\$299.00</b>
TM9026-00503	500kg	4.5kg	<b>\$329.00</b>
TM9026-01003	1000kg	8.5kg	<b>\$399.00</b>

## ITM WORKSHOP ELECTRIC WIRE ROPE HOISTS

- Industrial grade motor & robust construction
- Auto stop at top and bottom
- Hooks fitted with spring safety latches
- Tested & certified to AS 1418.2
- Up/Down Pendant controller with Emergency Safety Stop
- Hook can be connected back onto the hoist to double the rated capacity. This reduces the lift height and lift speed by 50%



FROM **• \$299**

PART NO.	RATED CAPACITY	MAXIMUM LIFT HEIGHT	LIFT SPEED	MOTOR	PRICE
TM9008-00212	100/200kg	6m/12m	5m/10m/min	510W	<b>\$299.00</b>
TM9008-00512	250/500kg	6m/12m	5m/10m/min	1000W	<b>\$379.00</b>

## ITM 500KG COMPACT ELECTRIC CHAIN HOIST

- Compact yet Heavy Duty design
- Industrial quality, designed for professional workshop applications
- Up/Down Pendant controller with Emergency Stop switch
- Weight overload limiter for safety
- Single phase, 1300w 240V motor
- Upper and lower limit switches to prevent chain runout
- Chain length can be altered by ITM to your required length
- Tested & certified to AS 1418.2
- Test certificate & user manual supplied



**• \$1499**

PART NO.	RATED CAPACITY	STANDARD LIFT	LIFT SPEED	NET WEIGHT
TM9000-00503	500kg	3m	5m/min	19kg

## ITM CHAIN BLOCKS

- Colour coded to W.L.L. for safety
- Load limited protection system
- Automatic double pawl braking system
- Hooks fitted with safety latches
- Grade 80 chain
- Tested & certified to AS 1418.2
- Test certificate supplied



FROM **• \$159**

PART NO.	W.L.L. CAPACITY	STANDARD LIFT	PRICE
TM9020-00202	250kg	2 Metre	<b>\$159.00</b>
TM9022-00503	500kg	3 Metre	<b>\$179.00</b>
TM9022-00506	500kg	6 Metre	<b>\$229.00</b>
TM9022-01003	1000kg	3 Metre	<b>\$189.00</b>
TM9022-01006	1000kg	6 Metre	<b>\$229.00</b>
TM9022-02003	2000kg	3 Metre	<b>\$269.00</b>
TM9022-02006	2000kg	6 Metre	<b>\$329.00</b>
TM9022-03003	3000kg	3 Metre	<b>\$359.00</b>
TM9022-03006	3000kg	6 Metre	<b>\$539.00</b>
TM9022-05003	5000kg	3 Metre	<b>\$559.00</b>
TM9022-05006	5000kg	6 Metre	<b>\$659.00</b>

## ITM BRUSHLESS BUILDERS WIRE ROPE HOISTS

- Extra powerful brushless 240V Motor with 50% duty cycle for high use applications
- Variable Speed
- Robust construction
- Dual brake system & safety auto brake in case of power loss
- 7m Length pendant controller with E-Stop
- Tested & certified to AS 1418.2
- Test certificate & user manual supplied
- Optional wireless remote available - \$375.00



FROM **• \$1349**



PART NO.	RATED CAPACITY	MAXIMUM LIFT HEIGHT	LIFT SPEED	MOTOR	PRICE
TM9006-BL26030	260kg	30m	7-19m/min	2100W	<b>\$1349.00</b>
TM9006-BL49060	490kg	60m	5-16m/min	2800W	<b>\$1749.00</b>

## ITM 240V ELECTRIC CHAIN HOISTS

- Japanese technology with dual braking system to ensure safe and reliable operation
- Weight overload limiter for safety
- Thermal overload motor protection
- Single phase, 240V motor
- Upper and lower limit switches to prevent chain runout
- Chain length can be altered by ITM to your required length
- Tested & certified to AS 1418.2
- Test certificate & user manual supplied
- 500kg Also available
- Dual speed models, also available half button press for low speed



FROM **• \$2499**

PART NO.	RATED CAPACITY	CHAIN DROPS	LIFT SPEED	NET WEIGHT	PRICE
TM9001-01003	1.0 Tonne	1	6m/min	60kg	<b>\$2499.00</b>
TM9001-02003	2.0 Tonne	2	3m/min	65kg	<b>\$2899.00</b>

**NEW**

**RYTOOL 40 PIECE METRIC TAP & DIE SET**

- Manufactured from Tungsten steel for exceptional strength and durability
- Suitable for cutting and cleaning threads on mild steel and aluminum, making it ideal for trade and workshop use
- Includes 17 metric taps and 17 dies
- Organised in a plastic storage case



**• \$95**

PART NO.	DESCRIPTION
RT748104040	40 Pce Metric Tap & Die Set

**HOLEMAKER 3 PIECE 3/8" CARBIDE BURR SET**

- Double cut geometry for cutting ferrous metals
- Premium industrial quality carbide burrs

**Package includes:**

- 1x CB-SB3, 3/8" Cylindrical End Cut
- 1x CB-SC3, 3/8" Cylindrical Radius End
- 1x CB-SF3, 3/8" Tree Shape Radius End



**• \$105**


PART NO.	DESCRIPTION
CB-SET-03	1/4" Shank Set

**HOLEMAKER SPIRAL FLUTE STEP DRILL SET**

- The Titanium Nitride coating significantly increases the tool life by providing the following benefits:
- Increased surface hardness to 85HRC
- Ceramic surface, reducing friction by up to 30%
- Especially resistant to cold welding
- Suitable for cutting a wide range of materials

**3 Piece Set Includes:**

- 1 x SD4-20MM 4 - 20mm
- 1 x SD5-25MM 5 - 25mm
- 1 x SD6-30MM 6 - 30mm



**• \$249**

PART NO.	SIZES INCLUDED
SDSET-1	4-20mm, 5-25mm, 6-30mm

**NEW**

**RYTOOL 110 PIECE TAP & DIE SETS**

- Manufactured from Tungsten steel
- Supplied in a sturdy metal case for secure storage and portability
- Includes 2 tap wrenches, a tap handle, and die handles for comprehensive threading solutions
- Covers a range of sizes



**• \$419**

PART NO.	DESCRIPTION	PRICE
RT748401100	110 Pce Metric Tap & Die Set	\$419.00
RT748401200	110 Pce Metric/SAE Tap & Die Set	\$419.00

**HOLEMAKER 5 PIECE 3/8" CARBIDE BURR SET**

- Double cut geometry for cutting ferrous metals
- Premium industrial quality carbide burrs

**Package includes:**

- 3/8" Cylindrical end cut
- 3/8" Cylindrical radius end
- 3/8" Ball shape
- 3/8" Tree shape radius end
- 3/8" Cylindrical aluminium cut



**• \$179**

PART NO.	DESCRIPTION
CB-SET-01	1/4" Shank Set
CB6M-SET-01	6mm Shank Set

**HOLEMAKER TCT HOLESAW SETS**

- Premium Blow Mould Case
- Tungsten Carbide Teeth
- One-Piece Body Structure
- Safe Stopper Collar
- 4 different sets available



**FROM \$209**

PART NO.	SIZES INCLUDED	CUTTING DEPTH	PRICE
MCS-SET5	16, 20, 25, 32, & 40mm Diameter	4.5mm	\$209.00
MCS-SET6	16, 20, 25, 32, 40 & 50mm Diameter	4.5mm	\$239.00
MCTR-SET5	16, 20, 25, 32, & 40mm Diameter	25mm	\$259.00
MCTR-SET6	16, 20, 25, 32, 40 & 50mm Diameter	25mm	\$319.00



# LOAD RESTRAINT

**NEW**

## ITM MESH SAFETY CARGO NET

- Tough elastic bungee cord & 24x large polypropylene hooks
- High strength & robust design
- U.V. stabilised mesh, ideal for tough Australian conditions



FROM **\$79**

PART NO.	SIZE	PRICE
TM9420-20018	2.0m x 1.8m	<b>\$79.00</b>
TM9420-25020	2.5m x 2.0m	<b>\$89.00</b>
TM9420-25036	2.5m x 2.6m	<b>\$139.00</b>

**NEW**

## ITM EXTRA HEAVY DUTY CARGO NET

- Load restraint type, 1000kg Lashing capacity when using 6x supplied tie downs
- Includes 6x 400kg L.C tie downs with hook & keeper plus s-hooks
- Multiple eyelets & mounting points
- High strength & robust design
- U.V. stabilised mesh



FROM **\$299**

PART NO.	SIZE	PRICE
TM9424-18014	1.8m x 1.4m	<b>\$299.00</b>
TM9424-24024	2.4m x 2.4m	<b>\$349.00</b>
TM9424-26020	2.6m x 2.0m	<b>\$339.00</b>
TM9424-26030	2.6m x 3.0m	<b>\$389.00</b>
TM9424-30036	3.0m x 3.6m	<b>\$499.00</b>

**NEW**

## ITM HEAVY DUTY CARGO NET

- Multiple eyelets & mounting points for securing different shaped loads
- Includes 4x 400kg L.C tie downs with hook & keeper plus s-hooks
- High strength & robust design
- U.V. stabilised mesh, ideal for tough Australian conditions



FROM **\$249**

PART NO.	SIZE	PRICE
TM9422-24024	2.46m x 2.46m	<b>\$249.00</b>
TM9422-28028	2.84m x 2.84m	<b>\$299.00</b>
TM9422-28034	2.84m x 3.34m	<b>\$349.00</b>

## ITM SAFETY CHAIN HOOK SETS

- For quick attachment and removal of trailer safety chains from your vehicle
- Kit including:
  - 2x Hammer Type Connecting Links
  - 2x Eye Type Sling Hook with Safety Latch
- Grade 80 Components tested and certified to AS 3776:2015
- Conforms to ADR62/02



FROM **\$39**

PART NO.	ATM (MAX TOWING CAPACITY)	MIN BREAK STRENGTH 4 TO 1 FACTOR (PER HOOK)	SUITS CHAIN SIZE	PRICE
TM9804-2000	2000kg	4480kg	8mm	<b>\$39.00</b>
TM9804-4000	4000kg	8000kg	10 & 13mm	<b>\$49.00</b>

## LOCAL DISTRIBUTOR