FAMOUS EXCELLENCE BY DESIGN

TAX TIME SAVINGS

111010

JUNE - 31 JULY 2024

ALL PRICES INCLUDE GST

FOLLOW US ON





Fluid Transfer Pump

1 Litre 305406

- Ideal for fluid top ups and refilling
- Suitable for automatic transmission fluids differential oils, brake fluids and hydrautic fluids
- Hose length: \$25mm



Part No. NBP217

Ball Joint Tool Set

- Comprehensive solution for ball joint removal and installation tasks. Versatile design facilitates easy extraction of ball joints, tie rods and brake anchor pins.
- Suitable for AWD, FWD & RWD passenger and light commercial including heavy vehicles
- The complete set includes C Frame Press Kit (311019) & Ball Joint Separator (311274).



NEW PRODUCT



Oil Drain Plug

Socket Set 18 Piece 305398

- Ideal for servicing transmission, transfer cases, differentials and oil reservoirs
- Includes: hex, female square, triangle, spline and square

Long Nose Plier Set

Extra Long 3 Piece

TPSA03

- Premium quality set features three different tip styles including straight, 45° bent and 90° bent
- Chrome molybdenum with PVC dipped
- High grade EVA foam tray



Seat Cover 1400 x 700mm

302209 Reusable seat cover

- repels water, oil and grease
- Durable nylon top layer and PVC backing



Bearing & Oil Seal Installation Master Kit NBP218

- The Bearing Oil Seal Installation Master Kit is an essential tool for ensuring smooth and efficient assembly of bearings and oil seals in automotive and industrial applications
- This master kit includes 301350 & 301540

Bearing & Oil Seal Installation Kit 301350 (10 Piece)

- Features tapered aluminium cone bearing and seal driver handle
- Size range: 40mm-80mm

Bearing & Seal Installer Kit 301540 (20 Piece)

- Includes aluminium adaptors with three drivers
- Size range: 9.5mm-35mm



- Essential kit for locking the diesel high pressure fuel pump for removal and installation, aligning the front crank seal and timing cover
- Suitable for popular Ford Ranger and Transit, Landrover Defender and Mazda BT50 2.0L, 2.2L, 2.4L and 3.2L engines



Wedge Tools

Essential tools for prying interior and exterior trims, mouldings, fasteners, clips and badge emblems etc.

Part No.	No. Description Leng		PRICE
313316	Steel Wedge Tool Dual End	210mm	\$35.75
313317	Steel Trim Removal Tool Set - 2 Piece	224mm & 174mm	\$79.75



- Designed for the removal of drive shafts in most front wheel drive vehicles
- Length 350mm; fork capacity: 50mm





MECHANICAL SERVICE · MECHANICAL SERVICE · MECHANICAL SERVICE



Automatic 160mm 321040

- Simply adjust to desired spring tension, press firmly against work piece for automatic centre punch
- Made in Japan



- Reliable crimper, cutter and
- Suitable for insulated and non insulated terminals





Lock Grip Pliers Curved Jaw 250mm VG250

- Curved laws for better contact on bolt heads, nuts etc.
- Applies extra pressure across four points of contact on any style

Compact Hand Cable Cutter CC60A 230mm

- Curved blade delivers a clean cut without causing distortion
- For use on copper and aluminium cables up to 70mm²
- Not suitable for steel wire or wire ropes





Adjustable C-Hook Wrench Set

- Used to tighten, loosen or hold machinery components such as retaining rings, couplings, or any notched or multi-faced tool
- Adjustable head enables coverage of a wider size range and interchangable heads for both hook and pin style
- Size range: 35-120mm

Universal Spanner Extension 340mm 321045

- Minimises slippage and provides additional leverage when removing stubborn nuts and bolts
- Features 1/2" square drive adaptor for increased leverage
- Made in Germany

Combination

Pliers 210mm

round material

Diagonal Pliers

200mm 301995

- Heavy duty cutters for powerful, efficient and precise cutting
- Suitable for most soft and hard wire up to 3mm in diameter



Long Nose Pliers

210mm 301996

- For cutting, gripping and manipulating all types of components and wires
- Excellent control and reach in confined spaces
- Suitable for most soft and hard wire up to 3mm

· For firm gripping and cutting

Serrated gripping zones for flat and

· Suitable for most soft and hard wire up to 3mm

Plier Wrench

254mm 321268

- Professional trade quality plier wrench ideal for multiple applications including gripping, bending, holding, tightening and loosening
- Smooth Jaw design prevents any damage to components
- Push button adjustment mechanism, with up to 20 different adjustment positions
- Push button adjustment mechanism permits quick interchange tightening and release
- Custom moulded grip allows for a strengthened grip over components
- Manufactured from drop forged hardened steel



Fuel Filter

Wrench Diesel Hyundai/Kia 307000

Essential tool for

- removing diesel fuel filters on Hyundai and KIA models (Also suits Volvo & Land Rover models)
- Applicable for Hyundai/KIA 2.0 - 2.2L CRDi engines
- Square drive: 1/2



Elec-Line Box

Set 2 Piece 321990

- Includes PH2 x 100mm and Slotted 5 x 100mm
- Insulated screwdriver solution for live electrical work
- · Tested up to 1000V for professionals working with dangerous live electrical applications
- Made in Japan



Screwdriver Sets

- Magnetic tips and ergonomic handles
- Handy reusable pouch
- Made in Japan

Part No.

321993

321995

NEW PRODUCT

Q.95

scription	Contents	PRICE
go-Line Slotted 6pc	5.5 & 6.0mm, PH1 & PH2 and Stubby 6.0mm & PH2	\$68.95
ike-Thru 2pc	6.0 x 150mm & PH2 x 150mm	\$42.95
mperproof 5pc	T10, T15, T20, T25, T30 x 125mm	\$77.95

NEW PRODUCT







1 JUNE - 31 JULY 2024 TAX TIME SAVINGS FAMOUS ALL PRICES INCLUDE GST



MECHANICAL SERVICE · MECHANICAL SERVICE · MECHANICAL SERVICE

Trim & Clip Remover Set

2 Piece 313030

- Damage free removal of trim and clips
- · Fully hardened specialty steel with ergonomic acetate handle
- 5 7mm and 6 9mm
- · Made in Japan

Oil Filter Remover

3 Jaw 305021

- Adjustable 3 jaw oil filter remover suitable for 60-120mm diameter filters
- Includes 15" to 16" square drive reducer adaptor





Brake Bleeder & Fluid Extractor

1 Litre 310005

 Air operated brake bleeder simplifies bleeding of brake and clutch systems in automotive applications





Torque Wrenches

- Click-stop design for superior strength and
- Micrometer style adjuster enables precise torque settings

Part No.	Sq. Dr	Length	Dual Scale	PRICE
301097	1/4"	280mm	2-24 Nm/10-212 In.Lbs	\$103.95
301098	3/8"	470mm	7-108 Nm/5-80Ft.Lbs	\$103.95
301099	1/2*	470mm	14-203 Nm/10-150Ft.Lbs	\$107.95





Remover Set 5 piece 313311

Special five piece set designed to remove, manoeuvre and manipulate interior trims without damage



Screw Extractor Set 6 piece 301075

- · For removal of broken screws, bolts or studs
- Size: 3-25mm





Telescopic Inspection Mirrors

Toledo offers a wide selection of various sizes and configurations to ensure maximum choice and best fit for application

Part No.	Shape	Telescopic Range	Size	PRICE
301011	Oval	200 - 520mm	25 x 50mm	\$12.95
301016	Round	200 x 355mm	Ø 50mm	\$11.95

Rubber Hose Pipe Cutter

301923

- Straight blade cuts rubber hoses 6-25mm in diameter
- Ideal for automotive and industrial applications
- Suitable for cutting fuel hose, vacuum hose A/C hose and workshop air line hose etc.





Disc Brake Pad Spreader

310265

- Used to return the brake caliper piston to the resting position during removal, installation or service repairs to the disc brakes
- Threaded T-bar handle operation
- Suitable for most brake calipers

Wheel Bearing **Lock Nut Socket**

Hexagon 6 Point 55mm

309051

- . Drive type: 3/4" square drive
- · Size: 55mm
- · Socket type: Hexagon 6 point



Coil Spring Compressor Professional Set

2 Piece 311284

- Specifically designed for safe and effective compression of automotive coits springs
- Jaw width: 85mm
- Operating range: 260mm



Magnetic Pick Up Tools

- Telescopic body for adjustable reach
- Strong magnetic power for firm retrieval and pick-up of ferrous material
- Manufactured from durable stainless steel

Part No.	Telescopic Range	Magnet Size	Magnet Size	PRICE
301014	150 - 670mm	Ø 6enm	200g	\$10.95
301019	125 - 640mm	Ø 13mm	2.5kg	\$16.95
301299	170 - 760mm	Ø 13mm	3.6kg	\$22.95
	301014 301019	301014 150-670mm 301019 125-640mm	301019 125 - 640mm Ø 13mm	301014 150-670mm Ø 6mm 2009 301019 125-640mm Ø 13mm 2.5kg



MECHANICAL SERVICE · MECHANICAL SERVICE · MECHANICAL SERVICE

Tamperproof Bit Set

5 Point 11 Piece 301318

- Compact bit set with a variety of five point tamper proof combinations
- Tamperproof 5 Point: T10, T15, T20, T25, T27, T30, T40, T45, T50

Turbo Boost Leak Pressure Tester 9 Piece

304999

- Specialty tool for diagnosing fine boost leaks in forced induction engines
- Professional kit pressurise the turbo charging system without having the engine running
- Size range: Ø35 90mm, working pressure: 25psi





Grease Injection Needles

- Stainless steel needle lubricates in very tight spaces such as universal joints and sealed bearings
- Standard grease fitting with dust cover

Part No.	Needle Length	Needle Thickness	PRICE
305237	38mm	18 gauge	\$6.95
305238	38mm	21 gauge	\$6.95

Feeler Gauges

- · High quality steel for strength, durability and accuracy
- Designed for measurement of small gaps, ideal for use in engineering and automotive applications

\$6 ^{.95}	

Part No.	Description	Size Range	PRICE
301155	35 steel blades and 3 brass blades	0.038mm - 0.889mm 0.0015"- 0.035"	\$14.95
301159	10 steel blades	0.04mm - 0.63mm	\$6.95
301157	26 cranked (45°) steel blades	0.127mm - 0.762mm 0.005" - 0.030"	\$17.50



4.95

Pick-Up Tool Flexible Cord

510mm 301017

- Narrow and long probe gives access to confined spaces
- Flexible stainless steel probe bends and holds in position
- Magnet capacity: 500g
- Overall Length: 510mm

Lever Type with Rigid & Flexible Spout

305259

- Capacity: 500ml
- Rigid Spout: 150mm
- Flexible Spout: 175mm





Disc Brake Piston Cube

Rear 310269

- Use to return the brake caliper piston to the resting position
- Fits five different cavity configurations and most popular vehicles
- Operated with 3/8" square drive ratchet



Tyre Levers

- Tyre lever to easily remove and refit tyres on to rims
- Hardened and tempered drop forged chrome

Part No.	Length	PRICE
309040	300mm	\$18.95
309035	600mm	\$45.95

Carbide Scraper Set

2 Piece 210mm

- Designed to scrape and remove gasket, sealant and sticky or thick adhesive compound applications
- SS400 steel with tungsten carbide tip for strength and durability



2 in 1 Trim & Clip Remover 220mm

313293

· Essential tool for work which involves the removal and re-fit of interior and exterior trims. and dash boards





Professional Breaker Bar

1/2" Sq. Drive 301245


- Square drive design with 180° rotating head for increased versatility
- Thick neck heavy duty design
- Overall Length: 610mm (24*)



Brake Spring Compressor

- · For removing and installing brake shoe retaining springs on
- Notched design for washers with ear tabs
- Suitable for most retaining rings
- Suits 8 24mm washers





- Releases 5/16" and 3/8", fuel line locking on Chrysler, Ford, GM and

Fuel/Vacuum Line Pliers 200mm 301173

- · Removes stubborn fuel or vacuum hoses promptly and safely without
- damaging components Features sharpened "V" jaw for secure grip and spring return for easy operation
- Hose capacity: 3-13mm
- Jaw opening: 0-30mm
- Jaw width: 26mm



Tyre Valve Remover



Steel Extension 301009

- · Designed with an aluminium probe and extension for greater access to help pinpoint the location
- Features plastic earphones to reduce external noises during diagnosis
- Overall Length: 740mm
- Steel Extension: 220mm





1 JUNE - 31 JULY 2024 TAX TIME SAVINGS FAMOUS TOLEDO EXCELLENCE BY DESIGN



MECHANICAL SERVICE · MECHANICAL SERVICE · MECHANICAL SERVICE —

Gas Strut Shaft Support Tool 8-15mm 301276

- Supports and locks onto gas strut shafts to enable worn gas strut to be fixed in the extended position during service
- For bonnets, boots or hatchback tail gate
- · Features bright yellow remove reminder safety tag



Radiator Fin Straightener 308240

- For straightening fins on radiators, evaporators, condenser, oil cooler and intercoolers etc.
- Small and compact unit
- Suitable for fins with 8, 9, 10, 12, 14, 15 fins per inch

Precision Oblique Cutter

135mm 321006

- Cutting edges for cutting and twisting soft wire
- Light weight tool with low friction spring return
- Jaw opening (max): 15mm
- Cutting Capacity: Medium hard wire up to 1.2mm



Thread File 301065

- Restore damaged, worn or corroded threads
- · For left and right handed threads
- Thread Pitch Range: 0.80, 1.00, 1.25, 1.50, 1.75, 2.00, 3.00mm
- · Type: Metric

\$45.95

Valve Shim Adjusting Tool Set Toyota 304053

- · Essential tool for adjusting shims on Toyota/Lexus and Nissan engines
- Includes 200mm bucket lifting pliers and two holding tools
- Suitable for use with cylinder head on or off the vehicle



Prying & Smoothing

Tool Kit Mini Light Duty 313313

- Suitable for light duty prying of small covers, interior bezels,
- Three piece set in vinyl wallet



Q.95

Locking mechanism holds clamp in position





- Separates ball joints with a strike of a hammer
- 24mm fork opening suitable for passenger vehicles and commercial vehicles
- Manufactured from drop forged steel



Razor Style Long Reach Scraper

6 Piece 280mm 301247

- Special tool designed for scraping windows and glass
- Also ideal for scraping paint from mirrors, tiles and other flat surfaces
- Blade width: 40mm





Razor Blades Plastic 100 Pack

- Suitable for all Toledo razor scrapers
- Plastic razors are ideal for damage free removal in applications such as painted surfaces etc
- Blade width: 40mm



Blade width: 40mm





- Removes seals on various applications including auto, industrial and marine etc
- Includes replacement hook tip and screws

Banding Tool 1 with Cutter Band

Style Clamps 301104

- For fastening of band clamps on CV boots
- Inbuilt cutting assembly enables tension to be
- kept while clamps are tightened and cut during installation
- Band width (max): 10mm (3/8")
- Overall length: 230mm



Constant Tension - Straight

Hose Clamp Plier

301031

- · For installation and removal of constant tension style hose clamps
- clamp in position
- operation
- · Jaw width: 11mm

· Locking mechanism holds Spring return for easy Jaw opening: 0-45mm

Impact Driver, Multi-Bit

1/2" Sq. Drive 5 Piece

- Delivers strong rotational force and forward thrust with a strike of a hammer
- Suitable for removing large screws or bolts that are seized or over torqued
- Applicable for right or left hand threads
- Philips: P#2 & P#3
- Slotted: SL8 & SL10





MECHANICAL SERVICE · MECHANICAL SERVICE · MECHANICAL SERVICE



Guard Covers

- Designed to protect paint work and working area during maintenance and repairs
- Conforms to the shape of the vehicle and remains in place by fixing securely with magnets
- Featuring an inner skin made from a soft, non-scratching PVC sponge leather, and



Part No.	Size	PRICE
301941	800 x 600mm	\$54.95
301942	1050 x 580mm	\$58.95

310377

Razor Style Long Reach Scraper Flexible 205mm 301162

- Special tool designed for scraping windows and glass
- Ideal for scraping paint from mirrors, tiles and other flat surfaces



Z.95

Sizes: 2, 3, 4, 5, 6 & 8mm

Six piece set supplied with plastic holster

Socket Tray

Heavy Duty 302210


- · Heavy duty tray for organising sockets and accessories
- Suitable for standard, deep and specialty sockets
- Holds 80 pieces
- Spring loaded stainless steel ball bearing ensures sockets hold firmly in place
- Dimensions: 457 x 152mm
- *Sockets not included



Part No. NBP045

Brake Caliper Ratchet Tool Bonus Pack

- Designed to easily retract the brake piston during brake pad replacement
- Ideal for use on single, twin and quad piston fixed or floating type calipers
- Applications include: ATE / Bendix / Delco / Brembo and Girling calipers
- Spread: 40 65mm



NEW PRODUCT



BONUS

Depth Gauge

Range: 0-60mm

Disc Brake & Tyre

NEW PRODUCT

Caliper Hanging Hook

2 Piece 210mm 310307

- Ideal for mounting brake caliper for service and maintenance
- PVC dipped hooks avoid scratching and scuffing painted surfaces

2.95 NOX & SOOT

Sensor Thread Cleaner 301543

- Cleans and restores thread condition
- For diesel particulate filter sensors and most exhaust sensors
- Applicable for light to heavy diesel vehicles Sizes: M20 x 1.5mm & M22 x 1.5mm

Panel Gap Gauge

NEW PRODUCT

NEW PRODUCT

assisting in correcting gaps of vehicle paneling and windscreens Flexible arms provide

multiple access ranges

Ideal for inspection and

· Range: 1-10mm

2 Piece 313323



Plier Rack Organiser

300mm 301537

Panel Wedge

· Wedge width: 70mm


Thickness: 3-17mm

Adjust and align vehicle doors, boots,

panels and glass window components

Stepped 280mm

313322







- · Fully adjustable divider fins
- Self-aligning slides
- *Pliers not included





NEW PRODUCT

EXTRA HEAVY

Breaker Bar

1" Sq. Drive 1000mm

301536

- Square drive design with 180° rotating head for increased versatility Extra heavy duty design with a much thicker neck and
- robust bar compared to normal breaker bars

Twist Socket Set

Deep 5 Piece 301538

- · For the removal of rounded and damaged bolts
- Sizes: 3/8", 7/16" (11mm), 1/2", 9/16" (14mm), 5/8" (16mm)
- 3/8" Square Drive



Bearing & Seal Installer Kit

20 Piece 301540

- Designed to install bearings vehicles, HGV, agricultural and industrial machinery
- Set includes 3 drivers and 16 adaptors ranging from 9.5 - 35mm (3/8" - 13/8")







Twist Socket Set

Shallow 10 Piece 301539

- For the removal of rounded and damaged bolts
- Pass through design with 6 point socket enables access for hard to reach bolts
- Sizes: 5/16", 3/8", 7/16", 12mm, 1/2", 9/16", 15mm, 5/8", 11/16" and 3/4"
- 3/8" Sq. Drive





10 Piece 304512

- For diagnosing low engine oil pressure issues and worn oil pumps
- Dual scale 2.5" black plated dial gauge with protective cover for extra durability
- Includes adaptor to suit threads: 3/8" NPT, 1/4". M8, M10, 1/8" NPT and 900







1 JUNE - 31 JULY 2024 TAX TIME SAVINGS FAMOUS ALL PRICES INCLUDE GST



MECHANICAL SERVICE · MECHANICAL SERVICE · MECHANICAL SERVICE

Support Stand 540-1200mm 302310

Suitable for holding open car bonnets, boot lids and tailgates

· Features twist lock function to securely lock at desired length

· Double ended non-slip rubber caps grips to the surface and

Twist Extractor Impact Driver

5 Piece 301541

- Extracts and removes rounded, rusty and stubborn
- Sizes: 1/4", 5/16", 7/16" & 1/2"

NEW PRODUCT

· Hex Drive: 1/4



Telescopic

avoids scuffing

NEW PRODUCT

\$4 Q.95 NEW PRODUCT

Filling Funnel Set

Long Reach 535mm 305399

- Universal long reach funnel allows for filling in confined spaces
- Straight or angled configurations
- Polycarbonate with extension tube and polypropylene adaptor





NEW PRODUCT

Axle Locking Tool Kit

6 piece 309252

- · Safely locks axle hubs to remove or tighten drive shaft nut
- Suitable for one person operation
- · Suits most pitch circle diameters
- · Durable thermoplastic with high mechanical strength and rigidty





つ.95

Control Arm Prying Anchor

Heavy Duty 311050

- Designed to lower control arm and separate ball joint
- Ideal for keeping hands and loose clothing from moving components Suitable for most front wheel
- drive vehicles
- Eyelet end fits any 7/8" pry b





Low Pressure Fuel Tester Diesel 13 Piece

- Designed specifically for the inspection and diagnosis
 of low pressure diesel fuel systems
- Includes two pressure gauges for accurate readings
- Ten quick-connect fuel line adaptors, covering a wide ge of vehicle makes and models
- Extra long connector hoses for confined spaces in engine compartments

Multi Purpose Trim Pliers

175mm 313318

- Specialty pliers for the removal of interior trims. door panelling trim clips to exterior guard liner clips, and wiring harness securing clips
- Ergonomic, comfort grip handle with built-in return spring improves efficiency after each compression
- Durable jaw design for strong, stable grip
- Spring loaded handle for ease of motion
- · Max Jaw opening: 25mm
- Jaw Overall Length: 30mm





NEW PRODUCT



PULLING & EXTRACTING · PULLING & EXTRACTING · PULLING & EXTRACTING

Lock Grip Plier Slide Hammer Puller 600mm

VG210LP

- · 1kg slide hammer provides enough force to remove the most stubborn items
- · Ideal tool for the easy removal of rusty bolts nails, staples, dowels and split pins
- · 210mm locking pliers feature a curved jaw that grips the item and prevents slippage



Pilot Bearing Puller

3 Jaw Mechanical 245464

- Compact internal pilot bearing puller designed to extract flywheel spigot bearings
- Suitable for removing spigobearings, alternator and pump bearings etc.
- Adjustable support legs with locking screws
- Internal diameter range: 13-45mm





AVAILABLE 1 JUNE - 31 JULY 2024 · ALL PRICES INCLUDE GST



Slide Hammer Puller Assembly 490mm

- · Ideal for removing bearing cups, outer races and oil seals
- · Applicable for all internal pulling jobs that meet spread and reach specifications
- Puller reach: 55mm
- Puller spread: 13-60mm
- Hammer weight: 2.3kg

4.95

Power Steering Pump Pulley Kit 245380

- Suitable for the removal and installation of power steering pump pulleys
- Essential tool to prevent damage and distortion to pulley and shaft
- Applications include Ford Falcon FG, Ford C111, Saginaw, Thompson, C2 power steering pumps



ELECTRICAL SERVICE · ELECTRICAL SERVICE · ELECTRICAL SERVICE



 Toledo soldering irons offer premium quality, professional features while remaining simple, efficient and easy to use

Desoldering Pump/

· Used for the safe and easy removal of molten solder during soldering repair work

Solder Sucker

Spring loaded pump

302121

Part No.	Voltage	Wattage	Heat Range	PRICE
302102	240V AC	50Hz 60W	460-480°C	\$27.95
302104	240V AC	50Hz 100W	480-500°C	\$42.95

Circuit Testers

Toledo circuit testers are available to suit a whole range of automotive applications from DIY to professional workshop use

Part No.	Type	Voltage	Lead mm	Probe	PRICE
302145	Professional	6-24V (DC)	700-2500	80mm	\$31.95
302191	Digital	6-24V (DC)	700-3000	90mm	\$78.95
302144	Heavy Duty	6-24V (DC)	1500	100mm	\$23.95

Ratcheting Crimping Pliers

Standard 220mm 302021

- Heavy duty ratcheting crimping pliers for fast, efficient and easy crimp work
- Designed to achieve correct compression and superior electrical connection
- Crimp range: 0.5–1, 1.5–2.5, 4–6(mm²) 22-18, 16-14, 12-10 (AWG)

Electro-Mechanical Cutters 150mm PC6

- Hardened precision cutting edges for cutting and twisting soft wire
- Suitable for use in fine electrical and electronics applications
- · Cut type: Flush



Adjustable Spark

Plug Tester

Flexible Lead 302167

- · Test for non-start conditions and for spark strength Simulates spark plug under compression load
- Standard ignition minimum spark plug gap indicated by 'S'
- · Electronic ignition minimum gap (10mm) indicated by 'E

9.95

NEW PRODUCT

Multi-Function Electrical Plier

- Multifunction plier suitable for gripping, looping, stripping, cutting, screw shearing and crimping
- Ergonomic dual component handles
- Capable of shearing 6-32 and 8-32 screws
- Crimps non-insulated connectors, lugs and terminals





TIMING TOOLS - TIMING TOOLS - TIMING TOOLS - TIMING TOOLS



- Holden 1.8L DOHC 16V Timing Tool Kit
- Suitable for 1.8L Z18XER & F18D DOHC 16V petrol applications



- Suitable for popular 1.5L 2.5L DOHC 16V (including turbo) petrol engine applications.
- · For the locking of the camshafts and crankshaft during the removal and installation of the engine timing belt or chain

Camshaft Locking Tool - Subaru 304780

- Suitable for popular Subaru 2.0L & 2.5L petrol engine applications
- · For locking the camshafts during the removal and installation of the engine timing belt and other engine servicing and repairs



- 1.6L 2.0L diesel engine applications
- · For the locking of the camshaft, crankshaft and tensioners during the removal and installation of the engine timing belt or chain along with other engine servicing and repairs



- Suitable for popular Ford Volvo 1.3L 1.6L DOHC 16V petrol engine models
- For the locking and alignment of the camshafts, crankshaft and tensioner during the removal and installation of the engine timing chain and other engine servicing and repairs



- Suitable for popular Subaru 2.0L and 2.5L DOHC Turbo petrol engine applications
- · For locking the camshafts during the removal and installation of the engine timing belt and other engine servicing and repair

1 JUNE - 31 JULY 2024 TAX TIME SAVINGS TOLEDO EXCELLENCE SY CHECK SY CHECK



ESSENTIAL WORKSHOP TOOLS!



Double ended windscreen washer jet cleaning and adjustment tool

Parts Cleaning Brush 301004

· Strong and durable bristles with heavy duty nylon handle

Claw Style 700mm 301697

Flexible shaft with spring loaded extendable retrieval claw

Spanner Rack Organiser 15 Piece 300mm 301108

· Suitable for offset and open end

or combination spanners



Hose Clamp Nut Drivers

Flexible shaft allows access to hard to reach clamps

Part No.	Sq. Dr.	Socket Size	Length	PRICE
CND-1	1/4"	6, 7 and 8mm	150mm	\$14.95
CND-2	1/4"	6, 7 and 8mm	300mm	\$16.95

Brake Adjusting Tool 175mm

Shaped to provide maximum leverage in confined area



Pocket Screwdriver

116mm 321992

- Features handy steel pocket clip



Continuity Tester

Battery Powered 302190

· Handy time saving tool suitable for all automotive electrical work on 6, 12 & 24 volt systems



Gasket Scraper 280mm 301007

Ideal tool for scraping cylinder heads, blocks, transmission cases, diff housings and metal surfaces

Oil Seal Pick Set

2 Piece 301297

· Double ended two piece set designed for easy removal of oil seals and O-rings

Spring Clamp

force concentration



Thread Pitch Gauge Set

including Metric and Imperial



Cleaning Brush

Steel Bristles 321096

Heavy duty brush removes baked on brake dust, ingrained grit and corrosion on hard surfaces

NEW PRODUCT

Cleaning Brush

Copper Bristles 321097

Heavy duty copper bristles ideal for removing

brake dust, ingrained grit and corrosion on soft surfaces

Machinist's Scriber

190mm MS7

- · Suitable for use on metal, glass, plastic, O-rings or ceramics
- Hardened tips for long and durable service life

Scissors 200mm 1068BU

· Forged steel nickel plated with black handle

· Blade length: 90mm

Spot Weld Remover

75mm 313301

AVAILABLE 1 JUNE - 31 JULY 2024 · ALL PRICES INCLUDE GST

- Double ended blade cuts perfect holes in most material
- Use with all 1/4" or larger variable-speed drills

Brake Adjusting Tool 132mm 310266

· For adjusting brake lining on drum brakes and park brake shoes on

Pick & Hook Set

4 Piece Mini 130mm 301043

· Ideal for scraping, scribing, marking, picking and seal removal



Cleaning Brush Set

3 Piece 301003

 Multi-purpose brush set comprising one brush each of nylon, brass and steel bristles.

Oil Filter Remover Nylon Strap 1/2" Sq.Dr 305211

Non-slip nylon strap for spin-on type filters

of up to 150mm(6") in diameter **NEW PRODUCT**

Jet Lighter Torch

Micro Flame 302091

- Flame temp: 1000°C
- Gas type: Butane
- · Gas capacity: 4g





Multi-Purpose Electrical File

133mm 301069

· Designed for cleaning ignition contact points and electrodes



Bootmakers Knife 210mm BMK3B

· Precision cut stainless steel blade

Blade length: 110mm





- Stainless steet blade supplied with heavy duty plastic sheath
- · Suitable for outdoor applications

WORKSHOP TOOLS · WORKSHOP TOOLS · WORKSHOP TOOLS · WORKSHOP TOOLS

Technician's Knife

185mm TTK1

 Suitable for heavy duty cutting including wire insulation. rope twine, belting, hoses, leather, linoleum, carpet and tape

Plastic Pipe Cutter

Heavy Duty 301028

 Cuts rubber heater hose, airline hose, PVC and vacuum tubing up to 42mm

Club Hammer

14 Piece 301850

Internal capacity:

External capacity:

Overall length: 400mm

3LB 321056

 Ideal for repeated high impact striking applications



Pry Bar Set Strike Thru 4 Piece 321027

- Heavy duty steel end cap allows continuous blows without flaring
- Stip resistance PVC handles with rubber moulded grips
- Length: 200, 300, 450, 600mm



Strike-Thru Pry Bar 900mm 321043

- Strike-Thru capabilities without causing handle damage
- · Ergonomic, dual composite plastic with rubber inter-moulded handles designed for maximum



File Sets

- Trade quality, premium grade files
- Precision, machine cut and hardened blades for long lasting superior performance
- Individually varnished for rust and corrosion resistance
- · Ergonomic rubber handles

Part No.	Cut Type	Length	Contents	PRICE
TFR2001	Bastard	200mm	1 each: Round, half round, flat and square	\$49.95
TFR2002	Second	200mm	1 each: Round, half round, flat and square	\$49.95
TFR2503	Smooth	250mm	1 each: Round, half round, flat and square	\$55.95





TFR2503



260mm 301798

- Specialty tool for setting rivet mut fastenings
- Suitable for automotiv metal fabrication work, industrial and construction applications
- Size range: M3, M4, M5, M6









PULLING & EXTRACTING · PULLING & EXTRACTING

Twin & Triple Leg Mechanical **Puller Set**

- Designed for easy removal of bearings, pulleys, gears and sprockets
- Interchangeable twin and triple heads allow for an infinite number of internal and external pulling applications
- Drop forged chrome vanadium alloy steel to increase rigidity





Part No.	Spread	Reach	Capacity	PRICE
224030	75mm	60mm	1 Tonne	\$65.95
224040	100mm	70mm	2 Tonne	\$89.95
224060	150mm	120mm	5 Tonne	\$146.95



Triple Leg Mechanical **Pullers**

- Triple leg mechanical external and internal applications
- Suitable for pulling gears, bearings and sprockets etc industrial applications



Part No.	Spread	Reach	Capacity	PRICE
223030	35 - 75mm	75mm	1 Tonne	\$41.95
223060	65 - 150mm	150mm	5 Toane	\$84.95
223080	200mm	175mm	7 Tonne	\$208.95



425mm

10 Tonne

1 JUNE - 31 JULY 2024 TAX TIME SAVINGS TAMOUS ALL PRICES INCLUDE GST



MEASURING & PRECISION · MEASURING & PRECISION · MEASURING & PRECISION

Stainless Steel Rules

- Manufactured from stainless steel
- Accurate to Japanese Industrial Standard
- Made in Japan



Single Sided

Hang Hole, One Square End

Part No.	Length	Width	Style	PRICE
1508M	150mm	15mm	Metric	\$8.95
150A6	150mm	20mm	Metric and Imperial	\$10.95
300M	300mm	30mm	Metric	\$15.95
600M	600mm	30mm	Metric	\$33.95
1000M	1000mm	35mm	Metric	\$62.95

4		**	100	Ge 30	150 tourso	
				шши		
	-					

international mediate in the later in the later is in the later in the

Double Sided

Hang Hole, One Square End

Part No.	Length	Width	Style	PRICE
150SP	150mm	20mm	Metric	\$9.95
300SP	300mm	28mm	Metric	\$17.95
15086	150mm	15mm	Metric and Imperial	\$9.95
30012	300mm	28mm	Metric and Imperial	\$17.95
60024	600mm	30mm	Metric and Imperial	\$42.95

20 30 40 50 40 70 80 90 100 110 120 130 ** 300

Double Sided

Two Square Ends

Part No.	Length	Width	Style	PRICE
150MSE	150mm	20mm	Metric	\$16.95
ST150ME6	150mm	20mm	Metric and Imperial	\$16.95



Easy Pick Up Rule

Stainless Steel Single Sided 150mm 301956

- · Features a bent edge to enable user to easily pick-up the rule
- Made in Japan

Magnetic Box Levels

- Reinforced aluminium frame
- Epoxy locked shockproof vials
- Precision milled surfaces for accuracy (up to 1200mm)
- Enlarged easy read horizontal vial (33% bigger)
- Unique side-view vial provides accurate plumb reading
- · Powerful rare earth magnets
- High accuracy of 0.5mm/m



ı	Part No.	Length	PRICE
	322060	600mm	\$98.95
	322090	900mm	\$108.95
	322180	1800mm	\$158.95
	322240	2400mm	\$178.95



Stainless Steel Rule Set

2 Piece TRS01

- Contains 150mm and 300mm rules
- Double sided metric and imperial with upper and lower graduations





Engineering Square

Non-Graduated High Grade

- Suitable for automotive, industrial, metalwork, woodwork and engineering applications
- Manufactured to equivalent Japanese Industrial Standard JIS B 7526
- Made in Japan

Part No.	Length	PRICE
321117	100mm	\$79.95
321118	150mm	\$84.95
321119	200mm	\$109.95



Spring Dividers

- Designed for reliable. quick and accurate measurements during layout procedures and jobs
- Solid nut
- Made in Japan

					٦
Part No.	Туре	Length	Jaw	PRICE	
50150	Solid Nut	150mm	150mm	\$31.95	
50250	Solid Nut	250mm	250mm	\$44.95	





Digital Laser Distance

Measurer 70m 322053

- Professional distance measurer for simple, quick and precise distance reading with the push of a
- Calculates volume/area tracking and







Pocket Clip Rule Double Sided

Metric 150mm 150PCM

- Graduations and numerical markings on both upper and lower edges with millimetre numerical markings in centre only
- Rule with pocket clip for easy storage
- · Width: 20mm



Crack Measure Gauge

0.1 - 1.4mm 321066

- Check the width of cracks in concrete walls and foundations
- Built in 80mm rule
- Made in Japan



Taper Gauge 👺

1-15mm 700AR

- · For measuring gaps, slot widths, hole or bore sizes
- Accuracy: -/+ 0.05mm
- Type: Taper gauge with hanger hole, metal case & pocket clip
- Made in Japan

WORKSHOP TOOLS · WORKSHOP TOOLS · WORKSHOP TOOLS · WORKSHOP TOOLS



Aluminium Pipe Wrenches

- Designed to grip and turn pipes or circular bars
- Ideal for use on pipes, nuts and bolts where additional strength is required

Part No.	Length	PRICE
302043	250mm (6")	\$34.95
302045	350mm (12")	\$53.95
302046	450mm (18")	\$64.95
302047	600mm (24")	\$141.95
302048	900mm (36")	\$190.95



Scrapers Heavy Duty Strike Thru

- Scrape baked on gaskets, seals, cured silicone etc
- Extra strong steel striking cap
- Comfortable ergonomic design handle provides non slip grip
- Made in Japan

Part No.	Blade Style	Length	PRICE
301558	Straight	235mm	\$37.95
301559	Curved	355mm	\$45.95





Slot Chisel Heavy Duty Straight 240mm 301560

- For the removal of slag during steel cutting or welding
- · For cutting thin sheet metal, removing corroded bolt heads, old paint and rust removal
- Blade thickness: 5.5mm
- Made in Japan





Pry Bar Adjustable 301186

- Tapered podger end ideal for alignment of bolt holes
- Made with a complete solid steel construction
- Length: 540–810mm

Face Spanner Wrench Set

Adjustable 9 Piece 315158

- For loosening and tightening nuts with holes on surface
- Knurled central divider type nut allows with adjustment and locks it into place
- Capacity 20-100mm
- Pin size: 2.5, 3, 4, 5, 6, 7, 8 and 9mm





Dual Gauges

- High precision expert dial gauges for precision measuring work
- Shock, water and dust proof professional units

Part No.	Туре	Graduations x Range	Reading	PRICE	
322100	Metric	0.01 x 10mm	±0-50-100	\$148.95	
322101	Metric	0.001 x 11mm	0-100-0	\$298.95	

Rotary Drum Pump Chemical 305501

- Suitable for most liquids such as thinners, mineral oils, acids, alkalis, alcohols, acetone, water based chemicals and AdBlue
- Capacity: 60-205L drums
- Flow rate: Up to 37LPM (10GPM) depending on viscosity





NEW PRODUCT

Drum Pump Delivery Hose 2 metre 305502

- Suitable for 305501 pump
- Flexible hose allows various angles of filling
- Hose is anti-static, no electricity build up possible



Protractor 180° 100mm

- For accurate angle, depth and length
- 180° along with 100mm rule
- Photographically etched markings
- · Deep etched with black chrome plating for long term visibility
- Stainless steel with matt finish which is non-glare and easy to read

Protractors Double Blade 180°

- Stainless steel double blade etched with bold, easy to read graduations
- Essential measuring tool for industrial, automotive, manufacturing, engineering and aerospace work
- Features convenient centre lock nut to secure measurement
- Double blade maintains stability and firmly contours shape at any angle
- Made in Japan

Part No.	Size	Thickness	Angle Pitch	Length	PRICE
321110	210mm	2.0mm	0.5°	385mm	\$449.95
321111	320mm	2.0mm	0.5°	650mm	\$770.95
321112	320mm	2.0mm	0.5°	1050mm	\$940.95







0276-24 . Prices valid 1 June to 31 July 2024. Prices include GST. Please refer to the relevant Tridon catalogues for more comprehensive product information. As participating stores are independent businesses, they reserve the right to set their own selling prices. Pricing throughout this publication is the recommended trade price and may vary from store to store. Every effort has been made to ensure stocks are available at the time of printing. Should any item not be in stock on placement of orders, stores will endeavour to procure those published items. Product images are for illustration purposes only. Produced by Tridon Australia Pty Ltd ACN 001 398 698 ABN 90 001 398 698

