

SEPTEMBER TO DECEMBER 2024

TOOLS & EQUIPMENT CATALOGUE



OUR LEADING BRANDS:



Ehoma <u>star</u>



TENG TOOLS 8" HEAVY DUTY LONG NOSE PLIERS

- Jaws with a serrated grip for increased gripping power Chrome molvbdenum allov steel for durability and strength
- TPR grip for a more secure and comfortable grip •
- 80° cutting edge angle



TENG TOOLS 8" HEAVY DUTY COMBINATION / LINESMAN PLIERS

- High leverage function for increased gripping and cutting power
- Features a pipe grip with serrated jaw for a more secure grip
- Chrome molybdenum alloy steel for durability and strength •
- TPR grip for a more secure and comfortable grip



TENG TOOLS 10" ONE HAND QUICK SET WATER PUMP PLIERS

- Position the upper jaw against the work piece and press the button to close the jaw •
- Pipe grip with 60HRC serrated jaws for increased grip
- 50mm maximum jaw opening



TENG TOOLS 4 PIECE PLIER SET WITH TPR GRIP

- 10" water pump pliers
- 6" side cutter pliers
- 7" combo pliers
- 8" long nose pliers
- TPR Grip

FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST

2

Organised in a tool tray module size 1 (TT1)





TENG TOOLS 8" HEAVY DUTY SIDE CUTTING PLIERS Chrome molybdenum steel

- . 80° cutting edge angle
- High leverage function for increased cutting capacity
- TPR grip for a more secure



TENG TOOLS 10" HEAVY DUTY WATER PUMP PLIERS

- Pipe grip with serrated jaws for increased grip
- Chrome vanadium steel construction
- TPR grip for a more secure and comfortable grip
- 3-38mm Capacity



TENG TOOLS 16" GROOVE JOINT WATER PUMP PLIERS

- · Non slip groove joints for use with higher force
- Vinyl grip for easier use in pockets or tool pouches
- 50mm maximum iaw opening



TENG TOOLS 4 PIECE 7" CIRCLIP PLIER SET

- Straight inner, Straight outer, Bent inner, Bent outer
- 1.8mm tip
- 19 to 60mm capacity
- Return spring for easier use Vinyl grip for easier use
- in pockets or tool pouches Organised in a tool tray
- module size 1 (TT1)



PART NO.

TE-TT474-7



DESCRIPTION 10" water pump, 6" side cutter, 7" combo, 8" long nose

DESCRIPTION

^{\$139}

TENG TOOLS 12 PIECE METRIC COMBINATION SPANNER SET

- 8 to 19mm Metric Combination Spanners
- Offset at 15° for easier use on flat surfaces .
- Chrome vanadium satin finish
- Organised in a tool tray module size 1





PART NO. CONTENTS TE-TT1236 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

TENG TOOLS 26 PIECE COMBINATION SPANNER SET

- 6 to 32mm Metric Combination Spanners •
- . Offset at 15° for easier use on flat surfaces
- Chrome vanadium satin finish .
- . Supplied in heavy duty roll wallet





NORMALLY \$146

SAVE \$47

• NOW \$QQ



TENG TOOLS STANDARD SERIES ADJUSTABLE WRENCHES

- Integral measurement scale on the jaw •
- Moving jaw does not protrude allowing use in confined spaces
- . High grade chrome vanadium steel with a black phosphate finish





PART NO.	SIZE	JAW OPENING	PRICE
TE-4001	100mm / 4"	17mm	\$35.00
TE-4002	150mm / 6"	24mm	\$36.00
TE-4003	200mm / 8"	28mm	\$44.00
TE-4004	250mm / 10"	33mm	\$55.00
TE-4005	300mm / 12"	38mm	\$70.00
TE-4006	375mm / 15"	50mm	\$139.00
TE-4007	450mm / 18"	60mm	\$239.00
TE-4008	600mm / 24"	80mm	\$495.00

TENG TOOLS 17 PIECE METRIC COMBINATION SPANNER SET

- 6 to 22mm Metric Combination Spanners
- Offset at 15° for easier use on flat surfaces
- Chrome vanadium satin finish
- · Supplied in heavy duty roll wallet



TENGIOOLS ... UTPC COMBINATION SPANNER SE

ENG	OOLS	

PART NO.

TE-6517MM

CONTENTS 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm

TENG TOOLS 11 PIECE METRIC DOUBLE RING SPANNER SET

- 6 to 32mm. Different size at each end to give 22 sizes in total
- Double curved heads offset at 75° for easier use on flat surfaces
- Organised in a tool tray module size X4



6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm TE-TTX6311

TENG TOOLS WIDE JAW SERIES ADJUSTABLE WRENCHES

- Integral measurement scale
- . Extra wide jaw opening increases the bolt sizes that can be worked on
- . Moving jaw does not protrude allowing use in confined spaces
- . Bi-material handle for extra comfort
 - High grade chrome vanadium steel with a black phosphate finish





PART NO.	SIZE	JAW OPENING	PRICE
TE-4002WT	170mm / 7"	34mm	\$65.00
TE-4003WT	200mm / 8"	38mm	\$75.00
TE-4004WT	250mm / 10"	50mm	\$89.00
TE-4005WT	300mm / 12"	60mm	\$149.00
TE-WTCOMBO	7" & 8"	\$119.00	
TE-WTCOMB02	10" & 12	" COMBO	\$209.00

HAND TOOLS



TENG TOOLS 7 PIECE SCREWDRIVER SET



- TT-MV PLUS steel alloy for greater strength and material flexibility
- Ergonomically designed handle moulded around the blade for a higher torque capacity •
- Hanging hole in the handle for use as a T handle or with a fall protection wire
- Organised in a tool tray module size 1 (TT1) .



PART NO.	CONTENTS
TE-TT917N	7pce Screwdrivers, Flat 3mm, 5.5mm, 6.5mm, PH0, PH1, PH2, PZ2

TENG TOOLS 35 PIECE 1/4" & 3/8" DRIVE **BITS SOCKET SET**



- HEX, TX, PH, PZ & Flat type,
- 2 adaptor drives .
- Chrome vanadium satin finished sockets







PART NO.

CONTENTS

TE-TTBS35 35pc 1/4"and 3/8"Drive Bits HEX, TX, PH, PZ & Flat type, 2 adaptor





- 1/4", 3/8" & 1/2" drive Metric & AF Complete with a shelf for power tools on the side, 2 magnets to hold a power board & a rubber-protected cable hole to access the top space
- as a charging station The kit covers CR-V sockets in standard & deep, TX, TPX, TX-E, HEX, PH, PZ, Blade, Ribe & Spline, ratchets & accessories, impact sockets & accessories, combination spanners, wide-mouth shifters, screwdrivers, T-handle HEX & TX keys, pliers, locking pliers, torque wrenches, tap & dies set. rivet & nut-rivet gun & general tools

VIEW THE TOOL KIT CONTENTS ONLINE



PART NO.





741 Pce 12 Drawer Metric/Af Tool Kit

TENG TOOLS 272 PIECE 26" METRIC/AF TOOL KIT





- 1/4" Dr. 89pc Metric Socket Set 3/8" Dr. 36pc Metric Socket Set
- 13pc Extension Bar Set
- 1/2" Dr. 27pc Metric Socket Set
- 11pc Screwdriver Set
- 5pc Screwdriver Set
- 15pc Combination Spanner Set 5.5 to 19mm 7pc Combination Spanner Set
- 20 to 32mm 5pc Plier Set
- 62 Pc AF Spanner and Socket Tool Set



VIEW THE TOOL KIT CONTENTS ONLINE



PART NO.	COLOUR	PIECES
TE-TCM272EVAN	RED	272
TE-TCM272EVANBK	BLACK	272

TENG TOOLS 1008 PIECE 37" METRIC/AF TOOL KIT



- 1/4", 3/8" & 1/2" drives Metric & Imperial (AF) .
- Complete with 2x shelves, 100mm bench vice and paper towel holder (towel not inc.) . The kit covers CR-V sockets in standard & deep, TX, TPX, TX-E, HEX, PH, PZ, Blade, . Ribe & Spline, ratchets & accessories, impact sockets & accessories, combination spanners, electrical tools & VDE, screwdrivers, T-handle HEX & TX keys, pliers, locking pliers, torque wrench, rivet & nut-rivet gun & general tools

2



PART NO. TE-TKW37B1008T

CONTENTS 1008 Pce 8 Drawer 36" Roller Cabinet Metric/Af Tool Kit **TOOL SETS**

NORMALLY \$3695

SAVE \$200

• NOW \$3495

NORMALLY \$7095

NOW \$5005

SAVE \$1100



SAVE \$1100



RATED

CAPACITY

500ka

- ITM 240V ELECTRIC **CHAIN HOISTS**
- Japanese technology with dual braking system to ensure safe and reliable operation
- Weight overload limiter for safety

- Thermal overload motor protection Single phase, 240V motor Upper and lower limit switches to .
- prevent chain runout Chain length can be altered by ITM to
- your required length
- Tested & certified to AS 1418.2 .
- Test certificate & user manual supplied 500kg, Also Available
- Dual speed models, also available half button press for low speed



PART NO.	RATED Capacity	CHAIN Drops	LIFT SPEED	NET WEIGHT	PRICE
TM9001-01003	1.0 Tonne	1	6m/min	60kg	\$2499.00
TM9001-02003	2.0 Tonne	2	3m/min	65kg	\$2899.00
TM9001-03003	3.0 Tonne	3	2m/min	73kg	\$3999.00





BRUSHLESS BUILDERS WIRE ROPE HOISTS

- Extra powerful brushless 240V Motor with 50% duty cycle for high use applications
- Variable Speed
- Robust construction
- Dual brake system & safety auto brake in case of power loss
- 7m Length pendant controller with E-Stop Tested & certified to AS 1418.2
- Test certificate & user manual supplied · Optional wireless remote available - \$375.00
- *Arriving Late-September 2024



PART NO.	RATED Capacity	MAXIMUM Lift height	LIFT SPEED	MOTOR	PRICE
TM9006-BL26030	260kg	30m	7-19m/min	2100W	\$1649.00
TM9006-BL49060	490kg	60m	5-16m/min	2800W	\$2199.00

NEW

ITM **SAFETY CHAIN HOOK SETS**

- For quick attachment and removal of trailer safety chains from your vehicle
- Kit including:
- 2x Hammer Type Connecting Links 2x Eye Type Sling Hook with Safety Latch Grade 80 Components tested and certified •
- to AS 3776:2015 Conforms to ADR62/02
- \$39

FROM

PART NO.	ATM (Max Towing Capacity)	MIN BREAK STRENGTH 4 to 1 factor (Per Hook)	SUITS Chain Size	PRICE
TM9804-2000	2000kg	4480kg	8mm	\$39.00
TM9804-4000	4000kg	8000kg	10 & 13mm	\$49.00

	E	M	

PART NO.

TM9000-00503

ITM **BUILDERS WIRE ROPE** HOISTS

- Designed for use on building sites and multi-storey unit construction sites
- Industrial grade 240V Motors
- Dual brake system & safety auto brake in case of
- 7m Le
- Tested
- . Test c
- Optior
- *Arriving

in case of power loss 7m Length pendant controller with E-Stop Tested & certified to AS 1418.2 Test certificate & user manual supplied Optional wireless remote available - \$329.00 *Arriving Late-September 2024				3.	FROM 1299
PART NO.	RATED Capacity	MAXIMUM LIFT HEIGHT	LIFT SPEED	MOTOR	PRICE
TM9006-30030	300kg	30m	19m/min	1600W	\$1299.00
TM9006-36060	360kg	60m	13m/min	1600W	\$1449.00
TM9006-50030	500kg	30m	13m/min	1800W	\$1649.00

STANDARD

LIFT

3m



WORKSHOP ELECTRIC WIRE ROPE HOISTS

- Industrial grade motor
- & robust construction
- Auto stop at top and bottom
- Hooks fitted with spring safety latches Tested & certified to AS 1418.2
- Up/Down Pendant controller with
- Emergency Safety Stop
- Hook can be connected back onto the hoist to double the rated capacity.
- This reduces the lift height and lift speed by 50% *Arriving Late-September 2024

PART NO.	RATED Capacity	MAXIMUM LIFT HEIGHT	LIFT SPEED	MOTOR	PRICE
TM9008-00212	100/200kg	6m/12m	5m/10m/min	510W	\$299.00
TM9008-00512	250/500KG	6m/12m	5m/10m/min	1000W	\$379.00



LIFT

SPEED

5m/min

NFT

WEIGHT

19kg

FROM

\$200

ітм **CHAIN BLOCKS**

- Colour coded to W.L.L. for safety
- Load limited protection system . • Automatic double pawl
- braking system Hooks fitted with safety latches
- Grade 80 chain .
- •
- Tested & certified to AS 1418.2 •
- Test certificate supplied

ITM **LEVER BLOCKS**

- 1.5m standard lift
- Colour coded to W.L.L. for safety .
- Load limited protection system •
- Automatic double pawl • braking system
- Hooks fitted with .
- spring safety latches
- . Grade 80 chain Tested & certified to AS 1418.2 .
- Test certificate supplied

		SIN A A	
PART NO.	W.L.L. CAPACITY	STANDARD LIFT	PRICE
TM9020-00202	250kg	2 Metre	\$159.00
TM9022-00503	500kg	3 Metre	\$179.00
TM9022-00506	500kg	6 Metre	\$229.00
TM9022-01003	1000kg	3 Metre	\$189.00
TM9022-01006	1000kg	6 Metre	\$229.00
TM9022-02003	2000kg	3 Metre	\$269.00
TM9022-02006	2000kg	6 Metre	\$329.00
TM9022-03003	3000kg	3 Metre	\$359.00
TM9022-03006	3000kg	6 Metre	\$539.00
TM9022-05003	5000kg	3 Metre	\$559.00
TM9022-05006	5000kg	6 Metre	\$659.00

Ŀ

FROM

FROM

		X 🛴 Q	• 139
PART NO.	W.L.L. CAPACITY	STANDARD LIFT	PRICE
TM9040-00201	250kg	1.5 Metre	\$139.00
TM9040-00501	500kg	1.5 Metre	\$159.00
TM9042-00701	750kg	1.5 Metre	\$199.00
TM9042-01501	1500kg	1.5 Metre	\$289.00
TM9042-03001	3000kg	1.5 Metre	\$409.00
TM9042-06001	6000kg	1.5 Metre	\$689.00
TM9042-09001	9000kg	1.5 Metre	\$989.00

ITM PUSH **GIRDER TROLLEYS**

- Durable all steel construction Colour coded to W.L.L. for safety Tested & certified to AS 1418.2 •
- . .

ITM

•

.

•

Test certificate sup	plied		• ^{\$} 129
PART NO.	W.L.L. CAPACITY	BEAM WIDTH	PRICE
TM9100-00500	500kg	64-152mm	\$129.00
TM9100-01000	1000kg	64-203mm	\$179.00
TM9100-02000	2000kg	88-203mm	\$239.00
TM9100-03000	3000kg	100-305mm	\$379.00
TM9100-05000	5000ka	114-305mm	\$499.00

ITM GEARED GIRDER TROLLEYS • Durable all steel construction • Colour coded to W.L.L. for safety • 3m Chain Length • Tested & certified to AS 1418.2 • Test certificate supplied					
PART NO.	W.L.L. CAPACITY	BEAM WIDTH	PRICE		
TM9102-01000	1000kg	64-203mm	\$189.00		
TM9102-02000	2000kg	88-203mm	\$249.00		
TM9102-03000	3000kg 88-203mm		\$399.00		
TM9102-05000	5000kg	100-305mm	\$549.00		
TM9102-10000	10,000kg	114-305mm	\$1,149.00		



PART NO.	W.L.L. CAPACITY	BEAM WIDTH	PRICE
TM9121-01023	1000kg	75-230mm	\$99.00
TM9121-02023	2000kg	75-230mm	\$115.00
TM9121-03032	3000kg	90-320mm	\$179.00
TM9121-05032	5000kg	90-320mm	\$229.00
TM9121-10032	10,000kg	90-320mm	\$329.00

ITM **VERTICAL LIFTING CLAMPS**

- · Suitable for vertical lifting of Solitable for Vertical mining of steel plates, beams & structures
 Locking device fitted for both open & closed positions
 Tested & certified to AS 4991

PART NO.	W.L.L. CAPACITY	OPENING	PRICE
TM9122-00815	800kg	15mm	\$99.00
TM9122-01620	1600kg	20mm	\$155.00
TM9122-02025	2000kg	25mm	\$185.00
TM9122-03230	3200kg	30mm	\$299.00
TM9122-05050	5000kg	50mm	\$449.00

FROM

FROM

\$qq

<u>POWERED EQUIPMENT</u>

ITM INVERTER GENERATORS

- Industrial grade 4 stroke engines •
- 3 way cooling system to lower the running temperature and
- extend engine life Engine Smart Control (E.S.C.) intelligently controls rpm to further reduce noise and fuel consumption
- Pure sine-wave power
- 3 in 1 Multi-function control
- Robust construction
- Low oil sensor



• • • • • • • • • • • • • • • • • • •						
PART NO.	MAX. WATTS	RATED WATTS	RUNTIME 50% LOAD	START System	OUTLETS	PRICE
TM523-1800	1800W	1600W	7 HOURS	RECOIL	1x 15A	\$1099.00
TM523-3300	3300W	2500W	4.5 HOURS	RECOIL	2x 15A	\$1499.00
TM523-4500	4500W	3500W	8 HOURS	ELECTRIC	2x 15A	\$1999.00
TM523-7000	7000W	6500W	10 HOURS	ELECTRIC	2x15A & 1x30A	\$3999.00

ITM 50 LITRE AIR COMPRESSORS

- 50 Litre
- Durable copper wound motors
- Full brass non-return valve Soft start valve
- Condor pressure switches 145psi (10 bar) max. pressure
- Thermal overload protection
- Includes filter regulator with
- one-touch "Nitto style" couplers

FROM

- 200mm Solid rubber wheels
- 3-year pump warranty

ITM CONSTRUCTION SERIES PETROL GENERATORS

- Powerful 4 stroke OHV engines •
- . Low oil sensor
- . Digital multimeter display
- Large capacity fuel tanks
- Electric start with Remote . & battery supplied
- Complete with handle & wheel kit



T.H.D. <5%

- Contractor		and the
	180 0	160
	1000	Case
1.8	1	20
	The second	
		FROM
		^{\$} 1449

PART NO.	KVA Rating	MAX. WATTS	RATED WATTS	ENGINE HP	IP66 OUTLETS	PRICE
TM520-3400	4 KVA	3400W	3200W	8HP	1x 15A	\$1449.00
TM520-5500	6.8 KVA	5500W	5000W	13HP	2x 15A	\$2129.00
TM520-6500	8.1 KVA	6500W	6000W	15HP	2x 15A	\$2349.00
TM520-8000	10 KVA	8000W	7500W	17HP	2x 15A	\$2599.00

ITM 60 LITRE AIR COMPRESSORS 60 Litre

- Durable copper wound motors Full brass non-return valve
- Soft start valve
- Condor pressure switches 145psi (10 bar) max. pressure
- Thermal overload protection Includes filter regulator with
- one-touch "Nitto style" couplers
- 200mm Solid rubber wheels 3-year pump warranty

FROM



PART NO.	PUMP	MOTOR	FAD	PRICE		PART NO.	PUMP
TM350-25050	DIRECT DRIVE, SINGLE	2.5HP 10amp	175 L/Min	\$599.00		TM351-25060	BELT DRIVE, V-TWIN
TM351-22050	BELT DRIVE, V-TWIN	2.2HP 10amp	185 L/Min	\$899.00		TM351-30060	BELT DRIVE, TRIPLE
TM351-30050	BELT DRIVE, SINGLE EURO	3.0HP 15amp	318 L/Min	\$1049.00		TM352-55060	BELT DRIVE, SINGLE EU

FROM

ITM 90 LITRE AIR COMPRESSORS

90 Litre

- Ideal for commerical applications
- Durable copper wound motors Full brass non-return valve
- Soft start valve
- Condor pressure switches
- 145psi (10 bar) max. pressure
- Thermal overload protection
- Includes filter regulator with
- 200mm Solid rubber wheels
- 3-year pump warranty

FROM ·\$1179

PART NO.	PUMP	MOTOR	FAD	PRICE
TM351-25090	BELT DRIVE, V-TWIN	2.5HP 10amp	257 L/Min	\$1179.00
TM351-30090	BELT DRIVE, TRIPLE	3.0HP 15amp	328 L/Min	\$1429.00

FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST

PART NO.	PUMP	MOTOR	FAD	PRICE
TM351-25060	BELT DRIVE, V-TWIN	2.5HP 10amp	257 L/Min	\$999.00
TM351-30060	BELT DRIVE, TRIPLE	3.0HP 15amp	328 L/Min	\$1299.00
TM352-55060	BELT DRIVE, SINGLE EURO	5.5HP HONDA	355 L/Min	\$2299.00

ITM ALUMINIUM TWIN TANK SILENCED NAILING COMPRESSORS

- Perfect for nailing applications
- Powerful 4 pole induction motors
- Oil free pumps for virtually
- maintenance free operation Very quiet, ideal for indoor use Light weight aircraft aluminium
- alloy tanks
- Compact and portable design
- Max. pressure: 135 psi (9.3 bar) One-touch "Nitto style" couplers
- 3-year complete warranty



FROM \$<u>7</u>99

PART NO.	TANK	MOTOR	FAD	WEIGHT	PRICE
TM350-10010	10L	1HP	62 L/min	19kg	\$499.00
TM350-20016	16L	2HP	125 L/min	26.4kg	\$599.00







ABAC BELT DRIVE AIR COMPRESSOR

- ABAC Compressors are synonymous with efficiency, reliability, and superior air powered solutions Highest quality components
- for demanding applications
- Very high FAD power output
- . Twin cylinder belt drive pump . Premium Condor pressure switch
- . Filter regulator & twin Nitto-style coupler outlets
- 3 year motor and pump warranty Soft start valve & full brass
- non-return valve Max Pressure: 145 PSI (10 Bar)





INDUSTRIAL SERIES

TM

ITM

PART NO.	TANK	PUMP	MOTOR	FAD	PRICE
ABAC351-20050	50L	V-TWIN	2.0HP 10amp	245 L/Min	\$1399.00
ABAC351-30100	100L	V-TWIN	3.0HP 15amp	400 L/Min	\$1799.00

ITM STATIONARY AIR COMPRESSORS

- Cast-iron cylinder with aluminium heads .
- Powerful and efficient induction motors .
- . Soft start valve for motor protection
- Thermal overload protection with manual reset .
- Full brass non-return valve
- Certified safety valve .
- Reliable Condor pressure switch Includes twin outlet one-touch "Nitto style" connectors

FROM 2699

				-	
PART NO.	TANK	PUMP	MOTOR	FAD	PRICE
TM353-55200	200L	V-TWIN	5.5HP 415V	507 L/Min	\$2699.00
TM353-75270	270L	TRIPLE	7.5HP 415V	704 L/Min	\$3599.00
TM353-10270	270L	TRIPLE	10HP 415V	1143 L/Min	\$3999.00

ITM ROTARY SCREW COMPRESSORS

- Complete package with screw, tank, dryer and pre/post filters
- Fully sealed cabinet with soundproofing and noise-reducing
- partitions to minimise noise Extra large surface cooler allows unit to operate at ambient
- temperatures under 46° C Premium filtration with ultra low oil carry over meaning less contamination resulting in cleaner air
- Intelligent control system with self-service timing management
- Nationwide service and warranty supported by Air Technology Group and ITM service network
- Max Pressure: 145 psi (10 bar) .

and ITM servMax. Pressure		0 bar)		•\$1	2,500
PART NO.	TANK	NOISE	MOTOR	FAD	PRICE
TM356-10270	270L	66 dBA	10HP 415V	1080 L/Min	\$12,500.00
TM356-15500	500L	72 dBA	15HP 415V	1620 L/Min	\$13,500.00
TM356-20500	500L	73 dBA	20HP 415V	1980 L/Min	\$14,500.00



ABAC STATIONARY AIR COMPRESSOR

- Very high FAD power output very high rAb power output stationary compressors designed for heavy duty workshops with large volume air usage
 Highest quality components
- for demanding applications
- Premium Condor switches
- . Filter regulator & twin Nitto-style coupler outlets
- 3 year motor and pump warranty
- Soft start valve & full brass
- non-return valve Max Pressure: 145 PSI (10 Bar)

PART NO.	TANK	PUMP	MOTOR	FAD	PRICE
ABAC353-55150	150L	V-TWIN	5.5HP 415V	750 L/Min	\$3699.00
ABAC353-75270	270L	TRIPLE	7.5HP 415V	950 L/Min	\$4999.00
ABAC353-10270	270L	TRIPLE	10HP 415V	1250 L/Min	\$5899.00
ABAC353-15500	500L	QUAD	15HP 415V	1915 L/Min	\$8699.00

NEW

ITM SILENCED CABIN PISTON COMPRESSOI

- An intelligent design to combine the quiet operation of a screw comprewith the cost benefits of a piston c
- Slower RPM to reduce noise & increase pump life

FR

- Soundproof cabinet. Very quiet 65dB at 7m Compact design & easy to use control panel .
- Powerful high efficiency induction motor

ITM

REFRIGERANT DRYERS

- ITM refrigerant dryers guarantee dry and quality compressed air which prolongs the lifetime of your equipment and ensures a superior production quality. Water vapour is eliminated, avoiding corrosion in your compressed air network and tools. This lowers your maintenance costs and improves your overall production process for complete peace of mind.
- Nationwide service and warranty supported by Air Technology Group and ITM service network
- 13 Bar Max. Working Pressure 3/4 Thread G Cor

FROM

C

PART NO. TM357-035 TM357-074

Connection				FROM
				1595
CAPACITY CFM	CAPACITY L/Min	NOISE	POWER	PRICE
35 CFM	990 L/min	66 dBA	350W	\$1595.00
74 CFM	2095 L/min	72 dBA	460W	\$2125.00

	1	3
ET RS		
he essor compressor	THOSE STOR	





TM

	1*	TITTITITI	
19035-9078	-	2	
-		- MA	
ITM #	STRUE SERVEY		0
		-	

ОМ	UTM a
	T

PART NO.	TANK	PUMP	MOTOR	FAD	PRICE
TM355-55270	270L	V-TWIN	5.5HP 415V	465 L/Min	\$3999.00
TM355-75270	270L	TRIPLE	7.5HP 415V	595 L/Min	\$4499.00
TM355-10270	270L	TRIPLE	10HP 415V	960 L/Min	\$4999.00

FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST



POWERED EQUIPMENT

∕₄∖:∕★∖⊷

PROCAS

FROM

3699

PETROL PRESSURE WASHERS Powered by Australian approved Honda Engines Steel braided hoses

- Renowned Annovi Reverberi pumps
- . Puncture proof solid treaded wheels
- Heavy-duty powder coated frame
- EPA & EMC certified

- Quick connect sprav tips
- .
- 2-Year trade warranty .
- 3-Year Honda engine warranty



ITM 3200PSI, 6.5HP PETROL

PRESSURE WASHER

6.5hp Genuine Honda GX200 engine.

assembled to machine in Australia

Max. Pressure: 3200psi (220 bar)

Max. Flow Rate: 9.5 L/min

Displacement: 196cc

Fuel Tank: 3.6L

•



ITM 2500PSI, 5.5HP PETROL PRESSURE WASHER • 5.5hp Genuine Honda GP160 engine. assembled to machine in Australia Max. Pressure: 2500psi (172 bar) Max. Flow Rate: 8.7 L/min Displacement: 163cc Fuel Tank: 3.1L . Start Type: Recoil . • Pump type: AR Axial Pump Quick connect nozzles: 15°, 25°, 40°, Soap FOAM BONIE Δ0 CANNON \$79 VALUE ENGINE HOSE LENGTH PART NO. 5.5hp GP160 TM542-2500 7.6m

ITM 4200PSI, 13HP PETROL **PRESSURE WASHER**

- 13hp Genuine Honda GX390 engine, assembled to machine in Australia
- Max. Pressure: 4200psi (290 bar)
- Max. Flow Rate: 15.1 L/min Displacement: 389cc
- Fuel Tank: 6.1L
- Start Type: Recoil
- Pump type: AR Triplex Pump .
- Quick connect nozzles:
- 0°, 15°, 25°, 40°, Soap



PART NO.	ENGINE	HOSE LENGTH
TM542-4200	13hp GX390	15m

30m



ITM

30M PIVOTING BASE PRESSURE WASHER HOSE REEL

- · Removable rotating base
- Heavy-duty steel construction
- Easy hand rewind
- 360° Rotation with locking mechanism
- 1.2m Leader hose
- Hose capacity: 30m x 3/8"
- Inlet: 3/8" BSP male plug .

PART NO.

TM541-030

- Outlet: 3/8" BSP female socket
- . Hose not included

	• • \$279
HOSE CAPACITY	HOSE I.D

PART NO.	ENGINE	HOSE LENGTH
TM542-3200	6.5hp GX200	10m

ITM 535MM SURFACE CLEANER WITH WHEELS

- · High quality ABS casing
- Dual stainless steel water jets .
- Max. pressure 4200psi .
- 4 Solid swivel castor wheels
- Bristle edge protection prevents
- water and debris from flicking up Ergonomic handle design
- For use with 3/8" Quick-Connect petrol pressure washer

		• ^{\$} 899
PART NO.	HEAD DIAMETER	MAX. PRESSURE
TM541-021	535mm (21")	4200psi

NEW

ITM **30M PORTABLE PRESSURE WASHER HOSE REEL**

- . Heavy-duty steel construction
- Easy hand rewind
- Durable rubber feet
- 1.2m Leader hose
- Hose capacity: 30m x 1/4" Inlet: 3/8" BSP male plug
- Outlet: 3/8" BSP female socket
- · Hose not included



HOSE I.D	PART NO.	
3/8"	TM541-032	
	HOSE I.D	

_	
0	

FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST

PRESSURE WASHERS

HOSE CAPACITY

30m



HOSE I.D

1/4"



ITM 2.8M PRESSURE WASHER EXTENDED WAND

- 3/8" BSP Quick Connect fitting hose end
- 1/4" BSP Quick Connect fitting lance end
- · Kit includes 4 lightweight aluminium poles that thread together
- 3200psi Maximum pressure



ITM 400MM PRESSURE WASHER WATER BROOM

- Cast aluminium body
- 1/4" BSP Quick Connect fitting connects to lance
- Suitable for use with most petrol powered pressure washers
- 4 Spray jets
- 2 Swivel castors
- 4200psi Max. pressure

		• ^{\$} 129
PART NO.	WIDTH	MAX. PRESSURE
TM541-008	400mm	4200psi

ITM PRESSURE WASHER FOAM CANNON

- 1.5L tank capacity
- Simply attach to the pressure washer gun and add detergent to create mousse style foam
- Adjustable detergent dilution ratio
- Adjustable spraying pattern, fan to jet
- 1/4" BSP Quick Connect fitting connects to lance
 Suitable for use with most petrol powered pressure washers

		• ^{\$} 79
PART NO.	CAPACITY	MAX. PRESSURE
TM541-005	1.5L	4200psi

ITM PRESSURE WASHER TURBO NOZZLES

- 1/4" BSP quick connect fitting
- High strength ceramic core
- Brass casing

PART NO TM541-0

TM541-0

TM541-004

9	8	FROM • \$39
0.	DESCRIPTION	PRICE
02	2500PSI TURBO NOZZLE	\$39.00
103	4000PSI TURBO NOZZLE	\$79.00

\$129.00

5000PSI TURBO NOZZLE

Ν	E	V	1	

ITM 5.5M PRESSURE WASHER TELESCOPIC WAND

- 3/8" BSP Quick Connect fitting hose end
- 1/4" BSP Quick Connect fitting lance end
- · Telescopic design extends up to 5.5m length
- 4200psi Maximum pressure
- Includes harness



TM541-006 5.5m 3200psi

ITM 1000MM PRESSURE WASHER WATER BROOM

- Water Broom includes trigger gun, handle, swivel castors and 7-nozzles
- Suitable for use with most
- petrol powered pressure washers 3/8" BSP Quick Connect
- fitting connects to hose

To.	P	•	^{\$} 549	
	M	AX. F	PRESSURE	

PART NO.	WIDTH	MAX. PRESSURE
TM541-009	1000mm	4200psi

ITM 500MM PRESSURE WASHER UNDER-BODY WASH KIT

Easily reaches across the undercarriage of cars



0°, 15°, 25° & 40° Nozzle

ITM PRESSURE WASHER 6 IN 1 MULTI-ANGLE NOZZLE

- 0°, 15°, 25° & 40° spray pattern options
- 1/4" BSP quick connect fitting
- Stainless steel nozzle inserts
- 3600PSI maximum pressure

PART NO.

TM541-001



3600psi

ITM BENCH DRILLS

- Quali
- Emer . Supp
- arbor

Emergenc Supplied v	y stop N.V.R. s with Drill chucl afety guard		try	F		
				· · · II		
	FROM					
\$24		58 -				
		63#P		6 C	33	_
PART NO.	CAPACITY	CHUCK	SPEED	MOTOR	PRICE	
TD0813	13mm	13mm	5 Speed	250W 240V	\$249.00	
TD1013	13mm	13mm	5 Speed	375W 240V	\$369.00	
TD1316	16mm	16mm #2MT	16 Speed	375W 240V	\$549.00	
TD1416	16mm	16mm #2MT	16 Speed	450W 240V	\$669.00	

ITM 1" HYDRAULIC PIPE BENDER

- . 3/8", 1/2", 3/4", 1" Cast Steel Formers
- Cold bending, no pre-warming of pipe required
- . Fast and easy setup on the jobsite
- . Flip over top frame to easily remove bent pipe

K K K K

- . Supplied in metal carry case
- 150mm Stroke

355

PART NO. TM811-03025

TPV500SET

TPV600SET

500mm

600mm

5M Length

5M Length

PART

FORCE CAPACITY

6.000kg

- 1/2", 3/4", 1", 1-1/4", 1-1/2", 2" Cast Steel Formers .
 - Cold bending, no pre-warming of pipe required
 - 2 Speed heavy-duty hydraulic pumping system
 - Flip over top frame to easily remove bent pipe
 - Heavy-duty castor wheels
 - 250mm Stroke



12 Speed

1500W 240V

\$1449.00

PART NO.	BENDING ANGLE	FORCE CAPACITY
TM811-13050	0° to 90°	13,000kg

ITM INDUSTRIAL WORKSHOP FANS

- Quality robust construction designed for everyday use in industrial workshops
- Zinc coated mesh
- . Powder coated steel frame
- . High output & quiet running

 3 speed m Oscillating \$17 	function	B		
PART NO).	FAN SIZE		PRICE
TWF30		750mm Diameter Wall Mount	Fan	\$179.00
TPF30		750mm Diameter Pedestal F	an	\$209.00



138m³/min

290m3/min

1500W 240V

2200W 240V

\$1170.00

\$1610.00

BENDING ANGLE

0° to 90°

FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST

WORKSHOP EQUIPMENT



ITM 2" HYDRAULIC

PIPE BENDER

ITM PEDESTAL DRILLS

Quality casting, construction & componentry Emergency stop N.V.R. safety switch Supplied with Drill chuck, . arbor & Safety guard VIEW THE RANGE FROM \$595 SPEED MOTOR PRICE 16mm #2MT 550W 240V \$595.00 16 Speed 20mm #3MT 12 Speed 750W 240V \$749.00 20mm #3MT 12 Speed 1500W 240V \$1195.00

ITM HEAVY DUTY INDUSTRIAL BENCH GRINDERS

- 25mm width grinding . wheels with 36 & 60 arit
- Cast iron body and base . Vibration absorbing pads
- on base
- Capacitor Start-Run motor
- Fully adjustable tool rests .
- Large eye shields •



FROM

PART NO.	GRINDING Wheel Size	MOTOR	WEIGHT	PRICE
TM400-150	150mm	370W 240v	11.1kg	\$219.00
TM400-200	200mm	600W 240v	16.7kg	\$299.00
PO200HD	200mm	750W 240v	23.0kg	\$349.00
TM400-250	250mm	900W 240v	32.0kg	\$499.00

MULTITOOL BELT & DISC GRINDING ATTACHMENTS

The Genuine Multitool is a renowned, Australian designed belt grinding attachment which can be used on most bench grinders. The technology replaces the grinding wheel and converts a traditional grinder into a sophisticated work station ideal for sanding, grinding, sharpening, shaping, polishing and refinishing

FROM 259

PART NO.	MULTITOOL Belt size	DISC SIZE	MINIMUM GRINDER POWER	PRICE
P0362	915 x 50mm	178mm	1/2 HP 375W	\$259.00
P0364	915 x 100mm	178mm	3/4 HP 600W	\$515.00
P0482	1220 x 50mm	178mm	3/4 HP 600W	\$579.00
P0484	1220 x 100mm	178mm	1 HP 750W	\$635.00

ITM PREMIUM BENCH GRINDER STAND

- Industrial Bench Grinder Stand for use with . most 200mm and 250mm bench grinders
- Excellent work height for comfortable extended use • .
- Heavy-duty steel construction
- Parts / water tray holder on front (tray not included)
- Pre-slotted top plate for multi-fit applications . • Pre-drilled base plate for easy mounting
- Heavy-duty powder coat finish .
- Total Height: 855mm •
- Weight: 11.5kg .

. \$160

- . Top Plate: 350mm x 250mm x 5mm
- Base Plate: 350mm x 250mm x 5mm •
- Upright Tube Dimension: 100mm x 100mm



111

ITM BENCH GRINDERS WITH MULTITOOL BELT ATTACHMENT

- Industrial quality for demanding
- professional workshops . Powerful Motors
- . Genuine Multitool linishing attachment
- Extra heavy-duty . tool rests & eye shields
- FROM

\$<u>439</u>

PART NO.	GRINDING Wheel Size	MULTITOOL Belt size	MOTOR	PRICE
P0362-150	150mm	915 x 50mm	370W 240v	\$439.00
P0362-200	200mm	915 x 50mm	600W 240v	\$479.00
P0362-200HD	200mm	915 x 50mm	750W 240v	\$499.00
P0482-250	250mm	1220 x 50mm	900W 240v	\$799.00
P0484-250	250mm	1220 x 100mm	900W 240v	\$999.00

ITM 200MM BUFFING MACHINE

- Wheel Size: 200mm x 14mm .
- Includes 200mm x 14mm stitched polishing mops .
- Safety lock On/Off switch .
- Cast iron body and base .
- Vibration absorbing pads on base .
- . Capacitor Start-Stop motor
- . Spindle Thread: . M16 x 2mm

\$345

PART NO.	MOTOR	SPEED	WEIGHT
TM402-200	550 Watt	2850rpm	11.5kg

ITM PREMIUM BENCH GRINDER PEDESTAL STAND WITH EMERGENCY STOP SWITCH

- · All of the specifications and features of the TM403-016 with the addition of an emergency stop switch
- · For use with most 200mm and 250mm bench arinders
- · Parts / water tray holder on front (tray not included)



14kg

FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST

855mm

			LUU
PART NO.	HEIGHT	WEIGHT	PART NO.
TM403-016	855mm	11kg	TM403-018

MAGNETIC BASE DRILLING MACHINES

- Australia's most comprehensive range of magnetic base drilling machines, cutters and accessories.
- With our wide range of machine styles, sizes and designs, there is a Holemaker machine to suit every application.
- Reliable and durable European made machines
- Value for money that far exceeds any other brand on the market
- Over 20 different models of magnetic drilling machines, stocked in Australia!
- Over 25 years of product development

CORDLESS

HOLEMAKER **PRO 35 18V CORDLESS MAGNETIC BASE DRILL**

- Cordless, Compact & lightweight European Made Machine
- 18V Brushless motor technology
- CAS Battery platform •
- Ideal for onsite & overhead tasks
- Unique dual rail slide system increases machine rigidity and improves cutter life
- Includes: 14, 18, 22mm cutters & pin 4Ah Lithium ion battery & Charger

Holemaker

PART NO.

HMPR035-18VK1

HOLEMAKER PRO 42

Durable & Versatile European

Lightweight, only 12.5kg

Capacity (diameter) 42mm

magnetically attached bottle

Optional twist drill chuck

Plastic carry case

Capacity (depth) 52mm Gravity feed coolant system with

Large 165mm stroke

Made Machine

.

MAGNETIC BASE DRILL



CAS

HOLEMAKER PRO 35 MAGNETIC BASE DRILL

- . Quality, Compact & Robust European Made Machine
- Lightweight, only 10kg!
- Ideal for onsite & overhead tasks
- Capacity (diameter) 35mm
- Capacity (depth) 52mm
- Unique dual rail slide system increases machine rigidity and improves cutter life
- Gravity feed coolant system with magnetically attached bottle

Holemaker



Drining Solutions by 1111		
PART NO.	CAPACITY DIA. x DEPTH	WEIGHT
HMPR035	35 x 52mm	10kg

HOLEMAKER PRO 36AD MAGNETIC BASE DRILL

- European made •
- Ultra low profile
- 176mm constant working height
- Lightweight, only 9.5kg!
- Capacity (diameter) 36mm
- Capacity (depth) 30mm
- Utilises standard 3/4" shank cutters



....

\$2599

.\$2899

Holemaker

PART NO.	CAPACITY DIA. x DEPTH	WEIGHT
HMPR036AD	36 x 30mm	9.5kg

HOLEMAKER PRO 52-MT2 MAGNETIC BASE DRILL

- . Versatile & Multi-Purpose, European Made Machine
- #2 Morse taper spindle, for use with drill chucks, taper shank drills, reamers etc. as well as annular cutters
- 2-speed gearbox
- Capacity (diameter) 52mm
- Capacity (depth) 52mm
- Lightweight 16.5kg
- Plastic carry case

Holemaker

Driving Solutions by ####		
PART NO.	CAPACITY DIA. x DEPTH	WEIGHT
HMPR052-MT2	52 x 52mm	16.5kg

Holemaker

PART NO.	CAPACITY DIA. x DEPTH	WEIGHT
HMPR042	42 x 52mm	12.5kg

35 x 52mm

HOLEMAKER PRO 55 MAGNETIC BASE DRILL

- Durable & Versatile European Made Machine
- Lightweight, only 15.5kg
- Large 165mm stroke
- 2-speed gearbox
- Capacity (diameter) 55mm .
- Capacity (depth) 75mm
- Gravity feed coolant system with magnetically attached bottle
- Optional twist drill chuck
- Plastic carry case

Holemaker

Holemaker Drilling Solutions By 17M ®	• <mark>\$2699</mark>		
PART NO.	CAPACITY DIA. x DEPTH	WEIGHT	
HMPR055	55 x 75mm	15.5kg	





11kg

HOLEMAKER PRO 65 MAGNETIC BASE DRILL

- . A Steel Fabricators Work-Horse, designed just for use with Annular Cutters.
- Dual Rail slide system provides extremely good cutter life by minimising movement
- 2-speed gearbox .
- Capacity (diameter) 65mm •
- Capacity (depth) 75mm •
- Powerful 1500W motor
- Lightweight, only 17kg •
- Plastic case .



HOLEMAKER SPECIAL 60 MAGNETIC BASE DRILL

- #2 Morse taper
- European made
- Capacity (diameter) 60mm . Capacity (depth) 75mm .
- 23mm #2MT drill bit capacity .
- M20 Tapping Capacity
- . 2-speed variable & reversing
- Powerful 1500W Italian motor
- Electronic clutch
- Overload and overheat protection
- Tilt sensor .
- . 360-degree visual monitoring system
- Intuitive top mount control panel

Very light weight 17kg

Holemaker

, , , , , , , , , , , , , , , , , , ,		
PART NO.	CAPACITY DIA. x DEPTH	WEIGHT
HMSPECIAL60	60 x 75mm	17kg

Holemaker

brining bold doite by 11111		
PART NO.	CAPACITY DIA. x DEPTH	WEIGHT
HMPR065	65 x 75mm	17kg

HOLEMAKER SPECIAL 80 MAGNETIC BASE DRILL

- #3 Morse taper spindle
- . European made
- Capacity (diameter) 80mm .
- Capacity (depth) 110mm .
- 25mm #3MT drill bit capacity
- M24 Tapping capacity
- .
- 2-speed variable & reversing Powerful 1500W Italian motor .
- .
- Electronic clutch
- Overload and overheat protection
- . Tilt sensor . 360-degree visual monitoring system
- Intuitive top mount control panel .
- Very light weight 18kg •

Holemaker

PART NO.	CAPACITY DIA. x DEPTH	WEIGHT
HMSPECIAL80	80 x 110mm	18kg

HOLEMAKER SPECIAL 140 MAGNETIC BASE DRILL

- #4 Morse taper spindle •
- European made
- . Capacity (diameter) 150mm
- Capacity (depth) 110mm
- . 47mm #4MT drill bit capacity
- M42 Tapping capacity
- 4-speed variable reversing .
- Powerful 2150W Italian motor •
- . Electronic clutch
- Overload and overheat protection •
- . Tilt sensor
- 360-degree visual monitoring system
- Intuitive top mount control panel •
- Very light weight 31kg

Holemaker

Holemaker Drilling Solutions By ITM ®		•\$6999
PART NO.	CAPACITY DIA. x DEPTH	WEIGHT
HMSPECIAL140	150 x 110mm	31kg

	Very light weight 25kg
• ^{\$} 4999	Holemaker Drilling Solutions By ITM ®
WEIGHT	PART NO.
18kg	HMSPECIAL110
	HOLEMAKER GO

ANNUL

- Available
- Available i
- Titanium nitride coating .
- . Universal shank
- M2AL high speed steel material
- Multi-cut geometry .

	_	FROM
25мм DEPTH • ^{\$} 63		
PART NO.	DIAMETER	PRICE
AT1225	12mm	\$63.00
AT1425	14mm	\$63.00
AT1625	16mm	\$69.00
AT1825	18mm	\$71.00
AT2025	20mm	\$76.00
AT2225	22mm	\$86.00
AT2425	24mm	\$95.00

	IOLEMAKER SPECIAL 1 IAGNETIC BASE DRILL	
•	#3 Morse taper spindle	
٠	European made	5
٠	Capacity (diameter) 120mm	
٠	Capacity (depth) 110mm	And an and the second s
٠	32mm #3MT drill bit capacity	
٠	M30 Tapping capacity	
٠	4-speed variable & reversing	
٠	Powerful 2150W Italian motor	
٠	Electronic clutch	
٠	Overload and overheat protection	
٠	Tilt sensor	
٠	360-degree visual monitoring system	Carlos and a second
٠	Intuitive top mount control panel	
٠	Very light weight 25kg	
	HOIGMAKCT Dilling Solutions By ITM ®	•\$5999

CAPACITY DIA. x DEPTH	WEIGHT
120 x 110mm	25kg
	0 07

AR CUTTERS	
e in sizes 12 - 60mm diameter	
in 25, 50 & 75mm denth of cut	



	_	FROM
50мм DEI	ртн	\$ 80
PART NO.	DIAMETER	PRICE
AT1250	12mm	\$80.00
AT1450	14mm	\$80.00
AT1650	16mm	\$84.00
AT1850	18mm	\$88.00
AT2050	20mm	\$100.00
AT2250	22mm	\$110.00
AT2450	24mm	\$120.00





1	• ^{\$} 4999
. x DEPTH	WEIGHT





ITM VARIABLE SPEED 170MM X 170MM CAPACITY SWIVEL HEAD BANDSAW

- Variable speed .
- Control panel at front of saw
- Swivel head lock lever at front of saw
- Swivel head 0° to 60°
- Dual mode operation Manual trigger switch, or
- Control panel with
- hydraulic downfeed
- Industrial quality made in Taiwan Blade Size: 19mm x 0.9mm x 2110mm
- **CUTTING CAPACITY:**

Rectangular 90°: 210 x 100mm Square 90°: 170 x 170mm Square 45°: 110 x 110mm



WG SERIES

PART NO.	BLADE SPEED	MOTOR
WG210SHV-1	Variable Speed 80 mpm	1hp Single Phase (240V)

ITM 170MM X 170MM CAPACITY SWIVEL HEAD BANDSAW

- Swivel head 0° to 60°
- Dual mode operation - Manual trigger switch, or
- Control panel with hydraulic downfeed
- Industrial quality made in Taiwan
- Blade Size:
- 19mm x 0.9mm x 2110mm
- Bed Height: 895mm • Weight: 156kg
- Made in Taiwan .
- Rectangular Capacity 90°: 220 x 100mm
- Square Cut Capacity 90°: 170 x 170mm
- Square Cut Capacity 45°: 110 x 110mm



PART NO.	BLADE SPEED	MOTOR
WP210SH-1	Single Speed 80 mpm	1hp Single Phase (240V)
WP210SH-3	2 Speed 40 / 80 mpm	1hp Three Phase (415V)

ITM 300MM X 180MM CAPACITY BANDSAW

- · Horizontal & vertical saw
- Swivel vice, 0° to 45° •
- Hydraulic downfeed
- Incorporated recirculating coolant system.
- Non-voltage return ON/OFF switch & emergency stop switch
- Bed Height: 572mm
- Weight: 130kg
- Made in Taiwan
- Blade Size: .
- 19mm x 0.9mm x 2360mm Rectangular Capacity 90°: 300 x 180mm
- Square Cut Capacity 90°: 180 x 180mm
- Square Cut Capacity 45°: 110 x 110mm





ITM VARIABLE SPEED 215MM X 215MM CAPACITY SWIVEL HEAD BANDSAW

- Variable speed
- Control panel at front of saw
- Swivel head lock lever at front of saw
- Swivel head 0° to 60°
- Dual mode operation - Manual trigger switch, or
- Control panel with hydraulic downfeed
- Industrial quality made in Taiwan
- Blade Size: 27mm x 0.9mm x 2460mm

CUTTING CAPACITY:

Rectangular 90°: 240 x 140mm Square 90°: 215 x 215mm Square 45°: 150 x 150mm

		Contraction of the second	
PART NO.	BLADE SPEED MOTOR		
WG270SHV-1	Variable Speed 80 mpm	1.5hp Single Phase (240V)	

ITM 220MM X 220MM CAPACITY SWIVEL HEAD BANDSAW

- Swivel head 0° to 60° •
- Hydraulic down feed
- Blade Size:
- 27mm x 0.9mm x 2460mm
- Bed Height: 840mm
- Weight: 216kg
- Made in Taiwan Rectangular Capacity 90° 260 x 110mm
- Square Cut Capacity 90°: 215 x 215mm
- Square Cut Capacity 45°: 145 x 145mm



WG SERIES

·\$4295

PART NO. BLADE SPEED		MOTOR
WP270SH-1	Single Speed 72 mpm	1.5hp Single Phase (240V)
WP270SH-3	2 Speed 36 / 72 mpm	1.5hp Three Phase (415V)

ITM 310MM X 165MM CAPACITY 2-WAY SWIVEL HEAD BANDSAW

- 2 way swivel head 0° to 60°(R), 0° to 45°(L) .
- Hydraulic down feed
- Incorporated recirculating coolant system
- Brass chip brush
- Adjustable material stop
- Safety emergency stop switch.
- 27mm x 0.9mm x 2725mm
- Bed Height: 895mm
- Weight: 302kg
- Made in Taiwan
- Rectangular Capacity 90°: 310 x 165mm
- Square Cut Capacity 90°: 235 x 235mm
- Square Cut Capacity 45°: 185 x 185mm

••57		
PART NO.	BLADE SPEED	MOTOR
WP310DS-3	2 Speed 36 / 72mpm	2.0hp Three Phase (415V)

PART NO.	BLADE SPEED	MOTOR	
UE712A	4 Speed 22 / 33 / 45 / 65mpm	1.0hp Single Phase (240V)	

FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST

METAL CUTTING SAWS

- ✓ Stainless Steel ✓ Mild Steel ✓ Aluminium ✓ Thin Material ✓ Thick Material
- 2 Blade kit 66 tooth T.C.T. blade - 110 tooth cermet carbide blade for stainless steel Saves time & money giving cool cuts that need little to no

ITM

- finishing, eliminating any need for grinding or cool down time.
- Fully enclosed retractable guard increases user safety .
- Heavy-duty vice: 90° 45° Pipe vice attachment
- Maximum material
- dimensions: 90°: 120 x 120mm
- 45°: 120 x 90mm

11110 \$995

148		
PART NO.	CAPACITY	WEIGHT
S14-PROKIT	120 x 120mm	3.0hp Single Phase (240V)

MACC 400MM X 200MM BANDSAW

- 2 way swivel head •
- 0° to 60° Right, 0° to 45° Left
- Dual direction heavy-duty vice •
- Hydraulic down feed
- Weight: 530kg •
- Recirculating coolant system Blade Size: .
- 27mm x 0.9mm x 3200mm .
- Rectangular Capacity 90°: 400 x 200mm Square Cut Capacity 90°:
- 280 x 280mm Square Cut Capacity 45° (R):
- 220 x 220mm

	SPECIAL 411
	• ^{\$15,995}
EED	MOTOR

PART NO.	BLADE SPEED	MOTOR	
MB-411CSO-3	2 Speed 38 / 77 mpm	2.0hp Three Phase (415V)	

MACC SEMI-AUTOMATIC 500MM X 370MM BANDSAW

- Semi-Auto Functions
- 2 way swivel head 0° to 60° Right, 0° to 60° Left
- Dual direction heavy-duty vice •
- Weight: 820kg •
- Recirculating coolant system • • Blade Size:
- 34mm x 1.1mm x 4610mm . Rectangular Capacity 90°:
- 500 x 370mm • Square Cut Capacity 90°:
- 370 x 370mm

MB-420DI-3

Square Cut Capacity 45° (R): 345 x 345mm



•	
	• ^{\$} 29,995
BLADE SPEED	MOTOR
Variable Speed 22 - 73 mpm	2.95hp Three Phase (415V)

ITM 350MM CERMET CARBIDE TIPPED BLADES HIGH PERFORMANCE METAL CUTTING BLADES

- Up to 3 times longer life than standard metal cutting T.C.T. blades
- · Saves time & money, giving cool cuts that need little to no finishing
- Cuts stainless steel and mild steel .



MACC SEMI-AUTOMATIC 400MM X 200MM BANDSAW

- Semi-Auto Functions •
- 2 way swivel head
- 0° to 60° Right, 0° to 45° Left Dual direction heavy-duty vice
- Weight: 575kg Recirculating coolant system
- Blade Size:
- 27mm x 0.9mm x 3200mm Rectangular Capacity 90°:
- 400 x 200mm Square Cut Capacity 90°:
- 280 x 280mm Square Cut Capacity 45° (R):
- 215 x 215mm

PART NO.	BLADE SPEED	MOTOR
MB-411MS-3	2 Speed 38 / 77 mpm	2.0hp Three Phase (415V)

MACC SEMI-AUTOMATIC 620MM X 450MM BANDSAW

- Semi-Auto Functions
- 2 way swivel head .
- 0° to 60° Right, 0° to 60° Left
- Dual direction heavy-duty vice
- . Weight: 1250kg
- Recirculating coolant system
- Blade Size: 34mm x 1.1mm x 5270mm
- Rectangular Capacity 90°:
- 620 x 450mm
- Square Cut Capacity 90° 450 x 450mm
- Square Cut Capacity 45° (R): 430 x 430mm

Made In Italy	· ^{\$} 33,995		
PART NO.	BLADE SPEED	MOTOR	
MB-650DI-3	Variable Speed 23 - 95 mpm	2 95hn Three Phase (415V)	

SPECIAL 411

•\$19.995

EHOMA FORGED STEEL F CLAMPS

- Premium quality forged steel clamps
- Tempered & hot forged steel
- Nickel & chrome plating



				^{\$} 47
PART NO.	SPAN X DEPTH	RAIL SIZE	CLAMPING Force	PRICE
EC-G16CS	160 x 80mm	16 x 7.5mm	300kg	\$47.00
EC-G20CS	200 x 100mm	19.5 x 9.5mm	450kg	\$62.00
EC-G25CS	250 x 120mm	22 x 10.5mm	550kg	\$76.00
EC-G30CS	300 x 140mm	25 x 12mm	670kg	\$95.00
EC-G40CS	400 x 175mm	27 x 13mm	1000kg	\$125.00
EC-G60CS	600 x 175mm	27 x 13mm	1000kg	\$140.00
EC-G80CS	800 x 175mm	27 x 13mm	1000kg	\$175.00
EC-G100CS	1000 x 175mm	27 x 13mm	1000KG	\$215.00

EHOMA QUICK ACTION FORGED STEEL F CLAMPS

- Ratchet type lever prevents overloading & resists vibration
- For high pressure, fast action clamping purposes



\$gg

Clamping Solutions By				
PART NO.	SPAN X DEPTH	RAIL SIZE	CLAMPING Force	PRICE
EC-G16L	160 x 80mm	16 x 7.5mm	300kg	\$99.00
EC-G20L	200 x 100mm	19.5 x 9.5mm	350kg	\$115.00
EC-G30L	300 x 140mm	25 x 12mm	500kg	\$155.00
EC-G40L	400 x 120mm	25 x 12mm	550kg	\$165.00
EC-G50L	500 x 120mm	25 x 12mm	550kg	\$205.00

EHOMA LOCKING PLIERS 3 PIECE SET

Includes:
 150mm Long Nose
 175mm Straight Jaw
 250mm Round Jaw



Locking Pliers - 3 Piece Set

Clamping Solutions By ITTM ® PART NO.

TM604-SET30

EHOMA HEAVY DUTY FORGED STEEL F CLAMPS

- Larger rail sizes 30x15mm
- For heavy duty applicationsChangeable clamping heads
- Unangeable clamping hea
 Socket drive handle

Fhoma

Up to 1000mm span available



FROM

Clamping Solutions By				
PART NO.	SPAN X DEPTH	RAIL SIZE	CLAMPING Force	PRICE
EC-GS30C	300 x 140mm	30 x 15mm	1200kg	\$170.00
EC-GS40C	400 x 120mm	30 x 15mm	1200kg	\$190.00
EC-GS50C	500 x 140mm	30 x 15mm	1200kg	\$205.00
EC-GS60C	600 x 120mm	30 x 15mm	1200kg	\$215.00
EC-GS80C	800 x 140mm	30 x 15mm	1200kg	\$280.00
EC-GS100C	1000 x 120mm	30 x 15mm	1200kg	\$310.00

EHOMA RATCHET HANDLE FORGED STEEL F CLAMPS

- The innovative ratchet system allows faster clamping in restricted working areas
- The comfortable non-slip handle makes it easier to achieve maximum clamping pressure
- Bi-directional ratcheting
 and free spin



FROM

FROM

\$70


\$120

E	ĥ	0	Í	Ĩ	R
CL	amnii	na Soli	itions	Ry I	TM

Clamping Solutions By				
PART NO.	SPAN X DEPTH	RAIL SIZE	CLAMPING Force	PRICE
EC-G30R	300 x 140mm	25 x 12mm	670kg	\$120.00
EC-G40R	400 x 175mm	27 x 13mm	700kg	\$155.00
EC-G60R	600 x 175mm	27 x 13mm	700kg	\$185.00

ITM SWITCHABLE WELDING MAGNETS

- Powerful NdFeB magnet
- Turn the magnet OFF when setting up, turn ON when you are ready to work
- Ideal for round and square tubing, angle and flat stock
- Easy to clean. Simply turn OFF and wipe!





PART NO.	FORCE	SIZE	PRICE
TM650-020	30kg	110mm	\$79.00
TM650-022	55kg	150mm	\$119.00

ITM 150MM TOW BAR HITCH VICE

· Quickly and easily mounts to any 2" tow hitch Also bench mountable • Extra heavy-duty hardened jaws . • Integrated anvil for shaping and beating m \$249

PART NO.	JAW WIDTH	JAW Opening	PIPE HOLDING Capacity	WEIGHT
TM113-150	150mm	120mm	16 - 90mm	12.8kg

ITM WORKSHOP BENCH VICES

- · Hardened steel jaws . Close grained cast
- iron body • Integrated anvil for shaping and beating



. \$115

PART NO.	JAW WIDTH	JAW Opening	THROAT Depth	WEIGHT	PRICE
TM098-100	100mm	110mm	57mm	7kg	\$115.00
TM098-125	125mm	125mm	72mm	10kg	\$165.00
TM098-150	150mm	150mm	79mm	14kg	\$209.00
TM098-200	200mm	200mm	79mm	22kg	\$295.00

ITM STRAIGHT JAW FABRICATED STEEL BENCH VICES

- Extra heavy-duty
- Precision machined knurled •
- jaws with V-Groove Precise sliding jaw •
- Large diameter screw



PART NO.	JAW WIDTH	JAW Opening	THROAT Depth	WEIGHT	PRICE
TM102-100	100mm	115mm	75mm	10.5kg	\$199.00
TM102-125	125mm	135mm	95mm	18.6kg	\$335.00
TM102-150	150mm	170mm	105mm	22.6kg	\$375.00
TM102-200	200mm	265mm	135mm	37kg	\$690.00

ITM 125MM MULTI-PURPOSE BENCH VICE

- · Hardened & tempered jaws
- 360° Rotation with safety
- .
- .
- 25mm to 65mm pipe holding capacity



PART NO.	JAW WIDTH	JAW Opening	PIPE HOLDING Capacity	WEIGHT
TM101-125	125mm	135mm	25 - 65mm	23kg

ITM MECHANICS BENCH VICES

- Rugged all cast iron construction.
- Integrated anvil for • shaping and beating. Extra heavy-duty sliding .
- jaw and large diameter screw. •
- 50 ± 5 HRC hardened carbon steel jaws



PART NO.	JAW WIDTH	JAW Opening	THROAT Depth	WEIGHT	PRICE
TM100-075	75mm	75mm	50mm	7.5kg	\$105.00
TM100-100	100mm	115mm	55mm	10kg	\$155.00
TM100-125	125mm	140mm	70mm	15.5kg	\$225.00
TM100-150	150mm	175mm	80mm	18kg	\$269.00
TM100-200	200mm	200mm	100mm	31kg	\$399.00

ITM OFFSET JAW FABRICATED STEEL BENCH VICES

- · Extra heavy-duty
- Precision machined knurled jaws with
- V-Groove
- · Precise sliding jaw
- Large diameter screw

6
FROM \$199

PART NO.	JAW WIDTH	JAW Opening	THROAT Depth	WEIGHT	RRP
TM104-100	100mm	120mm	70mm	11.2kg	\$199.00
TM104-125	125mm	140mm	95mm	20.3kg	\$375.00
TM104-150	150mm	170mm	105mm	25kg	\$399.00
TM104-200	200mm	265mm	135mm	60kg	\$965.00





M7 STANDARD TORQUE WRENCHES

- Nm engraved marking scales on the front, Ft-Ib or in-Ib on the back
- Non-slip knurled handle design
- Premium quality Made in Taiwan
- Supplied in blow mold plastic case with certificate of calibration

	7 .		•	\$ 95
	PART NO.	DRIVE	TORQUE RANGE	PRICE
	M7-TE205025N	1/4"	5~25Nm (44.3~221.3in-lb)	\$95.00
	M7-TE225250N	1/4"	2.8~28.2Nm (2~20 ft-lb)	\$95.00
	M7-TE305025N	3/8"	5~25Nm (44.3~221.3in-lb)	\$95.00
	M7-TE320110N	3/8"	20~110Nm (14.8~81.1ft-lb)	\$94.00
L	M7-TE428210N	1/2"	28~210Nm (20.7~154.9ft-lb)	\$99.00
2	M7-TE450350N	1/2"	50~350Nm (36.9~258.1ft-lb)	\$175.00
ĵ	M7-TE820100N	1"	200~1000Nm (166~719ft-lb)	\$1185.00
	M7-TE830150N	1"	300~1500Nm (258~1070ft-lb)	\$2205.00
	M7-TE850250N	1"	500~2500Nm (443~1771ft-lb)	\$4085.00

M7 WINDOW SCALE TYPE TORQUE WRENCHES

- · Window scale screen with both Nm and ft-lb indicated
- Very precise adjustment of the torque setting can be achieved, with the turn handle clicking with each 1Nm adjustment
- Turn lever to unlock and lock the torque setting
- Premium quality Made in Taiwan
- Supplied in blow mold plastic case with certificate of calibration

		• ^{\$} 190		
PART NO.	DRIVE	TORQUE RANGE	PRICE	
M7-TW210222	1/4"	2~25Nm (1.5~18ft-lb)	\$190.00	
M7-TW310552	3/8"	5~50Nm (3.5~37ft-lb)	\$215.00	
M7-TW311102	3/8"	10~100Nm (8~75ft-lb)	\$230.00	
M7-TW412202	1/2"	20~200Nm (10~150ft-lb)	\$255.00	
M7-TW416302	1/2"	60~300Nm (45~200ft-lb)	\$275.00	
M7-TW611602	3/4"	100~600Nm (75~440ft-lb)	\$900.00	
M7-TW612102	3/4"	200~1000Nm (150~740ft-lb)	\$1090.00	

M7 DIGITAL TORQUE ADAPTORS

- Converts any standard Square Drive ratchet into an accurate digital torque wrench
- Flashing LED and audible notification when desired torque setting has been achieved
- Simple multifunction operation with Peak and Trace modes and angle set
- Shows units in: Ib-in, Ib-ft, Nm and kg.cm
- Can store 30 memory default valuesAuto power saving mode after
- Auto power saving mode and 2 mins to save battery
 Accuracy: C.W. ± 1.5%, C.C.W. ± 2.5%
- Accuracy. 0.00. ± 1.5%, 0.0.00. ± 2.5%
 Size: 75x42x39mm



FROM

65 PART NO. DRIVE **TORQUE RANGE** PRICE M7-GTW930 6.8 - 135Nm (5.0 - 99.5 ft-lb) 3/8" \$165.00 M7-GTW940 1/2" 10 - 200Nm (7.4 - 147.5 ft-lb) \$165.00 M7-GTW941 1/2" 17 - 340Nm (12.5 - 250.7 ft-lb) \$200.00

M7 PROFESSIONAL TORQUE WRENCHES REVERSIBLE

- Nm engraved marking scales on the front, Ft-Ib on the back
- Reversible works in both clockwise and anti-clockwise direction
 Very precise adjustment of the torque setting can be achieved, with the
- turn handle clicking and locking with each 1Nm adjustment
- Pull back collar locking mechanism
- Premium quality Made in Taiwan

			^{\$110}
PART NO.	DRIVE	TORQUE RANGE	PRICE
M7-TB205025N	1/4"	5~25Nm (3.69~18.4ft-lb)	\$110.00
M7-TB305025N	3/8"	5~25Nm (3.69~18.4ft-lb)	\$110.00
M7-TB320110N	3/8"	20~110Nm (14.8~81.1ft-lb)	\$135.00
M7-TB420210N	1/2"	20~210Nm (14.8~155ft-lb)	\$165.00
M7-TB450350N	1/2"	50~350Nm (36.9~258.1ft-lb)	\$215.00
M7-TB610060N	3/4"	100~600Nm (75~440ft-lb)	\$920.00
M7-TB615080N	3/4"	150~800Nm (110~590ft-lb)	\$1070.00
M7-TB620100N	3/4"	200~1000Nm (150~740ft-lb)	\$1185.00

M7 MINI DIGITAL TORQUE WRENCHES

- L.C.D. display
- · Buzzer vibration and flash alarm
- Quick release head
- Reversible ratchet
- Non slip handle

FROM

• Accuracy: C.W. ± 3%, C.C.W. ± 4%

			• ^{\$} 560		
	PART NO.	DRIVE	TORQUE RANGE	PRICE	
	M7-GMS203006	1/4"	0.3 - 6Nm (0.221 - 4.424 ft-lb)	\$560.00	
	M7-GMS207015	1/4"	0.75 - 15Nm (0.554 - 11.07 ft-lb)	\$560.00	
	M7-GMS212025	1/4"	1.25 - 25Nm (0.923 - 18.45 ft-lb)	\$560.00	

M7 DIGITAL TORQUE WRENCHES

- Buzzer vibration and flash alarm
- Reversible ratchet
- Operating Temperature: -10°C~ 60°C
- Humidity: Up to 90% non-condensing
- Battery Life (continuous operation): 110 hrs

7 .		• ^{\$} 490		
PART NO.	DRIVE	TORQUE RANGE	PRICE	
M7-GTW201030	1/4"	1.5 - 30Nm (1.1 - 22 ft-lb)	\$490.00	
M7-GTW306135	3/8"	6.8 - 135Nm (5.0 - 99 ft-lb)	\$520.00	
M7-GTW406135	1/2"	6.8 - 135Nm (5.0 - 99 ft-lb)	\$540.00	
M7-GTW410200	1/2"	10 - 200Nm (7.3 - 147 ft-lb)	\$615.00	
M7-GTW417340	1/2"	17 - 340Nm (12 - 250 ft-lb)	\$740.00	
M7-GTW606060	3/4"	60 - 600Nm (44.28 - 442.8 ft-lb)	\$1900.00	
M7-GTW610100	3/4"	100 - 1,000Nm (73.8 - 738 ft-lb)	\$2250.00	
M7-GTW810100	1"	100 - 1,000Nm (73.8 - 738 ft-lb)	\$2735.00	

FROM

FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST

M7 1/2" DRIVE IMPACT SOCKET SETS

• Blow mould case				
PART NO.	DRIVE Size	Style	SET CONTENTS	PRICE
M7-MB44014M	1/2"	Standard	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 26, 27mm	\$88.00
M7-MB45010M	1/2"	Deep	10, 12, 13, 14, 15, 17, 19, 21, 24, 27mm	\$115.00



PART NO.	DRIVE Size		SET CONTENTS	PRICE	
M7-MB66006M	3/4"	12,	14, 17, 19, 22, 24mm	\$175.00	
M7-MB66006S	3/4"	1/2", 9	9/16", 5/8", 3/4", 7/8", 1"	\$220.00	





M7 1/2" DRIVE IN-HEX IMPACT SOCKET SETS

Blow mould case

7) • \$110

PART NO.	DRIVE Size	SELCONTENTS	PRICE
M7-MB44008M	1/2"	6, 7, 8, 10, 12, 14, 17, 19mm	\$110.00
M7-MB44008S	1/2"	1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 3/4"	\$110.00

M7 IN-HEX BALL END IMPACT SOCKET SETS



14, 17, 19, 21, 24, 27mm

M7 11 PIECE IMPACT ACCESSORY SET

3/4"

Impact Adaptors:

M7-MB67006M

 1/4" F x 3/8" M, 3/8" F x 1/4" M, 3/8" F x 1/2" M, 1/2" F x 3/8" M, 1/2" F x 3/4" M, 3/4" F x 1/2" M, 3/4" F x 1" M and 1" F x 3/4" M

Impact Universal Joints:

- 1/4" Drive, 3/8" Drive and
- 1/2" Drive

	^{\$} 240
PART NO.	DESCRIPTION
M7-ME011N	11 Piece, Impact Adaptor & Universal Joint Set

M7 1" DRIVE DEEP IMPACT SOCKET SET

\$420

Blow mould case

PART NO.

M7-MB85008M

- 8 Piece,27, 30, 32, 36, 38, 41, 46, 50mm



8 Piece, Impact Deep Socket Set 27 - 50mm

\$450.00

IMPACT TOOLS

CUTTING TOOLS

HOLEMAKER 5 PIECE 3/8" CARBIDE BURR SET

- Double cut geometry for cutting ferrous metals .
- Premium industrial quality carbide burrs

Package includes:

- 3/8" Cylindrical end cut
- . 3/8" Cylindrical radius end

Holemaker

PART NO.

CB-SET-01

CB6M-SET-01

STEP DRILLS

3mm Step Length

.

.

HOLEMAKER SPIRAL FLUTE

Ceramic surface, reducing friction by up to 30%.

Suitable for cutting a wide range of materials

· Increased surface hardness to 85HRC.

· The Titanium Nitride coating significantly increases the tool life

- 3/8" Ball shape .
- 3/8" Tree shape radius end • 3/8" Cylindrical aluminium cut



HOLEMAKER 5 PIECE 1/2" CARBIDE BURR SET

- Double cut aeometry for cutting ferrous metals
- Premium industrial quality carbide burrs
- 1/4" Shank

Package includes:

- SA5 1/2" Cylindrical Square End
 SC5 1/2" Cylindrical Radius End
- .
- SF5 1/2" Tree Shape Radius End SH5 1/2" Flame Shape
- SL4 1/2" Tapered Radius End



Holemaker

^{\$}175

FROM

\$AG


HOLEMAKER Drilling Solutions By ITM ®	• ^{\$} 279
PART NO.	DESCRIPTION
CB-SET-25	5 Piece 1/2" Carbide Burr Set

HOLEMAKER SPIRAL FLUTE STEP DRILL SET

- · The Titanium Nitride coating significantly increases the tool life by providing the following benefits:
- Increased surface hardness to 85HRC
- . Ceramic surface, reducing friction by up to 30%
- Especially resistant to cold welding
- Suitable for cutting a wide range of materials .

3 Piece Set Includes:

- 1 x SD4-20MM 4 20mm
- 1 x SD5-25MM 5 25mm
- 1 x SD6-30MM 6 30mm



Holemaker

PART NO.	SIZES INCLUDED
SDSET-1	4-20mm, 5-25mm, 6-30mm





	THE REAL PROPERTY OF THE	FROM	
		^{\$} 59	
PART NO.	SIZES INCLUDED	PRICE	
STSET-05	8.4, 12.4 & 20.5mm Diameter	\$59.00	
STSET-03	10.4, 16.5 & 25mm Diameter	\$79.00	
STSET-01	6.4, 8.4, 10.4, 12.4, 16.5 & 20.5mm Diameter	\$129.00	





TCT HOLESAW SETS

- Premium Blow Mould Case .
- Tungsten Carbide Teeth . **One-Piece Body Structure**
- Safe Stopper Collar
- 4 different sets available .

Holemaker

PART NO.	SIZES INCLUDED	CUTTING DEPTH	PRICE
MCS-SET5	16, 20, 25, 32, & 40mm Diameter	4.5mm	\$199.00
MCS-SET6	16, 20, 25, 32, 40 & 50mm Diameter	4.5mm	\$229.00
MCTR-SET5	16, 20, 25, 32, & 40mm Diameter	25mm	\$249.00
MCTR-SET6	16, 20, 25, 32, 40 & 50mm Diameter	25mm	\$299.00

FROM

^{\$199}

22

Holemaker

PART NO.	PRICE	
SD4-20MM	4, 6, 8, 10, 12, 14, 16, 18, 20mm	\$46.00
SD5-25MM	5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25mm	\$74.00
SD6-30MM	6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30mm	\$125.00
SD6-32MM	6, 8, 10, 12, 14, 16, 18, 20, 22, 25, 28, 30, 32mm	\$125.00
SD7-40.5MM	7, 10.5, 12.5, 14.5, 16.5, 18.5, 20.5 23.5, 25.5, 30.5, 32.5, 38.5, 40.5mm	\$210.00

emake

DESCRIPTION


1/4" Shank Set

6mm Shank Set

DRILL DOCTOR DRILL BIT SHAR		~	DRILL DOCTOR		
 Creates & sharpens spli Adjustable relief angle 240V motor 3-year warranty 			 Top of the line tradesman 2.5mm to 19mm drill bit Creates & sharpens split 240V motor 3-year warranty 	capacity	
Drill Docto The Drill Bit Sharpend	DI . er	• ^{\$} 299	Sprill Docto The Drill Bit Sharpened	ŗ.	• ^{\$} 649
PART NO.	DRILL BIT CAPACITY	SHARPENING ANGLE	PART NO.	DRILL BIT CAPACITY	SHARPENING ANGLE
DDXP	2.5mm to 13mm	118°	DD750X	2.5mm to 19mm	115° to 140°
WORK SHARP P Adjust knife :		w	WORK SHARP PI KNIFE SHARPEN	RECISION ADJUST ER - ELITE	
 Sharpening angle can b from 15° to 30° in 1° in sharpen every knife you 320 grit & 600 grit dian quickly restore a sharp ceramic stone to hone a edge on any knife. WORK SHA 	norements to nown hond plates to edge, and a fine grit an incredibly keen	• \$129	 Includes the Precision & Upgrade Kit in one Includes 220, 320, 40 grit diamond plates, c leatherstrop, and cera for serrations Carry case and storage rack 	bundle. 0, 600, & 800 eramic plate, mic rod	· \$285
SHARPENE PART NO.	DESCRI		PART NO.	R S DESCRI	PTION
WSBCHPAJ-I	Precision Adjust	Knife Sharpener	WSBCHPAJ-ELT	Precision Adjust Kni	fe Sharpener - Elite
NEW WORK SHARP R KNIFE SHARPER	NER his sharpener vays		 WORK SHARP PE ADJUST PRO SH Professional level sharpe with metal construction Includes 7 abrasive grits 220, 320, 400, 600, & 80 Fine Ceramic, Leather St Adjustable Angle from 15 	ARPENER iner 10 diamond, rop	
	20° or 25°		with included digital ang Small knife table attachm Replacement abrasives a 3 Year Warranty	le indicator.	2
Quickly set a 15°, 17°, 2 angle to sharpen knives Replaceable Abrasives	n 320 medium,	• ^{\$} 259		RP. 🤇	• ^{\$} 559
Replaceable Abrasives Quickly change betweer	n 320 medium,		WORK SHA SHARPENE PART NO.	RP DESCRI	

- KNIFE SHARPENER
- 240V Flexible Belt Sharpener
- Quickly toggle between the 25° angle for outdoor and pocket knives and the 20° angle for thinner blades and kitchen knives
- Two-speed motor, low speed for course grit belts when grinding & won't burn the knife or tool, and high speed for fine grit belts when honing a precise edge

WORK SHARP SHARPENERS



adjustable in 1° increments from 15° to 30° • Variable speed control 6000 -

ELECTRIC KNIFE SHARPENER

14000rpm

240V Electric knife sharpener

The sharpening guide is fully

The 3/4" x 12" premium, flexible

engineered abrasive belts sharpen

virtually any shape or type of knife

•

.

• ^{\$}239

WORK SHARP SHARPENERS

PART NO.

WSKTS-KO

N E R S

DESCRIPTION

• ^{\$}439

Knife Sharpener Ken Onion Edition

WORK SHARP SHARPENERS

SHARPENING MACHINES

23

ITM 15M RETRACTABLE AIR HOSE REEL

- Reinforced P.V.C. hose
 Auto lock to any
- required length
- Auto track guided hose layering system
- Adjustable hose stopper
 Detachable 180° swivel
- mounting bracket
 Maximum pressure 250PSI

ITM 30M FLOOR HOSE REEL

· Braided P.V.C. hose

coated, steel frame

Wall mount bracket

Maximum pressure

Durable powder

Bend restrictor extends hose life

included

300PSI

ITM 20M RETRACTABLE AIR HOSE REEL

- Hybrid Polymer High Flex hose
- Superior all-weather flexibility, will not kink, even in extreme
- temperatures -5°C to 65°C
- · High visibility fluro orange hose
- Auto lock to any required length
- Auto track guided hose
- layering system
- Adjustable hose stopperDetachable 180° swivel
- mounting bracketMaximum pressure
- 250PSI

PART NO. TM300-020

\$1	75	

.

PART NO.	HOSE LENGTH	HOSE I.D.
TM300-015	15M	10mm (3/8")

ITM 20M STEEL RETRACTABLE	
AIR HOSE REEL	

HOSE LENGTH

20M

- Superior all-weather flexibility, will not kink, even in extreme temperatures -5°C to 65°C
- Heavy-duty all steel body construction
- High visibility fluro orange hose
- Auto lock to any required length
- Adjustable hose stopper
- Industrial quality
- 1/4" BSP male fittings
- Maximum pressure 250PSI

• ^{\$}219

PART NO.	HOSE LENGTH	HOSE I.D.
TM300-030	30M	8mm

PART NO.	HOSE LENGTH	HOSE I.D.
TM300-022	20M	10mm (3/8")

• **\$199**

· \$259

\$85.00

\$139.00

ITM AIR

D HIGH-FLE

12mm (1/2")

12mm (1/2")

HOSE I.D.

10mm (3/8")

ITM PVC AIR HOSE

- High quality durable non-marking PVC air hose.
- 3/8" (10mm) I.D Hose
- Bend restrictor extends hose life.
- Grease, oil and abrasion resistant.



PART NO.	HOSE LENGTH	FITTINGS	PRICE
TM300-210	10M	NITTO STYLE	\$39.00
TM300-220	20M	NITTO STYLE	\$59.00
TM300-230	30M	NITTO STYLE	\$79.00
TM300-1100	100M	NO FITTINGS	\$165.00
TM300-1200	200M	NO FITTINGS	\$325.00

ITM HIGH FLEX AIR HOSE FITTED WITH COUPLERS

- Hybrid polymer High-Flex hose
- Anti-kink technology, the hose will
- not kink under pressure
- All weather flexibility -5° to 65°C
 300nsi max working pressure
- 300psi max. working pressure
 Hi-visibility for safety
- Hi-visibility for safetyQuick Action Nitto style fittings

TM300-415

TM300-430

FROM FROM • \$69 PART NO. HOSE LENGTH HOSE I.D. PRICE TM300-315N 15mm 10mm (3/8") \$69.00 TM300-330N 30mm 10mm (3/8") \$99.00

15mm

30mm

M7 30CM HOSE HEAVY DUTY TYRE INFLATOR

- Range: 0 - 160 psi
- Hold on dual angle nozzle
- Heavy-duty body and rubber • bumpers for protection
- Premium quality .
- Made in Taiwan • .
- Weight: 1.2kg



- . Gauge size: 100mm
- Tyre valve clip nozzle
- · Heavy-duty body and rubber bumpers for protection
- · Premium quality
- Made in Taiwan
- Weight: 1.14kg



MAX. PRESSURE

220psi



HOSE

100cm

ITM DIAL	GAUGE	TYRE	

MAX. PRESSURE

160psi (14 bar)

INFLATOR

PART NO.

M7-SB501

- High quality construction • with annodized alloy body
- Easy to read dial type . gauge with impact resistent rubber cover
- 40cm High flex hard • wearing rubber hose
- Readouts: BAR, PSI, KPA & KG/CM2
- Inlet: 1/4" BSP Inlet



^{\$}159

HOSE

30cm

PART NO.	MAX. PRESSURE	HOSE
TM340-001	220psi	40cm

M7 BENT NOZZLE AIR BLOW GUNS

- Working Pressure: 75-120psi
- Max. Pressure: 150psi •

M7-JC424 M7-JC435

- Avg. Air Consumption (1/4" Hose): 13cfm
- Avg. Air Consu

, ,	(3/8" Hose): 15cfm	FROM \$15
PART NO.	NOZZLE LENGTH	PRICE
M7-JC405	125mm (5")	\$15.00
M7-JC410	250mm (10")	\$22.00
M7-JC412	305mm (12")	\$23.00
M7-JC424	610mm (24")	\$38.00

890mm (35")

\$51.00

ITM DIGITAL GAUGE TYRE INFLATOR

- Multi function digital display
- in psi, bar and kPa Automatic shutdown

PART NO.

M7-SB423

- . 400mm Hard wearing
- rubber hose
- Impact protection cover
- Lightweight aluminium •
- construction



PART NO.	MAX. PRESSURE	HOSE
TM340-002	200psi	40cm

M7 VENTURI NOZZLE SUPER AIR BLOW GUNS

- . Venturi Nozzle delivery 3 times airflow
- Working Pressure: 75-120psi
- Max. Pressure: 150 PSI
- Avg. Air Consumption (1/4" Hose): 13cfm .
- Avg. Air Consumption (3/8" Hose): 15cfm

		- Ý
	_	FROM
	•	^{\$} 130
PART NO.	NOZZLE LENGTH	PRICE
M7-JC640	1016mm (40")	\$130.00
M7-JC680	2032mm (80")	\$215.00





ITM AIR FILTER REGULATORS

- . Sintered bronze filter element
- . Max. input pressure: 175psi
- · Max. output pressure: 145psi 80ml drain capacity
- - · Includes mounting bracket



FROM

\$70

STAR SUCTION FEED TOUCH UP GUN

- . Pot size: 250ml
- Includes: Gun, pot, stainless steel nozzle and needle
- Ideal for custom designing, auto touch-up work, detail spray work and stencil spraying

PART NO.

SJ108

Pot size: 600ml

fine atomisation

<u>Stan</u>® PART NO.

S106-141G

S106-201G

S106-251G

•

STAR S-106 SERIES

GRAVITY FEED GUNS

Includes: Gun, pot, stainless

Provides constant paint flow at

lower pressures, and extremely

steel nozzle and needle

NOZZLE SIZE

1.4mm

NOZZLE SIZE

1.4mm

2.0mm

2.5mm



SPRAY PATTERN

120mm

FROM

PART NO.	PORT SIZE	DRAIN STYLE	MAX. FLOW	PRICE
TM340-012	1/4"	Semi-Auto	1750L/min	\$79.00
TM340-014	1/2"	Automatic	3000L/min	\$129.00

STAR S770 SERIES SUCTION SPRAY GUN

- Pot size: 1000ml
- . Includes: Gun, pot, stainless steel nozzle and needle
- A popular conventional high pressure spray gun that provides extremely fine atomisation for the D.I.Y. person to the professional



PART NO.	NOZZLE SIZE	SPRAY PATTERN	PRICE
\$770-11S	1.5mm	235mm	\$195.00
\$770-21S	1.7mm	245mm	\$195.00
\$770-31S	2.0mm	260mm	\$195.00
\$770-41S	2.5mm	275mm	\$205.00
\$770-51 \$	3.0mm	275mm	\$240.00

ITM SUCTION FEED PROFESSIONAL SPRAY GUN

- Includes 1.4mm and 2.0mm stainless steel nozzles
- Provides a professional quality paint finish
- Adjustable air and paint flow control
- Lightweight aluminium body . 1000ml Aluminium cup
- 1/4" BSP air inlet



S106-281G 2.8mm

ITM GRAVITY FEED PROFESSIONAL SPRAY GUN

- Includes 1.4mm & 2.0mm stainless-steel nozzles
- Provides a professional quality paint finish
- Adjustable air and paint flow control
- Lightweight aluminium body
- 600ml Plastic pot
- 160 200mm pattern width 50psi Working pressure
- 1/4" BSP air inlet





\$qq

PART NO.	NOZZLE SIZE	SPRAY PATTERN
TM340-902	1.4 & 2.0mm	160 - 240mm

PART NO.	NOZZLE SIZE	SPRAY PATTERN
TM340-904	1.4 & 2.0mm	160 - 200mm

ITM AIR DIE GRINDER

- Ultra compact design with soft rubber grip •
- Rear 4-speed regulator
- 360° Adjustable exhaust
- . Free Speed: 25,000rpm
- Average Air Consumption: 113 L/min
- Air inlet: 1/4" •
- Weight: 0.39kg .



PART NO.	COLLET SIZE	OVERALL LENGTH
TM340-312	1/4"	173mm

ITM 3/4" DRIVE COMPOSITE AIR IMPACT WRENCH

- . Aluminium composite material construction
- . Heavy duty twin hammer mechanism
- 3 Torque settings •
- Soft rubber grip & ergonomic design
- Max. torque: 1200Nm (885ft/lb)
- . Free speed: 4200rpm
- Average air consumption: 190 L/min
- Air inlet: 3/8"
- Weight: 4.3kg



ITM AIR DIE GRINDER KIT WITH 3 CARBIDE BURRS

- · Ultra compact design with soft rubber grip
- · Rear 4-speed regulator
- 360° adjustable exhaust

Includes 3x Carbide Burrs:

- 3/8" Cylindrical End Cut (CB-SB3)
- 3/8" Oval Shape (CB-SE3)
- 3/8" Tree Shape Radius End (CB-SF3)



	• •110
COLLET SIZE	OVERALL LENGTH
1/4"	173mm

ITM AIR HYDRAULIC RIVETER

PART NO. TM340-312KIT3

- Convenient one hand operation
- Set rivets up to 4.8mm in steel & aluminium and 4.0mm stainless steel
- 4 interchangeable nose pieces provided 2.4mm to 4.8mm
- Nose pieces to suit rivets: 2.4mm, 3.2mm, 4.0mm, & 4.8mm
- Stroke length: 16mm
- . Traction power: 3,086lb (1400kg)
- Max. Capactiv 4.8mm Working pressure: 90 PSI •
- Weight: 1.42kg



	A	
	57.01-	
•	14114	

PART NO.	SQUARE DRIVE	OVERALL LENGTH
TM340-145	3/4"	255mm

ITM AIR NEEDLE SCALER

- Heavy-duty metal construction for durability •
- Compact, lightweight & ergonomic design .
- Needle quantity: 12
- Blows Per Minute: 2,800 BPM .
- . Stroke Length: 24mm
- Average Air Consumption: 57 L/min .
- Length: 315mm
- Air Inlet: 1/4"

		• • 199
PART NO.	STROKE LENGTH	WEIGHT
TM340-802	16mm	1.42kg

ITM AIR 6" PALM SANDER

- · Ergonomic design with soft rubber grip
- 2 in 1 central and non-vacuum design .
- Perfectly balanced sanding pad
- . Rear exhaust directs air away from workpiece.
- . Sanding Pad: 150mm (6")
- Free Speed: 10,000rpm
- Average Air Consumption: . 127 L/min

GST	
UDE	
INCL	
RICES	
APPLY. PRICES INCLUDE GST	
Y APPI	
¥,	
HARGES	
CHAF	
IGHT CHARGES N	
REI	

	• ^{\$} 119	
NEEDLE SIZE	WEIGHT	

PART NO.	NEEDLE SIZE	WEIGHT
TM340-414	125mm x 3.0mm	1.1kg

PART NO.	FREE SPEED	WEIGHT
TM340-614	10,000 RPM	1.1kg

\$120



M7 1/2" DRIVE AIR **IMPACT WRENCH**

- Heavy Duty Twin Hammer
- Lightweight, only 2.1kg
- · Low noise level, only 85dB
- Powerful, 1088Nm (800ft-lb) Max.
- torque
- 19mm Bolt capacity



M7 1/2" DRIVE AIR MINI **IMPACT WRENCH**

- . Jumbo hammer type
- . Lightweight, only 1.6kg
- Compact size, only 115.5mm length .
- Low noise level, only 85dB
- Powerful, 680Nm (500ft-lb) Max. torque
- 16mm Bolt capacity



		• ^{\$} 31
PART NO.	SQUARE DRIVE	OVERALL LENGTH
M7-NC4299Q	1/2"	194mm

		• °420
PART NO.	SQUARE DRIVE	OVERALL LENGTH
M7-NC4610Q	1/2"	115.5mm

M7 1/2" DRIVE AIR **IMPACT WRENCH**

- Lightweight, only 1.7kg
- . Powerful, 1650Nm (1200ft-lb) Max. Torque
- Extra heavy duty twin hammer Value for money, high quality & specs
- 25mm Bolt capacity
- Magnesium composite body .
- Patented EZ grease anvil,
- ensuring maximum power is easily maintained



M7 1/2" DRIVE AIR **IMPACT WRENCH**

- Lightweight, only 1.8kg Compact size, only 141mm length
- Powerful, 1356Nm (1000ft-lb) Max. torque
- 25mm Bolt capacity Extra heavy duty twin .
- hammer



\$805

OVERALL LENGTH

198mm

	Ť	٦	7)
_				

PART NO.	SQUARE DRIVE	OVERALL LENGTH
M7-NC4256Q	1/2"	141mm

EASY GREASE

S

SQUARE DRIVE

3/4"

M7 3/4" DRIVE AIR **IMPACT WRENCH**

PART NO. M7-NC4255QH

- · Heavy-duty, long durability
- Lightweight, only 2.68kg
- Low noise level, only 83dB
- . Powerful, 1650Nm (1200ft-lb) Max. torque
- Compact metal body, only 171mm length
- 25mm Bolt capacity
- Patented EZ grease anvil, ensuring maximum power is easily maintained



179mm

M7 3/4" DRIVE AIR IMPACT WRENCH, COMPOSITE

- Lightweight composite body, only 1.9kg ٠
- Low noise level, only 85dB .
- Very powerful, 1900Nm (1400ft-lb) Max. torque!
- Compact Only 198mm Length
- 25mm Bolt capacity

PART NO.

M7-NC6255QH

• Patented EZ grease anvil, ensuring maximum power is easily maintained

PART NO.

M7-NC6236QH

-	
40	

FREIGHT CHARGES MAY APPLY. PRICES INCLUDE GST

	SQUARE DRIVE	OVERALL LENGTH
		OVERALE LENGTH
l	3/4"	171mm

SER

1/2'

M7 SUPER DUTY 3/4" AIR **IMPACT WRENCH**

- Spring mounted rotor blades for • extra durability
- . Magnesium housing
- Lightweight composite body, only . 3.0kg!
- Low noise level, only 88dB .
- Powerful, 2000Nm (1500ft-lb) Max. torque
- Super Duty, designed for the • commercial tyre industry
- 30mm Bolt capacity •

PART NO.

M7-NC6266

M7 3/4" D HANDLE **AIR IMPACT WRENCH**

- Bolt Capacity: 1-1/16" (27mm) .
- Torque Range: 200-1400 ft-lb / 271-1898 Nm .
- . Max. Torque at 5 seconds: 1500 ft-lb / 2034 Nm
- . Free Speed: 6000 RPM
- . Air Requirement: 6.34 CFM / 90 PSI / 1/4" Inlet
- . Overall Length: 320mm
- Net Weight: 5.7kg .
- Sound Pressure: 106dBA .
- . Vibration Level: 3.3m/s²



	· ^{\$} 1249	
SQUARE DRIVE	OVERALL LENGTH	PART NO.
3/4"	205mm	M7-NC6218

M7	1"	AIR	ІМРАСТ
WR	EN	СН	

- New twin hammer type
- Bolt Capacity: 1-1/4" (30mm)
- Torque Range: 200-1300 . ft-lb / 271-1762 Nm
- Max. Torque at 5 seconds: • 1500 ft-lb / 2034 Nm
- Free Speed: 4800 RPM •
- Air Requirement: 5.4 CFM / . 90 PSI / 3/8" Inlet
- . Net Weight: 5kg
- Sound Pressure: 92dBA •
- . Vibration Level: 6.1m/s²

SIEO	_

1620

NGTH

M7	1" D HANDLE	
AIR	IMPACT WRENC	H

• Torque Range: 200-2000 ft-lb / 271 2710 Nm

SQUARE DRIVE

3/4"

- . Max. Torque at 5 seconds: 2400 ft-lb / 3250 Nm
- Twin hammer mechanism .
- D Handle Outside trigger .
- . Bolt Capacity: 1-7/16" (36mm)
- . Free Speed: 4000 RPM
- Air Requirement: 10 CFM .
- . Net Weight: 12.1kg
- Sound Pressure: . 100dBA
- Vibration Level: 10m/s²

<u>m7</u>	
-	
S	110
	- Con - Sec S

·\$1910

OVERALL LENGTH

320mm

		• \$
PART NO.	SQUARE DRIVE	OVERALL LEN
M7-NC8217	1"	222mm

CHUCK SIZE

1/2" (13mm)

m7 ,		• ^{\$} 2060	
PART NO.	SQUARE DRIVE	OVERALL LENGTH	
M7-NC8252	1"	390mm	

M7 AIR	DRILL	1/2"
сниск		

- Keyless chuck •
- Reversible •
- Free speed: 800rpm
- Length: 210mm .
- . Quiet, only 83dB
- . Net weight: 1.7kg

L).

PART NO

M7-QE841



OVERALL LENGTH

210mm

M7 EXTRA HEAVY DUTY AIR ANGLE GRINDERS

- Safety lever throttle
- 1.3hp motor for stall resistance One-piece housing reduces .
- maintenance costs
- Heavy-duty air cooled spiral gears and double bearings for durability
- Swivel guard on 125mm ٠
- Grinding wheel not included .
- Imperial spindle models also available
- Free speed: 11000rpm .

			\$ 600
PART NO.	DIAMETER	SPINDLE	PRICE
M7-QB7114M	100mm	M10x1.5	\$600.00
M7-QB7215M	125mm	M14x2.0	\$630.00



M7 BELT SANDER ADJUSTABLE ANGLE HEAD

- Sander arm can be adjusted to provide a 'dog leg' shape
- . Free Speed: 16,000rpm
- Air Requirement: 4.0cfm / 90psi / 1/4" Inlet
- Net Weight: 1.4kg
- Sound Pressure: 88 dBA .



M7 BELT **SANDERS**

- . Superb quality pneumatic belt sander
- Free Speed: 16000 RPM . Air Requirements: 4 CFM
- / 90 PSI / Inlet: 1/4"
- Sound Pressure: 88 dBA

m7



\$275

		• ^{\$} 565
PART NO.	BELT SIZE	OVERALL LENGTH
M7-QB322RC	20 x 520mm	430mm

			010
PART NO.	BELT SIZE	OVERALL LENGTH	PRICE
M7-QB321	10 x 330mm	320mm	\$375.00
M7-QB322	20 x 520mm	430mm	\$535.00
M7-QB324	12.7 x 610mm	455mm	\$480.00

M7 16MM STROKE HYDRAULIC AIR RIVETER

- Nozzle sizes: 2.4, 3.2, 4.0, 4.8mm
- 4.8mm (3/16") Aluminium
- & steel rivet capacity 4.0mm (5/32") Stainless
- rivet capacity
- Stroke length: 16mm
- Net weight: 1.5kg
- Traction power: 2303 lbf .

PART NO. M7-PA301



RIVET CAPACITY

2.4-4.8mm

M7 14MM STROKE HYDRAULIC AIR RIVETER

- . Superb quality pneumatic air riveter
- Nozzle sizes: 2.4, 3.2, 4.0, 4.8, 6.0 & 6.4mm
- 6.4mm (1/4") Aluminium & steel rivet capacity
- 4.8mm (3/16") Stainless rivet capacity
- Traction power: 3534 lbf



PART NO.	

PART NO.	STROKE LENGTH	RIVET CAPACITY
M7-PA201	14mm	2.4-6.4mm

M7 AIR SAW SET

- Quick change saw blade holder
- 5-piece file set and 12 saw blades are included
- · Adjustable guard / guide controls depth of cut p

STROKE LENGTH

16mm

QUANTITY

21 PIECE SET

Package includes:

- Air saw tool
- 6pc 24TPI saw blades
- · 6pc 32TPI saw blades

PART NO.

M7-QD291N

- 5pc File set
- Mini oiler 1/4"

precisely	 Air Re
	 Inlet:
	 Net W
	 Sound
	 Vibrat
4 2 1 1	7 Piece
	 1pc A
	SC21
	 5pcs (
	 1pc S
	• ipc o

^{\$}350

NET WEIGHT

0.6kg

M7 AIR **HAMMER SET**

- Shank Type: Round •
- Blows Per Minute: 3200BPM
- equirements: 4 CFM / 90 PSI
- 1/4"
- Veight: 1.7kg
- d Pressure: 98 dBA
- tion Level: 12.3m/s²

Set Includes:

- Air hammer (M7-
- 1C) Chisel kit
- Spring retainer
- Blow Mould Case

_				
	-	-	_	
_	_	_		

	20	• ^{\$} 245
	SHANK SIZE	OVERALL LENGTH
7C	10.2mm (0.401")	175mm

AIR TOOLS



PART NO. M7-SC0517C 10.2mm (0.401")

M7 AIR NEEDI SCALER	LE		M7 AIR PISTO NEEDLE SCAL		
 Stroke Length: 32mr Blows Per Minute: 51 Air Requirements: 3 Inlet: 1/4" Net Weight: 1.3kg Sound Pressure: 86 Vibration Level: 7.67 	500BPM CFM / 90 PSI dBA		 Stroke Length: 33mr Blows Per Minute: 3; Air Requirements: 15 Inlet: 1/4" Net Weight: 2.8kg Sound Pressure: 97 Vibration Level: 9.7m 	n 700BPM 5 CFM / 90 PSI dBA	
		• ^{\$} 309			• ^{\$} 575
PART NO.	NEEDLE SIZE	OVERALL LENGTH	PART NO.	NEEDLE SIZE	OVERALL LENGTH
M7-SN1288	3mm x 123mm (12 per set)	290mm	M7-SN2110	3mm x 180mm (19 per set)	330mm
M7 COMPACT AIR DIE GRINE			M7 STANDARI GRINDER	D AIR DIE	
 Safety lever throttle Collet Size: 1/4" & 1/ Free Speed: 25000 R Air Requirements: 10 Inlet: 1/4" Rated Power:0.3HP Net Weight: 0.38kg Sound Pressure: 81. Vibration Level: 1.8m 	8PM 0 CFM / 90 PSI 5 dBA		 Safety lever throttle Free Speed: 20000 R Air Requirements: 10 Inlet: 1/4" Rated Power:0.9HP Net Weight: 0.65kg Sound Pressure: 75. Vibration Level: 0.8m 	0 CFM / 90 PSI 7 dBA	
		• ^{\$} 165			• ^{\$} 200
PART NO. M7-QA111B	COLLET SIZE 1/4" & 1/8"	OVERALL LENGTH 155mm	PART NO. M7-QA211B	COLLET SIZE 1/4" & 1/8"	OVERALL LENGTH 190mm
M7 90° ANGLE GRINDER 90° angle head. Safety lever throttle Free Speed: 19000 R Air Requirements: 10 Inlet: 1/4" Overall Length: 160n Rated Power:0.3HP Net Weight: 0.51kg Sound Pressure: 74. Vibration Level: 1.7m	0 CFM / 90 PSI nm 4 dBA	2	M7 EXTENDED GRINDER Safety lever throttle Collet Size: 1/4" & 1/ Free Speed: 25000 R Air Requirements: 10 Inlet: 1/4" Overall Length: 280n Rated Power:0.3HP Net Weight: 0.63kg Sound Pressure: 81.4 Vibration Level: 1.8m	78" IPM 0 CFM / 90 PSI nm 5 dBA	
(17)	U	• ^{\$} 230			• ^{\$} 315

PART NO.

M7-QA315B

COLLET SIZE

1/4" & 1/8"

OVERALL LENGTH

160mm

PART NO.

M7-QA611B

COLLET SIZE

1/4" & 1/8"

OVERALL LENGTH

280mm

ITM MAGNETIC WAND PICK UP TOOL



- Magnetic wand pick-up tool for cleaning up large amounts of heavy metal off-cuts, swarf and metal shavings
- Made from high quality stainless steel
- Fully sealed end, suitable for cleaning fluid tanks with swarf, plasma tubes and more .
 - Strong magnet to collect small metal off cuts
- Safety guard protects your hand from sharp metal shavings
- 390mm Length

ITM **MAGNETIC SWEEPER**

• Magnetic sweeper for collecting metal shavings off the floor

TM

DESCRIPTION

610mm Magnetic Sweeper

- Aluminum housing with magnetic release handle
- Heavy-duty solid wheels
- Working width: 610mm
- Adjustable handle length: 780mm to 1140mm
- Magnetic pickup force: 15kg





LOCAL DISTRIBUTOR

Products imported and distributed nationally by Industrial Tool & Machinery Sales. Advertised prices include GST. Freight charges may apply on some products to some areas. Prices and specifications subject to change without notice. Stock availability of advertised items cannot be guaranteed for duration of promotion. OFFERS VALID TO 31st DECEMBER 2024