

GREAT DEALS FOR THE NEW YEAR!



Drive Shaft Removal Fork Set 306990 2 Piece

- Safely and easily remove drive
- shafts without seal or shaft damage
- Overall lengths: 350mm
- Fork capacity: 50mm

\$559.00

FAMOUS TOLEDO

Cooling System Pressure Tester & Vacuum Purge Kit 308500 Master 36 Piece

- Comprehensive master kit enables cooling system pressure testing, radiator cap pressure testing and cooling system purge and refill
- Includes user guide and full vehicle application list covering 95% of AUS/NZ Car parc
- Vacuum purge allows the evacuation of air pockets in cooling system after service or repairs



METRINCH



f 🞯 Þ

\$102^{.25} **\$79**.15 \$**231**.00 **INCLUDES NEW** 150 & 250mm Length FAMOUS TOLEDO FAMOUS TOLEDO KNIPEX **Hose Clamp Pliers** Diesel Fuel **KNIPEX TwinGrip Slip Joint** 321853 Pass Through **Injection Pump** Pliers Set 00 19 61 V01 3 Piece Socket Kit Gain access on clamps • Contains three KNIPEX TwinGrip positioned awkwardly Slip Joint Pliers 150, 200 and 307352 5 Piece in confined spaces 250mm in handy tool roll Assist with the • Hoses up to a capacity Gripping, tightening and disassemble and repair of of 50mm loosening screws with worn Bosch VE, VP EDC TDI & CR Overall length: 350mm heads and threads • VP 37 Injection pumps Jaw capacity: 0-125mm Unique combination: front & 1/2" Square Drive Sockets side grip, box joint and push button adjustment Made in Germany \$**44**.95 **\$109**.00 NEW FAMOUS TOLEDO A RENNSTEIG **Parallel Pin Oil Seal Puller Punch Set** 321098 Adjustable 425 152 5 Piece • Ideal for the removal of grease Two component soft seals, o-rings, oil seals at multiple handguard protects from angles miss hits, slippage and Fully adjustable 180° Head reduces hand fatigue Overall Length: 280mm from excess vibrations 2, 3, 4, 5, 6mm x 150mm

TRIDON 🔁





Made in Germany







•



² TRIDON

•

.

ALL PRICES INCLUDE GST | FEBRUARY - MARCH 2025

crocodile clip Voltage Range: 6-24V (DC) Lead Length: 1500mm Probe Length: 100mm













Drum Tap 305071


- Fits into 3/4" threaded opening on 20-65 litre drums Facilitates convenient dispensing of media under gravity flow
- Lockable with bucket hanger
- Not suitable for use with corrosive media



Oil Filter Removers

 Universal tool to easily remove stubborn oil filters Swivel neck allows handle to be used at var

 Swivel neck allows handle to be used at various angles 					
Part No.	Capacity	Price			
305203	60-73mm	\$14.95			
305204	73-85mm	\$16.95			
305205	85-95mm	\$16.95			





125mm

150mm

\$13.15

\$ 7 .65	10
Grease Injector Needle	/
Stainless steel needle lubricates in very tight spaces such as universal joints and sealed bearings	A REAL PROPERTY OF
Standard grease fitting with dust cover	
Needle thickness: 18 gauge	

Needle length: 38mm

305258

300ml

TRIDON



FAMOUS OLEDO EXCELLENCE BY DESIGN



Suction Gun 305227

- Designed to transfer gear oils in and out of gear boxes, transfer cases and differentials
- Ideal for fluid level correction
- 300mm (12") flexible vinyl nose



Soft Face Hammer 321855 290Z

- Dual nylon face
- Genuine hickory ergonomic handle Head Diameter: 40mm
- Head Length: 120mm
- Overall Length: 360mm
- Weight: 29oz •

\$**69**.25

Coil Spring Compressor

311284 Professional Set

- Specifically designed for safe and effective compression of automotive coils springs
- Jaw width: 85mm

321851

Part No.

321851

321852

- Operating range: 260mm
- Spring diameter: Ø 20-25mm

AQ.95

Fluid Change Syringe 305152 200ml

For neat, clean and accurate fluid suction • and dispensing

TOLEDO

- Suitable for engine oil, brake fluid, gear oil, power steering oil, differential oil etc
- 200ml capacity with 200mm extension hose Clear chamber allows for easy viewing and
- reduces cross contamination

\$**Q**.85

x0 x0 50 x0 x2 x0 x0 100 x120_120 x0 150

n____ ≈ 50 e x x ∞ 0 ie x x e 50__e *

Stainless Steel Rule 150SP

Double Sided Metric 150mm

- Metric double sided stainless steel rule with
- numerical markings in centre • Front side zero begins from left to right
- Back side zero begins from centre •
- Made in Japan

\$**16**.45

Tyre Valve Remover Set

309246 2 Piece

- Used for the removal and installation of tyre valve cores
- Moulded plastic handles allow for a secure grip
- Regular reach for passenger vehicles and motorcycles – 110mm long Long reach ideal for
- trucks 155mm long

5.95

Slide Hammer Puller Assembly 269014

- Ideal for removing bearing cups, outer races and oil seals
- Puller reach: 55mm
- Puller spread: 13-60mm
- Overall length: 490mm
- Hammer weight: 2.3kg

Telescopic Support

holding open car bonnets, boot lids and tailgates Telescopic range: . 540 - 1200mm



\$15^{.35}

Caliper Hanging Hook 310307 2 Piece

- Ideal for mounting brake caliper for service and maintenance
- PVC dipped hooks avoid scratching and scuffing painted surfaces
- Thickness: Ø 7.6mm
- Overall Length: 210mm

7.55



Stainless Steel Rule 150SE

Double Sided Metric & Imperial 150mm

- Double sided with graduations on both upper and lower edges
- Numerical markings on front side on upper and lower edges and in centre
- Made in Japan .

\$21.95

Crack Measure Gauge 321066 80mm

- Handy tool designed • to check the width of cracks in concrete walls and foundations
- Small pocket size allows for complete and easy portability

010	010	-
-020	-0.20	0
-0.30	- 0 30 - 0 25	20
-0.35	-0.35	
- 0 45	0.45	30
0 55	0.55	
-0.60	-0.60	40
0 70	0.70	-
0.80	0.80	50
0.85	0.90	-
0.95	- 0.95	60
110	110	-
1 20	1 30	20
1 40	1 40	
	Crack Measure Gauge	80



Low Pressure Fuel Tester 307019 Diesel

- Professional kit designed specifically for the inspection and diagnosis of low pressure diesel fuel systems
- Features ten quick-connect fuel line adaptors
- Includes two pressure gauges for accurate readings (-1- 5bar & -1-15bar)

321852

Price

\$87.95

\$93.95

TRIDON > 5

5.95

7.95

Length

440mm

440mm

Dual End Wedge 313316 Steel

Hose Clamp Pliers Long Reach

Type

Straight

Angled

• Ideal for use on spring band clamps

• Extra long reach pliers

- Suitable for prying applications where extra force is required
- Double ended head featuring a straight and curved edge providing multitude of wedging access
- Overall Length: 210mm
- Width: 25mm
- Thickness: 14mm
- Tip Thickness: 0.7mm ٠





Ħ



TOOLSTERA

\$189.15



Mini Lithium Jump Starter MA10000

- 12V 200A starting current
- 10W Wireless device charging •
- 10000mAh capacity (37Wh)
- Back-up power for portable devices
- Powerful torch function

\$**317**.85

12V Lithium Jump Starter MA21000

- 12V 550A starting current
- 21000mAh capacity (77.7Wh) ٠
- Back-up power for portable devices
- Powerful torch function



\$**634**.65



Lithium Jump Starter MA35000 12V/24V

- Automatic Voltage Sensing
- Peak Current 1200A (12V) .
- 35000mAh Capacity .
- Back-up power for portable devices
- Powerful 3W/250 Lumen torch function •



Heavy Duty Jump Starter MA3400 12/24V

- 12V 1000CCA
- 24V 500CCA
- Dead start function • Built in safety monitoring •
- Heavy duty cable and fully insulated clamps





Heavy Duty Digital Battery and System Tester BT2400HD With Printer

- 6V/12V/24V battery testing
- 12V/24V starting/charging system testing
- 12V series pack test (up to two batteries)
- 12V parallel pack test (up to six batteries)
- 6V/12V internal resistance testing (OHMS)

\$126^{.45}

6/12V Battery Charger AEE400 4Amp

- Lithium compatible
- Fully automatic charging •
- Zero volt pick up
- Enables charge to a dead battery





against voltage spikes

Pure copper cable

Part No.	Length	Cable Size	AMP	PRICE
MA254AZ	4m	3B & S/25mm ²	600	\$149.95
MA506AZ	6m	0B & S/50mm ²	900	\$299.95





Thunderbolt Jump Pack MA8000 8000 Peak Amps

- 12V 2000CCA
- 24V 1000CCA
- 1.7m 50mm² high conductivity leads (inc. clamps)
- Industrial grade clamps with brass connection points .
- 12V DC power outlet with overload protection
- 12/24V digital voltmeter-indicates the voltage of the battery to be jump started OFF position



12V Workshop Battery Charger & Power Supply

- Programmable charging
- 120 Amp power supply
- 50A 'silent' power supply ٠

\$**599**.95

Digital Battery & System Analyser BT900 with printer

- Tests conventional and Stop-Start batteries
- Tests vehicle alternator, starting and charging systems
- Suits battery types include regular flooded, AGM flat plate, AGM spiral, GEL, Enhance Flooded (EFB) and AGM (Stop-Start)

\$169^{.95}

Battery Tester BT400 • Microprocessor controlled

- Easy to read LCD screen
- Reverse polarity protection
- Accurate results in 2 seconds







- AE12000E
- Charges all types of 12V batteries (lithium compatible)
 - current output (2-100Ah)

 - 12V lithium battery 'wake up'





TRIDON > 7





80

22

185

2

145



\$**269**.00

1000V Tool Set 00 20 13 5 Piece

- Set of two 1000V KNIPEX Pliers and three Wera Screwdrivers Includes:
- 1000V Long Nose Cutting Pliers 200mm
 - Half round, long jaws with highly durable, elastic tips - 1000V Diagonal Cutter 160mm
- Powerful, accurate cutting that conserves manual force - 1000V Slotted screwdriver 3.5mm; length 100mm
- 1000V Slotted screwdriver 5.5mm; length 125mm
- 1000V Phillips screwdriver PH2; length 100mm
- A 1000 V A G



KNIPEX TwinGrip Slip Joint Pliers 82 02 200 200mm

- Unique combination: Front grip and side grip function, . box joint and push button adjustment
- Slim pliers let you work even in confined spaces with a . narrow turning zone for fast results
- High-grip front jaw with robust teeth and high gear ratio at the tip of the mouth

Needle Nose Combination Pliers

- **High Leverage Combination Pliers** with pointed, anti-twist jaws
- For all common installation and repair work

NOW AVAILABLE!

	Longer	185mm	Handles	/
--	--------	-------	---------	---

Part No.	Cable Cap Ø / mm²	Med Hard mm	Hard mm	Length mm	Price
08 22 145	8.0/16	3.0	2.0	145	\$71.95
08 22 185	13.0/25.0	3.8	3.0	185	\$95.00



Diagonal Flush Cutter 72 01 160

- for Plastic & Soft Components 160mm
- Cutting face flush
- Improved transmission ratio for 25% better
- cutting performance
- With opening spring



Gripping Pliers

31 11 160 Needle Nose 160mm

- Precision pliers for very exact assembly, bending and adjusting work
- With extra long jaws: length of jaws 55mm
- Smooth ground gripping surfaces
- Edges carefully deburred •





Combination Pliers

- Versatile, reliable and robust
- With gripping zones for flat and round material and long cutting edge for thick cable

Part No.	Cable Cap Ø / mm²	Med Hard mm	Hard mm	Length mm	Price
03 02 180	12.0/16.0	3.4	2.2	180	\$54.95
03 02 200	13.0/16.0	3.8	2.5	200	\$63.95



Long Reach Assembly Pliers

• For gripping, adjustment and assembly work in

hard to reach areas thanks to slim, very long desi					
	Part No.	Part No. Type		Price	
	28 71 280	Straight	280	\$83.95	
	28 81 280	45° Bent	280	\$89.95	

A.00

Electronic Super Knips® XL 78 03 140 140mm

- Additional 15mm longer version: greater stability, improved cutting performance
- Precision ground cutting edges without bevel for accurate flush cutting through the finest of wires
- e.g. in electronics and precision engineering • Also suitable for cutting cable ties to length



Snipe Nose Side Cutting Pliers

- 25 02 160 160mm
- Suitable for finer gripping and cutting work
- Pointed, half-round jaws ٠
- Knurled gripping surfaces
- With cutting edges for soft, medium-hard Ø 2.5mm and hard wire Ø 1.6mm

\$309.95





Mixed Pliers Set 00 20 01 V08 4 Piece

- KNIPEX Mixed Pliers Set in EVA foam tray .
- Includes
- Combination Pliers 200mm
- Long Nose Cutting Pliers 200mm
- High Leverage Diagonal Cutter 200mm
- KNIPEX Cobra® Water Pump Pliers 250mm



Diagonal Cutter High Leverage

- For very tough, continuous use High cutting performance with minimum effort due to optimum co-ordination of the cutting
- edge angle and transmission ratio

Part No.	Med Hard mm		Piano mm		Price
74 02 200	4.2	3.0	2.5	200	\$89.95
74 02 250	4.6	3.5	3.0	250	\$110.00





Retaining Ring Pliers 45 11 170 170mm

- Now with plastic grip handles!
- For fitting horseshoe-shaped spring retaining rings and circlips without grip holes
- For shaft retaining devices







\$251.00

Precision Circlip Pliers Set 00 19 57 V01

- 4 piece Straight & bent tips
- Set of two internal and two external circlip pliers
- With inserted tips for reliable work, heavy duty in continuous operation

Part No	Туре	Size of Bore	Style	Qty
48 11 J2	Internal	19 - 60mm	Straight Tips	1
48 21 J21	Internal	19 - 60mm	Angled Tips	1
49 11 A2	External	19 - 60mm	Straight Tips	1
49 21 A21	External	19 - 60mm	Angled Tips	1



^{\$}218^{.95}

Precision Circlip Pliers Set 00 19 57

- 4 piece Straight tips
- Set of two internal and two external circlip pliers With inserted tips for reliable work, heavy duty in • continuous operation

Part No	Туре	Size of Bore	Style	Qty		
48 11 J1	Internal	12 - 25 Ømm	Straight Tip	1		
48 11 J2	Internal	19 - 60 Ømm	Straight Tip	1		
49 11 A1	External	10 - 25 Ømm	Straight Tip	1		
49 11 A2	External	19 - 60 Ømm	Straight Tip	1		





Crimping Pliers 97 21 215 B 215mm

- For cutting cables, stripping wire (0.75 6.0mm²) and crimping insulated and non-insulated terminals, connectors and plug type connectors (0.5 - 2.5mm²)
- With threaded holes for cutting copper and brass screws M 2.6 / M 3 / M 3.5 / M 4 and M 5



- Stripper 12 62 180 180mm
- Compact, handy and lightweight
- For single, multiple and fine stranded cables of 0.2 up to 6.0mm² with standard insulation
- Adapts automatically to the respective cable cross-section- prevents damage to the conductor
- Integrated wire cutter up to 2.5mm²
- Adjustable length stop



KNIPEX StepCut[®] XL

- High-leverage joint, long handles and optimised cutting edges: noticeably easier cutting than with compact cable shears
- Large cutting capacity: cuts solid copper or aluminium cables up to 35mm², stranded cables up to 70mm² and fine stranded cables up to 120mm²
- Dual cutting areas: Stepped cutting edge holds small and larger cables close to the joint during the cut; the front cutting edge cuts very large cables step by step

Part No.	Handles	Length	Price
95 11 225	Plastic	225mm	\$169.00
95 12 225	Comfort	225mm	\$179.00
95 18 225	1000V VDE	225mm	\$189.00



Angled Electricians' Shears 95 05 20

- Universal shears with straight hand positioning for improved ergonomics
- Two crimping areas for wire ferrules of 0.5 6mm² and 10 - 25mm²
- . Includes opening spring, lock for easy storage & tether attachment



- KNIPEX Cobra® 87 01 250 250mm
- 25 adjustment positions, grips pipes up to 50mm
- Push button adjustment directly on the workpiece • Fine adjustment for optimum adaptation to different
- sizes of workpieces
- Self-locking on pipes and nuts: no slipping on the workpiece and low handforce required

Spring Hose Clamp Pliers

- 85 51 250 A 250mm
- Rotatable, universal grip inserts for reliably gripping the clamps in all positions
- Extremely good leverage which allows clamps to be opened easily without great effort





KNIPEX Cobra® XL 87 01 400 400mm

- 27 adjustment positions, grips pipes up to 90mm
- Greater gripping capacity but much lower weight than comparable pipe wrenches ٠
 - Push-button adjustment directly on the workpiece, no unintentional slipping of the joint
- Fine adjustment for optimum adaptation to different sizes of workpieces
- ٠ Self-locking on pipes and nuts



Pliers Wrenches 250mm

- Replaces a whole set of spanners metric and imperial
- Parallel, smooth jaws for working on sensitive fittings

Part No.	Handles	Adj. Pos.	Nut Cap mm	Price	
86 01 250	Plastic	19	52	\$151.95	
86 02 250	Comfort	19	52	\$163.95	



KNIPEX CutiX® Universal Knife 90 10 165 BK 165mm

- Innovative and variably extendable stabilisation bar: . versatile, precise, and faster cutting
- Exert targeted pressure on the back of the blade without risk of injury, no unintentional bending or breaking of the blade

ALL PRICES INCLUDE GST | FEBRUARY - MARCH 2025

TRIDON > *

Sp Sykes-Pickavant

TOOLSTER



Cylinder Leakage Tester

313700 Petrol & Diesel

- Diagnose worn or damaged piston rings, burnt or leaking valves and faulty head gaskets
- Supplied with M12 and M14 brass quick release spark plug adaptors
- Includes glow plug adaptors and an adjustable injector adaptor
- Up to 7bar (100 Psi) ٠

Professional LED Slimline Work Light 300602

- Ultra-bright and lightweight slim work light • illuminates hard to reach places with ease
- Magnetic, dimmable •



Professional Diamond Tipped Mini Engraver 680004

- Handy pocket engraver easily marks glass, ceramic, • plastic and hardened metals
- Battery type: 2 x AAA (supplied)
- Overall length: 155mm Tip: 1.1mm diameter



Professional LED Pocket Pen Light 300600

- Bright and robust pocket pen light for quick and easy illumination of dark work areas
- Magnetic
- Weight: 60g



Collapsible Magnetic Parts Trays Unique design allows the parts tray to close fully

flat for easy storage

Height adjustable to suit different applications

Part No.	Depth	Style	Price
680001	10 - 80mm	Small Round	\$19.95
680002	10 - 115mm	Large Round	\$44.95
680003	10 - 60mm	Oval	\$55.95





Professional Slimline LED Headlamp 300607

- Lightweight and easy to use LED headlamp allows for ease of lighting in dark areas while keeping vour hands free
- Auto sensing mode

\$**899**.95

• Weight: 250



Butane Soldering

- Iron Kit 680005 9 Piece Three features in one kit: Soldering Iron, Hot Torch & Hot Blower
- Includes 8 accessories • and attachments for all soldering applications
- See-through viewing window provides an accurate level of remaining butane







Dowel Pin Puller Master Set 680006

- Specialist kit offers an effective ٠ solution for removing dowel pins
- Ideal for working in confined . spaces eliminating use of slide hammer
- Comprehensive kit includes 11 dowel pin adaptors in Metric & Imperial sizes
- Metric: 4, 5, 6, 8, 10, 12mm
- Imperial: 3/16, 1/4, 5/16, 3/8, 1/2 inch





Slide Hammer Puller Kit

085403 Combi Pull & Split Collet Extractor

- 3 straight legs, 3 cranked reversible legs for internal and external pulling
- 4 split collet internal extractors Leg Style: Straight & Cranked •
- External Spread: 66-105mm
- Internal Spread Straight: 23-83mm
- Internal Spread Cranked: 33-70mm .
- Internal Spread Split Collets: 10.5-30mm
- Reach: 65 & 75mm



Magnetic • Weight: 80g



Professional LED

- Foldable Slimlight 300606
- Bright and robust pocket pen light for quick and easy illumination of dark work areas





Pull/Push through ratchet head Supplied with UKAS accredited calibration certificate Large dual scale Upgraded soft feel ergonomic handle

Motorq Professional Torque Wrenches

- Soft feel ergonomic handle that provides exceptional grip even in oily conditions
- 60% larger easy to read dual scale for improved visibility, precise torque setting adjusts 40% faster
- Push/pull torque adjustment knob that allows for rapid and accurate torque settings
- Made in England to ISO9000:2000 standard and supplied with a UKAS accredited calibration certificate in a protective case





	Part No. Sq. Dr	6 m D m	Torque Capacity		Length	Ratchet	Ratchet	DDICE
		Sq. Dr	Nm	Lbf.ft	mm	Diameter	Teeth	PRICE
	800020	3/8"	4 - 20	40 - 180	220	-	-	\$269.00
j	800101	1/2"	20 - 100	15 - 75	387	45mm	72	\$349.00
2	800300	1/2"	60 - 300	45 - 220	593	51mm	60	\$449.00
	800330	1/2"	60 - 340	45 - 250	685	51mm	60	\$499.00





Coloured band indicates

lock/unlock



Vinyl Coated **Clamp Pack**

- **TVC85** • Vinyl coated hose clamps
- •
- Handy carry case, all popular sizes Clearly marked with size range
- 85 clamps
- ວ.00 **Rubber Lined Clamp Pack**
- **TRLC90K** • For pipes, cables, groups of cables, hoses, etc
- Handy carry case, all popular sizes
- Clearly marked with size range •
- 90 clamps





Black Cable Ties

- UV stabilised to resist
- material breakdown Bulk packs of 500

		-	
Part No.	Width mm	Length mm	Price
CTB154BK	3.6	150	\$15.95
CTB204BK	3.6	200	\$21.95
CTB205BK	4.8	200	\$22.95
CTB255BK	4.8	250	\$40.95
CTB305BK	4.8	300	\$44.95
CTB405BK	4.8	430	\$74.95
CTB408BK	7.6	430	\$98.95

500

TRIDON >



Stainless Steel Cable Ties

- Maximum tensile strength, superior durability and corrosion protection when securing wires, cables and pipe bundles
- Features a unique one way ball lock housing design for strength and security during use

Part No.	Size	Qty	Price
CTSS124	127 x 4.5mm	50	\$34.95
CTSS154	152 x 4.5mm	50	\$38.95
CTSS204	201 x 4.5mm	50	\$39.95
CTSS264	266 x 4.5mm	50	\$41.95
CTSS304	300 x 4.5mm	50	\$44.95
CTSS364	362 x 4.5mm	50	\$48.95
CTSS524	521 x 4.5mm	50	\$61.95





TRIDON 🔁

OOLS OF THE



FlexConnect

Designed to be the ultimate workshop solution!

TWM122

- Premium quality wiper blades
- Unique FlexConnect[®] system allows you to build the correct blade for every car
- Custom freestanding merchandiser
- Covers all vehicles in the Australian market
- Direct fit exact per OEM

^{\$}115^{.00}

TRIDON >

Windscreen

concentrated

to fill whole

washer tank

Box of 25

1 bottle is

ClearViz

No waste, no clunky multiclips!

FlexConnect[®] Connectors FlexConnect[®] Blades Size Part No. Qty Part No. Style TFC14 350mm/14" BY-2 1 **Bayonet** Pair TFC15 380mm/15" 1 HK-2 Hook Pair TFC16 400mm/16" 1 MB-2 MB Pair TFC17 430mm/17" MG-2 MG Pair 1 TFC18 450mm/18" 1 NX-2 NX Pair TFC19 475mm/19" 1 PB-2 PB Pair TFC20 500mm/20" 1 RN-2 RN Pair

1

1

1

1

1

SL-2

TL-2

TLN-2

TLP-2

530mm/21"

550mm/22"

600mm/24"

650mm/26"

700mm/28"

Wiper Merchandiser



TRIDON Only \$4.20 Each Additive TCV001

TFC21

TFC22

TFC24

TFC26

TFC28



\$**47**.95

Qty

1

2

1

1

1

1

1

1

2

1

SL Pair

TL Pair

TLN Pair

TLP Pair

FAMOUS TOLEDO Wiper Arm Puller Adjustable 304997

- Suits various arm sizes and vehicle models Specifically designed
- for removing stubborn windscreen wiper arms
- Wide spread capacity from 15mm to 40mm



0692-24. Prices valid 1 February to 31 March 2025. Prices include GST. Please refer to the relevant Tridon catalogues for more comprehensive product information. As participating stores are independent businesses, they reserve the right to set their own selling prices. Pricing throughout this publication is the recommended trade price and may vary from store to store. Every effort has been made to ensure stocks are available at the time of printing. Should any item not be in stock on placement of orders, stores will endeavour to procure those published items. Product images are for illustration purposes only. Produced by Tridon Australia Pty Ltd ACN 001 398 698 ABN 90 001 398 698

